

Standard Shipping & Terms: Freight shipped prepaid and added to your invoice. FOB Valparaiso, IN. Net 30 terms for invoices up to \$3,499.99. **Freight Option (A):** Shall apply on orders of \$3,500 or more. Freight will be invoiced, but may be deducted if paid within Net 30 terms. Freight is non-deductible if payment is late.

Payments Option (B): Payments must be made in 30/60/90/120-day terms, per the above matrix. No interest (if paid on time). Freight is due with the first payment.

Examples on a \$3,500 Order



Purchase \$3,500 of merchandise and pay using Option A.

The customer pays one lump sum Net 30 days and the freight is free.....

Total Invoice (Including Freight) \$3,700.00
Freight deductible if paid net 30 —\$200.00

Total Paid \$3,500.00

Freight may be deducted if paid within Net 30 terms. Freight is non-deductible if payment is late.



Single invoice shows \$3,500 of merchandise and \$200 in freight. The customer can pay in 3 equal payments and includes the freight in the first payment*.

Total Invoice: \$3,700.00

Payment 1(*Includes \$200 freight) \$1,366.67
Payment 2 \$1,166.67
Payment 3 \$1,166.67

Total Paid \$3,700.00









Due to unprecedented times, we are facing manufacturer price updates more frequently than usual.

Please check our website at phpdistribution.com

for prevailing prices and availability, which are subject to change without notice.



Follow Us!



facebook.com/PPHHPP46383



twitter.com/PHPDistribution



(search PHP Distribution)

Visit Us!

phpdistribution.com to place orders

orders@phpdistribution.com

Call Us!

1.800.362.6951

Fax: 1.800.255.7985



Name Brand Product Selection

We carry thousands of products featuring the names you look for and trust for auality and dependability.



Same Day Shipping

Strategically located in the Midwest...with our ship same day standard means in most cases you will recieve your order within 24-48 hours depending on your location.



Superior Customer Service

Staffed with knowledgeable representatives to help in any way they can.



Special Terms for Qualifying Customers

Certain minimum orders receive special terms including payment options and shipping cost.



Top-of-the-Line Technical Service


Our team is always ready to answer any questions you have.



Specialty Knives

TRUE

Cordless Power Cutter





Stick









RED HEATERS



DEWALT

50,000 BTU

- 4 gallon tank
- Durable barrel design
- Recessed controls

Item No.	Retail	Wholesale
DXH50K		Please Login



75,000 BTU

- 4 gallon tank
- · Durable barrel design
- Recessed controls
- Built-in thermostat

Item No.	Retail	Wholesale
DXH75KT		Please Login





135,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- · Recessed controls
- Built-in thermostat

Item No.	Retail	Wholesale
DXH135HD		Please Login



- 190,000 BTU

 14 gallon tank
 Heavy-duty roll cage
 Durable barrel design
- Front storage compartment

Retail

- Flat-free tires
- · Recessed controls
- · Built-in thermostat

	9
215.000 E	BTU

- 14 gallon tank
- Heavy-duty roll cageDurable barrel design
- Front storage compartment
- Flat-free tires
- · Recessed controls
- · Built-in thermostat

Item No.	Retail	Wholesale
DXH215HD		Please Login





Item No. DXH190HD



Wholesale

Please Login





					100
Model #	DIXHSOK	DXH75KT	DIXHI3SHD	DIXHISOHD	DXH215HD
Stock#	F340670	F340675	F340690	F340695	F340700
BTU Output	50,000	75,000	135,000	190,000	215,000
'Heats Up To: (Approx. Sq. Ft.)	1,200	1,750	3,500	4,200	6,500
Run Times (Approx.)	11 Hrs	11 Hrs.	9.5 Hrs	10 Hrs.	9.5 Hrs.
CFM Output	165	240	275	400	400
Tank Size (Gallon)	4		14	14	14
Thermostat	Sold Separately	Included	Included	Included	Included
Tires	NA	N/A	Foam filled flat-free	Foam filled flat-free	Foam filled flat-free
Weight	33.75 lbs.	39 lbs.	60 lbs.	74 lbs.	106.5 lbs.
Shipping Ctn Size (In Inches)	32.5 x 14.25 x 14.75	32.25 x 14.25 x 17	39.75 x 18.25 x 20.75	39.75 x 18 x 21	42 x 18 x 22





75,000 BTU

- Heats up to 1,750 sq. feet
- Built-in thermostat
- Fuel gauge
- Cord wrap
- Easy-off fuel cap
- · Lighted on/off switch

Item No.	Retail	Wholesale
HS75KT		Please Login



125,000 BTU

- Heats up to 3,000 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch
- · Oversized traction wheels

Item No.	Retail	Wholesale
HS125KT		Please Login





175,000 BTU

- Heats up to 4,250 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch
- Oversized traction wheels

Item No.	Retail	Wholesale
HS175KT		Please Login



210,000 BTU

- Heats up to 6,000 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- · Lighted on/off switch
- Oversized traction wheels

Item No.	Retail	Wholesale
HS210KT		Please Login

	HS75KT	HS125KT	HS175KT	HS210KT
Stock Number	F170275	F170025	F170075	P170380
Output (BTU/HR)	75,000	125,000	175,000	210,000
Output CFM	340	275	400	400
Fuel	Kerosene / #1 Fuel Oil	Rarosone / #1 Fuel Oil	Xerosene / #1 Fuel Oil	Kerosene / #1 Fuel Oil
Fuel Consumption (gal/hr)	.56	77	1.15	1.60
Flame Safety	Overhead Salviny Shuboff	Sverhold Solely Shuboff	Overheat Safety Shutoff	Overheat Salviy Shutoff
Ignition	Continuous	Continuous	Continuous	Continuous
Power Required	110 - 115 ¥ 60 Hz	110 - 115 ¥ 60 Hz	110 + 115 ¥ 60 Hz	110 - 115 V 60 Hz
Tank Size	6 pilors	14 galors	14 galons	14 galors
Shipping Size (L x W x H)	32" x 14.25" x 17"	42" x 18" x 22.25"	42" (18") 22.25"	47'118'12225'
Net Weight	N In.	69 bs.	7i bi.	82 bs.
Shipping Weight	40 bs.	74 bs.	81 bs.	57 bs.
Shipping Cube	430	9.73	9.73	973
Thermostat	Sardet	Sindrd	Sarded	Standard





75,000 BTU Direct Spark

- Comfort control T-stat
- · Fuel gauge
- Spark ignition
- · Cord wrap
- · Safety flameout sensor
- · High limit safety sensor
- Built-in air pressure gauge

Item No.	Retail	Wholesale
Tradesman K75		Please Login



125,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- · High limit safety sensor
- Built-in air pressure gauge
- · Pneumatic wheels
- Room temperature display

Item No.	Retail	Wholesale
Tradesman K125		Please Login

175,000 BTU Direct Spark

- · Comfort control T-stat
- Fuel gauge
- Spark ignition
- · Cord wrap
- · Safety flameout sensor
- · High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Item No.	Retail	Wholesale
Tradesman K175		Please Login



210,000 BTU Direct Spark



- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- · High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Item No. Tradesman K210	Retail	Wholesale
Tradesman K210		Please Login

TRADESMAN	K75	K125	K175	K210
Btu/h Rating	75,000	125,000	175,000	210,000
Heated Air Output (CFM)	265	520	600	650
Pump Pressure (psi)	3.8	5.5	6.5	8.5
Fuel Consumption (max.) (gal./hr.)	0.6	0.95	1.3	1.6
Tank Capacity (gal.)	5	10	13	13
Operating Time/Tankful min. (hrs.)	8.3	10.5	10.0	8.0
Amps (continuous operation)	1.6	2.5	3.2	3.7
Motor Horsepower	1/8	1/5	1/4	1/3
Dimensions (in.)				
Length	32.0	36.1	41.8	41.8
Width	11.8	21.5	23.1	23.1
Height	16.8	24.9	26.1	26.1
Shipping Weight (lbs.)	30.0	63.7	71.6	73.2





No-Spill® CARB Fuel Can w/Auto Stop Nozzle

Meets <u>CARB</u> Environmental Standard

- 5 gallon
- Wide, stable base can reduce upsets
- Semi-translucent body lets you see your fuel level
- · Quart & Liter markings molded in for easy reference
- 7/8" Funnel spout easily fills even the smallest equipment

Item No.	Retail	Wholesale
NS1456		Please Login





HOT 4 in 1 Heating Oil Treatment

- TOTALLY disperses water, so in effect there is no longer any "free water"
- Treats 274 gallons.
- · Do not use with wick heaters

Item No.	Retail	Wholesale
00161		Please Login

Job Sizing - Heat Requirements

Cubic			R	ise in Tem	perature			
Feet	10°F	20°F	30°F	40°F	50°F	60°F	70°F	80°F
4,000	5,320	10,640	15,960	21,280	26600	31,920	37,240	42,560
8,000	10,640	21,280	31,920	42560	53,200	63,840	74,480	85,120
12,000	15,960	31,920	47,880	63,840	79,800	95,760	111,720	127,680
16,000	21,280	42,560	63,840	85120	106,400	127,680	148,960	170,240
20,000	26,600	53,200	79,800	106,400	133,000	159,600	186,200	212,800
24,000	31,920	63,840	95,760	127,680	159,600	191,520	223,440	255,36
28,000	37,240	74,480	111,720	148,960	186,200	223,440	260,680	297,920
32,000	42,560	85,120	127,680	170,240	212,800	255,360	297,920	340,480
36,000	47,880	95,760	143,640	191,520	239,400	287,280	335,160	383,040
40,000	53,200	106,400	159,600	212,800	266,000	319,200	372,400	425,600
44,000	58,520	117,040	175,560	234,080	292,600	351,120	409,640	468,160
48,000	63,840	127,680	191,520	255,360	319,200	383,040	446,880	510,720
52,000	69,160	138,320	207,480	276,640	345,800	414,960	484,120	553,280
56,000	74,480	148,960	223,440	297,920	372,400	446,880	521,360	595,840
60,000	79,800	159,600	239,400	319,200	399,000	478,800	558,600	638,400
64,000	85,120	170,240	255,360	340,480	425,600	510,720	595,840	680,960
68,000	90,440	180,880	271,320	361,760	452,200	542,640	633,080	723,520
72,000	95,760	191,520	287,280	383,040	478,800	574,560	670,320	766,080
76,000	101,080	202,160	303,240	404,320	505,400	606,480	707,560	808,640
80,000	106,400	212,800	319,200	425,600	532,000	638,400	744,800	851,200
84,000	111,720	223,440	335,160	446,880	558,600	670,320	782,040	893,760
88,000	117,040	234,080	351,120	468,160	585,200	702,240	819,280	936,320
92,000	122,360	244,720	367,080	489,440	611,800	734,160	856,520	978,880
96,000	127,680	255,360	383,040	510,720	638,400	766,080	893,760	1,021,440
100,000	133,000	266,000	399,000	532,000	665,000	798,000	931,000	1,064,000
104,000	138,320	276,640	414,960	553,280	691,600	829,920	968,240	1,106,560
108,000	143,640	287,280	430,920	574,560	718,200	861,840	1,005,480	1,149,120,
112,000	148,960	297,920	446,880	595,840	744,800	893,760	1,042,720	1,191,680
116,000	154280	308,560	462,840	617,120	771,400	925,680	1,079,960	1,234,240
120,000	159,600	319,200	478,800	638,400	798,000	957,600	1,117,200	1,276,800
124,000	164,920	329,840	494,760	659,680	824,600	989,520	1,154,440	1,319,360
128,000	170,240	340,480	510,720	680,960	851,200	1,021,440	1,191,680	1,361,920
132,000	175,560	351,120	526,680	702,240	877,800	1,053,360	1,228,920	1,404,480
136,000	180,880	361,760	542,640	723,520	904,400	1,085,280	1,266,160	1,447,040
140,000	186,200	372,400	558,600	744,800	931,000	1,117,200	1,303,400	1,489,600
144,000	191,520	383,040	574,560	766,080	957,600	1,149,120	1,340,640	1,532,160
148,000	196,840	393680	590,520	787,360	984,200	1,181,040	1,377,880	1,574,720
152,000	202,160	404,320	606,480	808,640	1,010,800	1,212,960	1,415,120	1,617,280

Formula: Cubic Feet x .133 x Desired Temperature Rise = BTU/h Required

Note: .133 = Heat Loss Variable, a number standard to the industry based on insulation. A tightly insulated building indicates this number is slightly high. Yet a loosly insulated building indicates this number is slightly low. However, .133 is a factor that meets a respectful medium.



tred heaters

146,900 BTU **Radiant Fired**

2-Stage Unit



- · Low noise level
- · Radiant heat with no air movement
- · Lift bracket
- Odor FREE
- · Kerosene, diesel, fuel oil
- 14 Gal. shock-proof fuel tank
- Dual stage burner high /low settings
- Electric 120V, 1.25 Amps
- · Weight 149 lbs.
- Dimensions 41"Lx30"Wx47"H

Item No.	Description	Retail	Wholesale
HSP150R	Heater		Please Login
F105108	External thermostat		Please Login





Direct Fired Heaters

- Runs on #1, #2 diesel, kerosene, JP-8, or Jet A fuel
- · Simple, easy to use control panel built with tough flameproof plastic
- Safety features include: overheat limit, pressure switch and flame out sensor
- Double layered combustion chamber provides quiet operation and low surface shell temperature
- · Preheated fuel filter with fuel gauge is standard
- Optional thermostat available (ACC-THIDF w/50' cord)

Standard Features

- Pre-heated fuel filter
- Fuel gauge
- · Lifting brackets
- Power cord bracket
- Large fuel tank, over 35 gallon capacity!
- Runtime: (DF400-12.6 hrs.), (DF600-8.3 hrs.)
- External fuel tank available for even more run time!





Item No.	Description	CFM	Retail	Wholesale
DF400	400,000 BTU	2500		Please Login
DF600	600,000 BTU	2800		Please Login
THIDF	Thermostat			Please Login



No Open Flame!

Portable Oil Indirect-Fired Heaters

- · 100% clean, dry heat
- · High pressure operation
- Four-loop exhaust gas system™ for higher efficiency
- Temperature rise 160°F
- Extra large fuel tanks for extended run times
- Runs on #1 & #2 diesel, kerosene, JP-8 or Jet A
- Low-power consumption

HVF110 - 110,000 BTU

- 17 gallon tank
- 22 hour run time
- 120v, 6amp
- 1.020 cfm
- Temperature rise = 160° F
- Ductable up to 25'
- 100 lbs.



Item No.	Description	Retail	Wholesale
HVF110	Heater		Please Login
WD1220	20' Duct		Please Login
AR110	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
EF1	Raincap/Flue stack		Please Login



· Runs on 15 amp circuit

- · "One-Man" maneuverability
- Lifting handles
- Fuel gauge
- Extra large capacity tanks
- Thermostat sold separately

HVF210 - 205,000 BTU

- 27.7 gallon tank
- 19 hour run time
- · Preheated fuel filter
- 120v, 9amp
- 1,530 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 180 lbs.

Item No.	Description	Retail	Wholesale 4
HVF210	Heater		Please Login
WD1425	25' Duct		Please Login
AR210	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR212	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login







HVF310 - 300,000 BTU

- 35.7 gallon tank
- 16 hour run time
- · Preheated fuel filter
- 120v, 12amp
- 2,500 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 270 lbs.



Item No.	Description	Retail	Wholesale	
HVF310	Heater		Please Login	
WD1825	25' Duct		Please Login	
AR310	Duct ring		Please Login _™	100
23189	Duct diffuser		Please Login	ij
THIDF	Thermostat (50')		Please Login	•
AR312	Two-way adapter		Please Login	
WD1220	Duct for two-way		Please Login	
EF1	Raincap/Flue stack		Please Login	



Item No.	Description	Retail	Wholesale	
HVF310	Heater		Please Login	
WD1825	25' Duct		Please Login	
AR310	Duct ring		Please Login _™	1995 EV-
23189	Duct diffuser		Please Login	WCK (SP.
THIDF	Thermostat (50')		Please Login	c U
AR312	Two-way adapter		Please Login	Qualifies For
WD1220	Duct for two-way		Please Login	FREIGHT
EF1	Raincap/Flue stack		Please Login	ALLOWED
				- VELONIED

HVF410 - 412.000 BTU

- 57 gallon tank
- 30 hour run time
- · Preheated fuel filter
- 120v, 20amp
- 3250 cfm
- Temperature rise = 140° F
- Ductable up to 60'
- 507 lbs.
- 2 control settings Low-272K BTU High-412K BTU





Item No.	Description	Retail	Wholesale
HVF410	Heater		Please Login
WD2025	25' Duct		Please Login
AR401	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR402	Two-way adapter		Please Login
WD1825	25' Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login









Ductable Dual-Fuel, Direct Fired Heater

- · Heavy-duty frame with wheels and lifting hook
- Changes from vapor propane to natural gas with a turn of a valve
- · Low amp draw
- Ductable up to 50'
- Remote thermostat with 50' cord (sold separately)
- 120V

Item No.	Description	Retail	Wholesale	_
DG250	250,000 BTU heater		Please Login	_
WD1625HT5	25 ft. duct (DG250)		Please Login	
AR250	Duct adapter (DG250)		Please Login	
DG400	400,000 BTU heater		Please Login	
WD2025HT5	25 ft. duct (DG400)		Please Login	
AR400	Duct adapter (DG400)		Please Login	
DIGTHIDF-5	Thermostat		Please Login	
INSTKIT	Hose & Rea. Inst. Kit		Please Login	

LP Hose & Regulator Installation Kit

- #INSTKIT • 3/4" x 25' hose
- Regulator (1st Stage)
- Tank connector
- Regulator (2nd Stage)
- · Thread sealing tape
- All fittings to connect to tanks



PROPANE HEATERS

Propane Forced-Air

HeatStar heaters include a 20 ft. hose and regulator.



85,000 BTU

- Heats up to 2,000 sq. feet
- Will not work with thermostat
- Continuous ignition

Item No.	Retail	Wholesale
HS85FAV		Please Login



125,000 BTU

- Heats up to 3,000 sq. feet
- Will not work with thermostat
- Continuous ignition

Item No.	Retail	Wholesale
HS125FAV		Please Login





170,000 BTU

- Heats up to 4,000 sq. feet
- Built-in thermostat
- Automatic solid state ignition

Item No.	Retail	Wholesale
HS170FAVT		Please Login



400,000 BTU

- Heats up to 9,000 sq. feet
- Built-in thermostat
- Automatic solid state ignition

Item No.	Retail	Wholesale
HS400FAVT		Please Login

	HS85FAV	HS125FAV	HS170FAVT	HS400FAVT
Stock Number	F170085	P170125	POND	F172425
Output (BTU/NR)	50,000 - 85,000	75,000 - 125,000	125,000 - 170,000	250,000 - 400,000
Output CFM	300	350	450	1400
Fuel	Propane Gas	Propure Sas	Propere Gas	Propare Gas
Min. Required Tank Size	20 b.	40 b.	100 B.	100 B.
Propone Consumption (lbs/hr)	231039	35058	58 to 7.8	11.5 to 18.5
Pressure Regulator Settings	58.80	28, M.C.	28°WC	2079
Adjustable Height Control	Yes	No.	Yes	
Flame Safety	Yes	Tis .	Tes .	Yes
High Temperature Limit Switch	249 F	387 F	347 F	249 F
Ignition	Continuous	Continuous	Automatic Sold State	Automatic Solid State
Thermostat	-	-	Bathin	Bull-is
Power Required	115 V 60 Hz 3s	115 K 60 Hz 3a	115 ¥ 50 4a	115 V 60 4a
Hose-10ft.	36"10 w/Regulator and POL	35"13 w Regulator and POL	58" LD, wi Regulator and POL	14" LD. wi Regulator and POL
POL/Excess Flow Check Valve	Yes	16	To .	Yes
Shipping Size (L x W x H)	21"x11.5"x16"	20.25" x 12" x 15.5"	265" x 11.5" x 16.75"	38.58" x 15" x 22.25"
Net Weight (Includes Hose / Regulator / POL Assembly)	18 lbs.	23 bs.	32 bs.	47 bs.
Shipping Weight	20 bs.	25 fts.	348s.	57 bs.
Shipping Cube	22	27	3.0	7.5







40,000 BTU

- 20 lb. minimum tank size
- 11 hour run time
- · Rugged two-piece barrel
- Recessed controls
- 15' hose & regulator

Item No.	Retail	Wholesale
DXH40FALP		Please Login



65,000 BTU

- 20 lb. minimum tank size
- 7 hour run time (high setting)
- Rugged two-piece barrel
- · Recessed controls
- 15' hose & regulator

Item No.	Retail	Wholesale
DXH65FALP		Please Login

125,000 BTU

- 40 lb. minimum tank size
- 7 hour run time (high setting)
- Rugged two-piece barrel
- · Recessed controls
- Quiet Burner Technology™
- 20' hose & regulator

Item No.	Retail	Wholesale
DXH125FALP		Please Login



DeWalt Battery not included

Cordless Propane Unit 68,000 BTU

- 50% quieter than a standard LP heater
- Hose/Regulator included
- Heats up to 1500 sq ft
- Runs on DeWalt 20V Max & Flexvolt batteries (sold separately)

Item No.	Description	Retail Wholesale
DXH70CFAV	Heater	Please Login
DCB204-2	Batteries (2pk.)	Please Login





150,000 BTU

- 100 lb. minimum tank size
- 14 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- 20' hose & regulator

Item No.	Retail	Wholesale
DXH150FALP		Please Login



170,000 BTU

- 100 lb. minimum tank size
- 13 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- Built-in thermostat
- 20' hose & regulator

Item No.	Retail	Wholesale
DYH170FAVT		Planta Lonin



210.000 BTU

- 100 lb. minimum tank size
- 17 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- Built-in thermostat
- · 20' hose & regulator

Item No.	Retail	Wholesale
DXH210FAVT		Please Login



Model#	DXH40FA	DISHBSFAV	DXHBOFAV	DICHTESFAV	DICHTSOFAV	DXH170FAVT	DXXIIOFAVT
Stock#	F340706	F340710	F340715	F340720	F340725	F340730	F340735
BTU Output	40,000	35,000-45,000	58,000-96,000	75,000-125,000	100,000-150,000	125,000-170,000	160,000-210,000
Heats Up Tis: (Approx. Sq. Pt.)	800	1,250	2,000	3,200	3,500	4,000	8,000
CFM Output	100	300	300	390	400	450	450
Minimum Recommended Tank Size	20 lbs.	20 lbs.	20 lbs.	40 fbs.	100 lbs.	100 lbs.	(2x) 100 lbs.
Operating Pressure	10 PSI	20 PSI	29 PSI	20 PSI	36 PSI	28 PSI	30 PSI
Approx. Run Time On Minimum Tank Size	12 Hrs.	7 Hrs. High 14 Hrs. Low	4.5 Hrs. High 8 Hrs. Low	6.5 Hrs. High 11 Hrs. Low	12 Hrs. High 17 Hrs. Low	10.5 Hrs. High 17 Hrs. Low	10 Hrs. High 13 Hrs. Low
Thermostat	NO	NO	NO	NO	NO	YES	YES
Quiet Burner Technology®	YES	YES	YES	YES	YES	YES	YES
Weight	20 (04.	20 lbs.	19 lbs.	22 lbs.	22 fbs.	30.35 lbs.	30.35 lbs.
Shipping Ctn Size (In Inches)	20.5 ± 9.75 ± 12.75	19.75 x 11.5 x 14.35	18.5 x 11.5 x 14.25	21.25 x 11.75 x 16	21.25 x 11.75 x 15	26.75 x 11.75 x 16.5	26.75 x 11.75 x 16.5

^{*} Heating area based on average insulation, ceiling height and desired to



PROPANE HEATERS

Big Buddy (MH18B)

• Heats up to 400 sq. feet

Hunting Buddy (MH12B)

- Heats up to 300 sq. feet
- Camo faceplate
- Silent electronic ignition

DeWalt Buddy (DXH12B)

- Heats up to 450 sq. feet
- USB charging ports
- · LED worklight
- Works with any DeWalt 20-Volt Max or Flexvolt batteries

Buddy Heater (MH9BX)

• Heats up to 200 sq. feet

Little Buddy (MH4B)

• Heats up to 100 sq. ft.

Features

- Built-in low oxygen shut off sensor and tip-over switch
- Easy-carry handle
- CSA-certified for indoor use

Item No.	Description	Retail	Wholesale
MH18B	4,000 - 18,000 BTU		Please Login
MH12HB	6,000 - 12,000 BTU		Please Login
DXH12B	6,000 - 12,000 BTU		Please Login
MH9BX	4,000 - 9,000 BTU		Please Login
MH4B	3,800 BTU		Please Login
F273699	Fuel filter (change annually)		Please Login
F273702	12' Hose recommended to use w/fuel filter		Please Login
F276127	Power adapter for Big Buddy		Please Login
DCB204-2	DeWalt Battery (2pk)		Please Login













Golf Cart Heater

- One button push ignition/on function
- 4,000 BTU wind resistant burner
- · Cup holder adapter
- Automatic low oxygen shut-off system
- Connects to a 1 lb. disposable cylinder
- 90° tip-over safety switch reduces nuisance shut-offs in golf carts

Item No.	Retail	Wholesale
MH4GC		Please Login



Tanktop Heaters

- · Reaches full output in seconds
- · No electricity required
- · Fully assembled and ready to use
- · Made of rugged quality materials
- · Tank not included
- CSA Approved

Item No.	Description	Retail Wholesale
MH15T	10,000 - 15,000 BTU	Please Login
MH30T	10,000 - 30,000 BTU	Please Login
MH45T	10,000 - 45,000 BTU	Please Login





540° Tank Top Heater

- 360° Burner Head
- 180° Multi-Directional Bracket
- 30,000 45,000 BTU per hour
- For use with Liquid Propane
- Push Button TE Valve
- · Safety Shut-off Tip Over Switch
- · Mounts to a 20 lb. cylinder

Item No.	Retail	Wholesale
MH540T		Please Login



Tradesman 125 **Propane Heater**



- 400 CFM
- Continous Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 25.6"L x 11.8"W x 16"H
- 20.37 lbs. net weight
- · Gas pressure regulator and 10' hose included
- CSA Certified

Item No.	Retail	Wholesale
Tradesman125		Please Login



L.B.WHITE



Tradesman 170 **Propane Heater**

- 125.000-170.000 BTU
- 550 CFM
- · Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 24"L x 9.5"W x 16"H
- 29.2 lbs. net weight
- · Gas pressure regulator and 10' hose included
- CSA Certified
- · Mounted thermostat standard

Item No.	Retail	Wholesale
Tradesman170P		Please Login





- Easily Heats 2 And 3 Car Garages
- Includes Gas Conversion Kit
- · Ships configured for natural gas
- Cabinet Size: 12" x 18" x 25"
- Power Exhaust Allows For Vertical Or Horizontal Venting
- Spark Ignition Features Self-Diagnostic Control Module
- 3-Year Warranty On Parts And Burner
- 10-Year Warranty On Heat Exchanger
- Needs thermostat to operate (sold separately)



Item No.	Description	Retail	Wholesale
HSU50NG	45,000 BTU - Propane/NG		Please Login
HSU80NG	80,000 BTU - Propane/NG		Please Login
F10371	Thermostat		Please Login
F102848	*Vertical venting kit-80K BTU only		Please Login
F102860	*Horizontal venting kit-80K BTU		Please Login





Tradesman 400 **Propane Heater**



- 250,000-400,000 BTU
- 1.050 CFM
- Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 34.5"L x 12.5"W x 21.5"H
- 52.0 lbs. net weight
- · Gas pressure regulator and 10' hose included
- CSA Certified
- · Mounted thermostat standard

Item No.	Retail	Wholesale
Tradesman400P		Please Login





Unique 3-trial ignition ensures heater will light



Industry's heaviest gauge combustion chamber and burner plate for longest life

L.B. White Tradesman heaters feature a unique 3-trial ignition system, the industry's heaviest gauge combustion chamber and burner plate.



Tradesman 400DF **Heater - Dual Fuel**



- 170.000-400.000 BTU
- 1,050 CFM
- Switch between LP & NG with the push of a lever
- · Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 34.5"L x 12.5"W x 21.5"H
- · 43.0 lbs. net weight
- · Gas pressure regulator and 10' hose included
- CSA Certified
- · Mounted thermostat standard

Item No.	Retail	Wholesale
Tradesman400DF		Please Login

NATURAL GAS HEATE

Forced-Air **Natural Gas Heater**

- 150.000 BTU
- · Heater shuts off with loss of flame or power supply
- Made of rugged, durable steel
- Heats up to 1,250 sq. feet
- · Built-in thermostat
- · Automatic solid state ignition

Item No.	Retail	Wholesale
HS170NG		Please Login









Natural Gas **Radiant Heater**

- 125.000 BTU
- Heats up to 3,000 sq. feet
- 16.14"L x 16.14"W x 35.04"H
- Piezo push button ignition
- Regulator included
- No electricity required

Item No.	Retail	Wholesale
HS125N		Please Login





Natural Gas Convection Heater

- 50.000 100.000 BTU
- Piezo push button ignition
- · No electricity required
- Heats up to 2,500 sq. ft.
- "Insta-Lock" system for easy assembly - no tools

Item No.	Retail	Wholesale
HS100CVNG		Please Login



Garage Heaters

- Easily Heats 2 And 3 Car Garages
- Includes Gas Conversion Kit
- · Ships configured for natural gas
- Cabinet Size: 12" x 18" x 25"
- Spark Ignition Features Self-Diagnostic Control Module
- 3-Year Warranty On Parts And Burner
- 10-Year Warranty On Heat Exchanger
- · Needs thermostat to operate (sold separately)
- Venting kits sold seperately

Part#	Description	Retail Wholesale
HSU50NG	45,000 BTU - Propane/NG	Please Login
HSU80NG	80,000 BTU - Propane/NG	Please Login
F10371	Thermostat	Please Login
	See page 13 for venting	kit information



®∪S

STAR

Forced-Air **Natural Gas** Heater

- 125,000 155,000 BTU
- · Heated air output 550 cfm
- · Direct spark ignition
- · Steel case with tri-shield coating

Tradesman 170

- Unit mount thermostat
- CSA-certified
- 1/2" hose not included

Item No.	Retail	Wholesale
Tradesman 170N		Please Login

Workman 100N Plus Convection Heater

- 100.000 BTU/h Maximum input
- 400 CFM heated air output
- Piezo pilot ignition
- Stainless burner
- 14"L x 12"W x 20"H
- 12 lbs. net weight

Item No.	Retail	Wholesale
Workman 100NPlus		Please Loain



L.B.WHITE





Radiant Heater

- 212.000 BTU
- · Cast iron multi-port burner for even heat distribution and long life
- No electrical supply required
- · Stainless steel radiant emitter and combustion chamber for durability
- 18" diameter heavy gauge steel



ltem No.	Retail	Wholesale
4114901		Please Login







Radiant Heaters

- Heats up to 3,000 sq. feet
- Runs up to 17 hours on a #100 tank
- 16.14"D x 16.14"W x 35.04"H
- · Piezo push button ignition
- 12 ft. hose and regulator included (LP model only)
- Regulator included with NG model
- No electricity required





Item No.	Description	Retail	Wholesale
HS125LP	125,000 BTU - propane		Please Login
HS125N	125,000 BTU - natural gas		Please Login

RADIANT / CONVECTION

Norseman 250 Cast Iron Propane Heater

- 18"L x 13"W x 24.0"H
- 10 ft. hose
- 75,000 250,000 BTU
- 25 PSIG regulator
- · Adjustable heat output
- · Cast iron burner for longer life
- Heavy-duty construction 34 lbs
- Needs three, 100 lb. tanks

Item No.	Retail	Wholesale
Norseman250		Please Login





• 41"L x 30"W x 47"H

Item No. Description Retail Wholesale

14 Gal. shock-proof fuel tankDual stage burner - high /low

Item No.	Description	Retail	Wholesale
HSP150R	Heater		Please Login
F105108	Thermostat		Please Login

Workman 225 Plus Propane Convection Heater

- 16.5"L x 15"W x 26"H
- 10 ft. hose standard
- 45,000 250,000 BTU
- · Piezo ignitor
- 3.5 to 10 lbs./hour propane consumption
- 10 PSI regulator
- · Lightweight and portable
- Needs three, 100 lb. tanks

Item No.	Retail	Wholesale
Workman225P		Please Login






Convection Heaters

- Piezo push button ignition
- 10 ft. hose and regulator included (LP model only)
- No electricity required

HS80CVX & HS100CVN

- Heats up to 1,900 sq. ft.(HS80CV)
- Heats up to 1,400 sq. ft.(HS80CVN)
- Runs up to 14 hours on a #20 tank (LP) **HS200CVX**



• Runs up to 29 hours on a #100 tank

Item No.	Description	Retail Wholesale
HS80CVX	40-80,000 BTU - propane	Please Login
HS100CVN	40-100,000 BTU - natural gas	Please Login
HS200CVX	100-200,000 BTU - propane	Please Login



Radiant Heater

- 45,000 BTU/h Maximum input
- · Heavy-duty frame
- Flat-free tires
- · Collapsible handle

Item No.	Retail	Wholesale
DXH45LP		Please Login





ELECTRIC HEATERS



(These units are not ductable)

- Built-in thermostat (32° 100° F)
- · Overheat protection
- · High quality sealed motor
- 10' cord and grounded plug



	P900P	P600P
BTU/Hr	30700	20500
Volts	240V 1Ø	240V 1Ø
Amps	38	25
CFM	350	250
Temp. Rise	100°F	100°F

19.5" x 11.8" x 17.3" (LxWxH) 22" x 18" x 12"

Item No.	BTU	Retail	Wholesale
P600P	20500		Please Login
P900P	30700		Please Login



Electric Heaters

- Built-in thermostat (32° 100° F)
- Overheat protection
- · High quality sealed motor

Model #	Watts	BTU/Hr	Volts	Amps	CFM	Temp. Rise	Weight	Ductable
P1800-1P	18000/12000	65000/41000	240V 1Ø	75/50	590	100°F	62 lbs.	No
P1800-3P	18000/12000	65000/41000	240V 3Ø	50/34	590	100°F	62 lbs.	No
P1800D	18000/12000	65000/41000	240V 3Ø	50/34	940	100°F	62 lbs	Yes

wagon

Item No.	Description	Retail	Wholesale
P1800-1P	Single Phase		Please Login
P1800-3P	Three Phase		Please Login
P1800D	Three Phase - Ductable		Please Login
WD1220	20' Duct		Please Login

Designed for extreme winter conditions!



(This unit is ductable up to 50')

Watts 60000/48000/24000 BTU/Hr 204700/163800/81900

Volts 480V 3Ø Amps 60/48/24 1800 CFM Temp. Rise 100°F Weight 158 lbs.

Dim. 45"L x 19"W x 25"H

Item No.	Description	Retail	Wholesale
P60000P	Heater		Please Login
WD1425	25' Duct		Please Login



(This unit is ductable up to 50')

40000/32000/16000 Watts BTU/Hr 136500/109200/54600

Volts 480V 3Ø Amps 40/32/16 1800 CFM 100°F Temp. Rise Weight 130 lbs.

P40000P

45"L x 19"W x 25"H Dim.

Item No.	Description	Retail	Wholesale
P40000P	Heater		Please Login
WD1425	25' Duct		Please Login








Electric Heaters

- No fumes or open flames
- · Includes adjustable thermostat
- Durable heavy-duty construction
- Extra coil support









Electric Heater

(This unit is not ductable)

- Adjustable thermostat
- Overheat protection
- 10 ft. cord
- · Powder coat finish

Cord Now Included!

Watts 3000 BTU/Hr 10200 Volts 240V 1Ø Amps 12.5 CFM 205 Temp. Rise 100°F

Dim. 11.8"L x 10.2"W x 15.2"H

ltem No.	Retail	Wholesale
P300		Please Login



TPI Milkhouse Heater

- 5120 BTU, 1300 & 1500 watt settings
- Temperature control thermostat
- 6' long 3 conductor cord
- Tip over switch
- Thermal cut-off device



Item No.	Description	Retail	Wholesale
188TASA	Heater		Please Login
58384002	On/Off switch		Please Login
58384009	Thermostat		Please Login
58384010	Limit switch		Please Login



CONSTRUCTION HEATERS

heat

CLEAN

DRY

HEAT!

Qualifies For

Please Login

FREIGHT

ALLOWED

heat wagon B

400,000 BTU **Dual-Fuel** Indirect-Fired

- 100% clean, dry heat
- Dual fuel switch from propane to natural gas in minutes
- Approved for indoor/outdoor applications
- Ductable to 50'
- · Remote thermostat with 50' cord
- · Whisper quiet blower
- · Flue stack included


Input Gas Connection Electrical

400,000 BTU/Hr 3/4" FNPT, 14" W.C. max inlet 120 Volts 20 amp circuit 2,100 CFM 1/2" SP Fan

Thermostat Temp Rise

Standard On/Off 200°F @ 0°F Ambient

Approx. Weight 400 lbs.





- · NEF Arrester System allows for a Direct Fired Heater without a visible flame
- Dual-fuel guick change over from propane to natural gas

750,000 - 450,000 BTU/Hr

- Remote (50' long) thermostat with Hi/Lo/Off control
- · Self-diagnostic troubleshooting lights

Component upgrades virtually eliminate electrical service calls

Vapor Propane/Natural Gas Gas Connection 1-1/4" FNPT

Input

Fuel

Electrical 120 Volts 15 amp circuit 5000 CFM 1-1/2 HP Fan

Thermostat 2 Stage Hi/Lo/Off w/50'Remote Weight

325 lbs.



Item No.	Description	Retail	Wholesale
750NEF	Heater		Please Login
WD2425HT	Ducting 24" x 25' wire reinforced		Please Login

heal wagon 750,000 BTU **Dual-Fuel Direct Fired**

- Ductable up to 50 ft.
- · Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (50' long) thermostat with Hi/Lo/Off control included
- 12" wheels make for easy handling
- Relays pull in and hold tight down to 95V
- · Diagnostic troubleshooting lights

750,000 - 490,000 BTU/Hr Input Fuel Vapor Propane/Natural Gas Gas Connection

Electrical

3/4" FNPT, 60 psi. max inlet 120 Volts 15 amp circuit

Fan Thermostat 4200 CFM 1 HP 2 Stage Hi/Lo/Off w/50'Remote

Temp Rise 385°F Weight 200 lbs.

Component upgrades virtually eliminate electrical service calls





Item No.	Description	Retail	Wholesale
1800B	Heater		Please Login
WD2010UHT	Ducting 20" x 10' wire reinforced		Please Login
7525	3/4" x 25' gas hose		Please Login



- · Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (50' long) thermostat with Hi/Lo/Off control included
- 12" wheels make for easy handling
- · Relays pull in and hold tight down to 95V
- · Diagnostic troubleshooting lights
- · No duct adapter needed

Input 950,000 - 400,000 BTU/Hr Vapor Propane/Natural Gas Fuel **Gas Connection** 1-1/4" FNPT, 20 psi. max inlet 120 Volts 15 amp circuit Electrical 7200 CFM 1-1/2 HP Fan

> 2 Stage Hi/Lo/Off w/50'Remote Temp Rise Weight

Thermostat

250°F 325 lbs.







Item No.	Description	Retail	Wholesale
950H	Heater		Please Login
WD2425HT	Ducting 24" x 25' wire reinforced		Please Login
7525	3/4" x 25' gas hose		Please Login



SURE FLAME

400,000 BTU Dual-Fuel Direct Fired

- CSA-approved for unattended operation
- MEA approved for use in New York City
- Quick changeover from propane to natural gas
- Comes with 3/4" x 25' hose and 40SV06P regulator(60 psi max inlet)
- · Thermostat to conserve fuel

Power Requirements
Fan Performance
Inlet Connection
Inlet Pressure
Weight

120 Volts, 12 amp
2000 CFM - 1/4 HP
17 FNPT
77 - 14" W.C.
95 lbs.

Dimensions 44"L, 16.5"W, 22"H

BTU/Hr 400,000 Thermostat On/Off Wheel Kit Optional

ltem No.	Description	Retail	Wholesale
S405P	Heater		Please Login
WK1P	Wheel Kit for S405P		Please Login
7510P	Hose		Please Login
40SV06P	Regulator		Please Login
INSTKIT	Hose & Reg. Inst. Kit		Please Login













1,500,000 BTU Dual-Fuel Direct Fired

- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- · New remote (15' long) thermostat
- Relays pull in and hold tight down to 50V
- · Upgraded heater control board

<u>Component upgrades virtually</u> eliminate electrical service calls

CONSTRUCTION HEATERS

Power Requirements 120 Volts, 15 amp Fan Performance 7000 CFM - 1 HP Inlet Connection 1-1/4" FNPT 9" - 14" W.C. Inlet Pressure Weight 300 lbs. 69"L, 32"W, 41.5"H Dimensions 1,500,000 BTU/Hr Thermostat Hi/Lo/Off



Item No.	Description	Retail	Wholesale
S1505B	Heater	Pleas	e Login
11SV08P	1-1/4"x1-1/4" Reg. 20 psi max	Pleas	e Login
See page 27 for hose selection.			


heat wages.t-

SUKEFLANDE

400,000 BTU Dual-Fuel Indirect Fired

- · Stackable design
- 16" puncture proof wheels
- Designed with return air recirculation for increased fuel savings - Size: 16"
- 3 year warranty on combustion chamber
- · Flue stack and rain cap included
- Single stage external thermostat included
- Two 12" outlets

Power Requirements 120 Volts, 12 amp Fan Performance 5000 CFM - 1 HP Inlet Connection 1" FNPT Inlet Pressure 11" - 14" W.C. Temp Rise 250°F @0°F Ambient Weight 560 lbs. Dimensions 82"L, 29"W, 59"H BTU/Hr 400,000 On/Off, Remote w/203 Thermostat









heat wagon!



cord included

CONSTRUCTION HEATERS

Dual Fuel or Propane Direct-Fired Heaters

40,000 BTU

- 330 CFM
- 1.86 lbs. per hour consumption
- Direct spark ignition
 115 volts, 2.6 starting amps, 1 amps continuous operation • 24.8"L x 14.5"W x 16.2"H
- Includes 15' gas hose, regulator & thermostat



Item No.	Description	Retail	Wholesale
TS040	40,000 BTU - Propane Only		Please Login
09454	Thermostat with 20' cord		Please Login
07891	Replacement thermostat 20' cord		Please Login
132544	Distribution duct kit, white 8"dia. x 12"L		Please Login
132540	Diffuser w/quick connect		Please Login
132541	End diffuser (fits end of 8" dia. ducting)		Please Login

Diffuser and duct sold seperately



170,000 BTU

- 1200 CFM
- 7.9 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 8 starting amps, 3 amps continuous operation
- 31"L x 18"W x 28"H
- Includes 15' gas hose, regulator & thermostat w/1.4' cord



Description	Retail	Wholesale
170,000 BTU - Propane Only		Please Login
170,000 BTU - Dual Fuel		Please Login
Thermostat w/female plug, 25' cord		Please Login
Thermostat w/inline plug, 20' cord		Please Login
Unit diffuser w/quick connect		Please Login
Duct kit, white, 12" dia. x 12'L		Please Login
		Please Login
		Please Login
		Please Login
12" duct adapter ring (flange)		Please Login
	Description 170,000 BTU - Propane Only 170,000 BTU - Dual Fuel Heaters (Current Model) Thermostat w/female plug, 25' cord Heaters (Past Model) Thermostat w/inline plug, 20' cord Premier 170 Heaters Unit diffuser w/quick connect Duct kit, white, 12" dia. x 12'L Dutk kit, gray, 12" dia. x 12'L Diffuser for end of duct includes ring Clamp to hold #26617 12" duct adapter ring (flange)	170,000 BTU - Propane Only 170,000 BTU - Dual Fuel Heaters (Current Model) Thermostat w/female plug, 25' cord Heaters (Past Model) Thermostat w/inline plug, 20' cord Premier 170 Heaters Unit diffuser w/quick connect Duct kit, white, 12" dia. x 12'L Dutt kit, gray, 12" dia. x 12'L Diffuser for end of duct includes ring Clamp to hold #26617

Compact and quiet, Premier heaters in their neutral white color are perfect for tent applications. The Advanced Service Saver self-diagnostic feature makes them easy to maintain. All models are certified to CSA standards.



80,000 BTU

- 450 CFM
- 3.7 lbs. per hour consumption
- Direct spark ignition
 115 volts, 5 starting amps. 2 amps continuous operation • 30"L x 14"W x 20"H
- Includes 15' gas hose, regulator & thermostat w/ 1.4' cord



Item No.	Description	Retail	Wholesale
TS080 2.0	80,000 BTU - Propane Only	KUIUII	Please Login
	00,000 bit - Hopule Olly		
CS080DF 2.0	80,000 BTU - Dual Fuel		Please Login
Accessories for 2	.0 Heaters (Current Model)		
132902	Unit diffuser -TS080 2.0		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login
	.0 Heaters (Past Model)		
26349	Unit diffuser w/quick connect		Please Login
09454	Thermostat w/inline plug, 20' cord		Please Login
Accessories for a	ll Premier 80 Heaters		
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26346	Duct kit, gray, 12" dia. x 12'L		Please Login
26350	Diffuser for end of duct includes ring		Please Login
09054	Clamp to hold #26617		Please Login
26617	12" duct adapter ring (flange)		Please Login

350,000 BTU

- 2400 CFM
- 16.2 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 30 starting amps, 14 amps continuous operation
- 48"L x 22"W x 41"H
- LINK[™] subscription ready
- Includes 15' gas hose, regulator & thermostat w/1.4' cord



Item No.	Description	Retail	Wholesale
CS350DF 2.0	350,000 BTU - Dual Fuel	Keluli	Please Login
(333001 2.0	330,000 bio - Doui i dei		i ieuse Logiii
Accessories for 2	.O Heaters (Current Model)		
22835	Duct kit, white, 18" dia. x 12'L		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login
	·		
Accessories for 1.	.0 Heaters (Past Model)		
22920	Thermostat w/inline plug, 20' cord		Please Login
Accessories for a	ll Premier 350 Heaters		
23189	Diffuser for end of duct includes ring		Please Login
23050	18" duct adapter ring (flange)		Please Login
573761	Clamp to hold #23050		Please Login






Dual Fuel or Propane Direct-Fired Heaters











- 650 CFM high-output fan · High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 30"L x 15"W x 23-3/4"H



Item No.	Description	Retail	Wholesale
HS115SF	115,000 BTU - Propane Only		Please Login
HS115TC	115,000 BTU - Dual Fuel		Please Login
F109105	Diffuser for HS115TC		Please Login
F109106	Duct adapter for HS115TC		Please Login
F109107	30" Short duct for HS115TC		Please Login
F109108	10' duct for HS115TC		Please Login



construction heaters

Big heat with big features. The new Nomad tent and construction heaters from HeatStar, have all the quality and

- 15 ft. hose and regulator included
- Dual fuel standard (LP/NG)
- Multi-rate (High & Low Settings)
- High CFM for greater circulation
- · Easy reset high limit switch
- 4 tie down connections (HS190TC, HS250TC)
- Fan-Only option for air circulation
- Remote thermostat with 20' cord
- · Spark ignition
- ETL Certified

Includes 15' Gas Hose, Regulator, and Thermostat



Item No.	Description	Retail	Wholesale
HS190SF	190,000 BTU - Propane Only		Please Login
HS190TC	190,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login

HS250 - 250,000 BTU 2100 CFM high-output fanHigh and low heat settings

Easy reset high limit-switch

Electronic spark ignition

Requires 115V

• 34-3/4"L x 35-3/4"W x 20-1/4"H





Item No.	Description	Ketail	Wholesale
HS250SF	250,000 BTU - Propane Only		Please Login
HS250TC	250,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login



HS190 - 190,000 BTU

• 1600 CFM high-output fan · High and low heat settings

Easy reset high limit-switch

• Electronic spark ignition

Requires 115V









Patio Heaters




Portable Propane Cabinet Heater

- 6.000. 12.000. or 18.000 BTU per hour
- · Ideal for restaurant patio seating
- · Lower cost than heating towers
- Heats up to 450 sq. ft.
- · No electricity required
- · Quiet and odorless
- · Hose and regulator included
- D 14.25" x H 23.50" x W 19.75"

Item No.	Retail	Wholesale
HS18CH		Please Login



Zubri Portable **Patio Heater**



- 40.000 BTU's
- 7'3" tall (Case-56.5" tall x 15" wide)
- Heats approximately 300 sq. ft.
- · No tools are necessary
- · Legs detach for storage and transport
- · Hard-shell carrying case and carrying bag for reflector
- Tip switch
- One year warranty

Item No.	Retail	Wholesale
Z1-12CK		Please Login



Carrying Case Included





Sweet Heat® **Patio Heater** Trifold Reflector

- · Redirects heat where you want it
- · Designed to boost efficiency of full-sized patio heaters
- High-quality aluminum
- Interlocked hinge system between panels ensures minimal gap
- · Folds down to just a third of
- The amount of propane savings pays for the reflectors!

Item No.	Retail	Wholesale	
SH-TF-33X10		Please Login	

Great Add-On For Rentals!



Radiant Patio Heaters



PC02SS

- · Covers 10' 15' diameter
- · Convenient "Piezo" match free ignition
- · 100% safety control
- · Portable wheel kit included
- · Unit meets or exceed CSA and UL
- Up to 10 hours of use with standard 20 gallon OPD Cylinder

Item No.	Color	Retail	Wholesale
PC02AB	Antique Bronze		Please Login
PC02JS	Jet Silver		Please Login

Please Login








Rhino Collapsible **Patio Heater**

- 41,000 BTU's
- · Unique collapsible design for transport & storage
- · Integrated table top
- · Easy start electric ignition
- · Commercial grade steel with gold hammered powder coat
- · Heavy-duty wheels and handle
- 1 Year limited warranty
- CSA tested and approved
- · One year warranty



Item No.	Color	Retail	Wholesale
4070	Bronze		Please Login
4075	Black		Please Login





Stainless Steel

Purchase these DESA-branded portable heater parts at net pricing. Realize an average savings of 65% on all parts shown. While supplies last. PHP reserves the right to limit quantities. (All part numbers reference DESA-branded heater parts.)















7094NR

M51105-01

M51104-01

M29608

M51345-06

M16660

NTC-3BZ















FHPF3-3.5C

117766-01

098508-01

102601-01

M50104-01

098219-17

104054-01







104056-01



103684-01



117766-02



102366-01



097159-04



M15241



M51170-01



M50820-02



107643-01



097156-01



104460-01



103814-01

Item No.	Description	Sale Price
103684-01	Fan blade	Please Login
102366-01	100K BTU LP heater motor	Please Login
097159-04	Piezo ignitor	Please Login
M15241	Output Filter	Please Login
M51170-01	Burner Head Plug	Please Login
M50820-02	Fitting Barb	Please Login
107643-01	Fuel Valve	Please Login
103814-01	Tie Wire	Please Login
098219-17	Power Cord	Please Login
104460-01	Themostat Knob - Round Shaft	Please Login
097156-01	Washer shim	Please Login
M16660	Photo Cell Bracket	Please Login
M51104-01	Handle	Please Login
7094NR	Handle Clip	Please Login
M51105-01	Fan Guard	Please Login
M29608	Aluminum Pump Cover	Please Login
M51345-06	6-1/2" Rubber Tubing	Please Login
M51151-01	5-1/2" Fuel Line Tube	Please Login
NTC-3BZ	Hex Nut	Please Login
FHPF3-3.5C	Fillister Head Screw	Please Login
117766-01	Microprocessor Board 100/150	Please Login
117766-02	Microprocessor Board 200	Please Login
098508-01	Retainer Valve Nut	Please Login
102601-01	Ignition Control	Please Login
M50104-01	Bushing Shorty	Please Login
M50104-06	Bushing Shorty	Please Login
120254-01	Nozzle Adapter	Please Login
104056-01	Nozzle Adapter	Please Login
104054-01	Nozzle Adapter	Please Login

Pre-packaged Portable Heater Parts

Compatibility: Master, Dayton, Reddy, Knipco, Remington, Desa

The below part information includes: part numbers for individual blister packs, the part description and certain HeatStar heater compatibility.

Note: Not all parts come in blister packs. Some are packaged in clear bags. Complete Tune-Up Kits Available On Page 28































Compatibility: 100 & 150,000 BTU

Item No.RetailWholesalePP214Please Login

PP215 (HA3018) M12179 Filter, M12244-1 Filter, M11637 Filter, M19630 Fuel Filter Compatibility: 150,000 BTU Item No. Retail Wholesale PP215 Please Login





M8940 Ball, M10993-1 Spring, M27694 Adj. Screw, M22997 Plug

Compatibility: All models

Item No.	Retail Wholesale	
PP217		Please Login







PP221







Please Login













Gas Pressure Test Set

- Employs a 2-1/2" dial, 83K gauge with a dual scale of 0 20 ounces and 0 35" water column
- Gauge is mounted securely in a polyethylene box with a hinged cover and gray finish
- Three feet of rubber tubing is assembled to the connection of the gauge

Item No.	Retail Wholesale	
G24507		Please Login

Oil Burner Electrode Setting Gauge

- Just slide over nozzle and set electrode
- Works great on Wayne Burners, Champion, Century, Porta Heat, and Guardian Heaters
- · Does not work well on Master, Reddy, Koehring

Item No.	Retail	Wholesale	
T100-220		Please Login	

Master Safety Control/Photocell Tester

- Portable battery operated (9V battery not included, part #HD-9V)
- Check all low pressure safety controls and low pressure photocells for proper operation
- Must for all portable heater servicemen and H.S.I. repair.

Item No.	Retail	Wholesale
HA1170		Please Login

A MUST FOR HSI TROUBLESHOOTING!

Propane Test Gauge Low Pressure

- Use on Sure Flame models: SL11B, S1500, S1505 & S2000
- Can also be used on any low pressure gas portable heater
- 0-15 IN W.C.
- 2 1/2" dial
- 1/8" NPT lower mount connection

Item No.	Retail Wholesale	
G24503		Please Login





G14494



Pressure Gauges For Oil Fired Heaters

- Proper pressure is essential for efficient heater performance.
 High Pressure Gauge: 0-160 PSI, used to set pump pressure on oil heaters equipped with high pressure pump (100+PSI)
- Low Pressure Gauge: 0-15 PSI, test gauge is used when adjusting the pump pressure on low pressure oil fired heaters.
- Liquid Filled Low Pressure Gauge: 0-15 PSI, for oil fired heaters. Most accurate & longest lasting gauge available today! Mounting is on back of gauge instead of bottom of gauge.

Item No.	Description	Retail	Wholesale
G14494	High Pressure, 0-200 PSI		Please Login
HA1180	Low Pressure, 0-15 PSI		Please Login
559L-153438	Liquid Filled Low Pres., 0-15 PSI		Please Login

Essential Tool Kit For Repair Shop

Kit Includes

- HA1170 Flame out control tester
- HA1180 Low pressure gauge
- G14494 High pressure gauge
- 23T Technical service manual

Item No.	Retail	Wholesale
RS100		Please Login







Best



High Pressure Nozzles



Desa High Pressure

Item No.	GPH x Degree	Model#	Retail	Wholesale
M3292	.75 x 80 ° A	Old B100's		Please Login
M4792	.90 x 80 ° B	B125		Please Login
M9108	1.00 x 90 ° A	B150, B155, F155		Please Login
1001347-5	1.50 x 80°	B240		Please Login
M51070-01	2.00 x 70 ° A	BV400/C		Please Login
M50112	2.50 x 70 ° A	B350's		Please Login
M30765	4.00 x 80 ° A	B600's	•	Please Login



Toro High Pressure

Item No.	GPH x Degree	Model#	Retail	Wholesale
154610	.85 x 60 ° B	CH120 (pre-1977)		
		Champ Ven-Tec		Please Login
154389	.85 x 80 ° B	CH120 Air Scoop		
		VAL 6		Please Login
154612	1.00 x 90 ° A	CH150 Inline		Please Login
154387	1.10 x 80 ° B	CH155's		Please Login
154388	1.65 x 60 ° B	CH230 (pre-1977)		Please Login
154840	1.65 x 70 ° B	CH230		Please Login
154744	1.65 x 80 ° B	CH230		Please Login
147531	4.50 x 80 ° B	CH650's		Please Login



Stone High Pressure

Item No.	GPH x Degree	Model#	Retail	Wholesale
46291	.65 x 80 ° B	SG100, SG120		Please Login
46238	.85 x 80 ° B	SG150, SG160		Please Login
46216	1.50 x 80 ° B	SG500 (1974-1977)		Please Login
46215	2.00 x 80 ° B	SG300 (pre 1979)		Please Login
46294	3.25 x 80 ° B	SG500 (1977-on)		Please Login



Universal High Pressure

Item No.	GPH x Degree	Model#	Retail	Wholesale
M50112	2.50 x 70 ° A	K350		Please Login
M30765	4.00 x 80 ° A	K650		Please Login



Kelly High Pressure

Item No.	GPH x Degree	Model#	Retail	Wholesale
32206	.65 x 80 ° B	90KSHS		Please Login
32233	.85 x 80 ° B	120KSHS		Please Login
32101	3.00 x 80 ° B	450KSHS		Please Login



ortable heater parts

Tune-up Kits for Hot Surface Ignitor (HSI) Heaters



TU55H For all DESA glow bar heaters (up to 70,000 BTU's) that require the HA1000 glow bar.

Kit Includes

- PP200 Hot surface ignitor
- M29633 Input filter
- M29612-01 Output filter
- M29632 Lint filter
- 147082 O-ring
- G14490 Low pressure gauge

Item No.	Retail	Wholesale
TU55H		Please Login



TU60H For all DESA glow bar heaters that require the PP201 glow bar.

Kit Includes

- PP201 Hot surface ignitor
- M29633 Input filter
- M29612-01 Output filter
- M29632 Lint filter
- 147082 O-ring
- G14490 Low pressure gauge

Item No.	Retail	Wholesale
TU60H		Please Login



TU165H For all DESA glow bar heaters from 110K to 200K BTU's that require the 147082 nozzle "O" ring.

Kit Includes

- PP200 Hot surface ignitor
- M12179 Input Filter
- M12244-1 Output filter
- M11637 Lint filter
- 147082 O-ring
- · G14490 Low pressure gauge
- M51150-01 Fuel filter

Item No.	Retail	Wholesale
TU165H		Please Login



TU200H For all DESA 200,000 BTU glow bar heaters that require the M8882 nozzle seal.

Kit Includes

- PP200 Hot surface ignitor
- M12179 Input Filter
- M12244-1 Output filter
- M11637 Lint filter
- M8882 Nozzle Sleeve
- G14490 Low pressure gauge
- M51150-01 Fuel filter

Item No.	Retail	Wholesale
TU200H		Please Login

Tune-up Kits for Spark Plug Heaters



TU50 BTU sizes 35 & 50,000. Possible Brands: Master, Dayton, Knipco, Reddy, Koehring, Remington, Co-op, others.

Kit Includes

- M29612-01-Output filter
- M29835-Spark Plug
- M29633-Input filter
- 147082-Nozzle O-ring
- M29632-Lint filter
- M29824 Spark plug nut
- 079980-01 Nozzle adapter





TU110 New Style Model 100, 110, 150, 165 (Short white plastic fuel filter) Possible Brands: Master, Dayton, Knipco, Remington, Reddy, Koehring, Amoco, Co-op, others.

Kit Includes

- M12179-Input filter
- M10962-2 Spark Plug
- M12244-1-Output filter
- M8882-Nozzle seal
- M11637-Lint filter
- M10809-1 Nozzle spring
- M10659-1-Nozzle washer (2),
- M51150-01-Short fuel filter

Item No.	Retail	Wholesale
TU110		Please Login



TU150 These kits are for Desa brand heaters. Old Style Model 150 (Long fuel filter) Possible Brands: Master, Dayton, Knipco, Reddy, Koehring, Amoco, Co-op, others.

Kit Includes

- M12179-Input filter
- M10809-1 Nozzle Spring
- M12244-1 Output filter
- M8882 Nozzle seal
- M11637 Lint filter
- M19630 Long fuel filter
- M10962-2 Spark Plug
- M10659-1-Nozzle washer (2)

It	em No.	Retail	Wholesale
Tl	J150		Please Login







Pipethreads x Pipethreads

Item No.	Description	Retail	Wholesale
6133NR	1/4"FPT x 1/4"FPT Coupler		Please Login
3825CPL	1/4"FPT x 3/8"FPT Coupler		Please Login
2538BELL	1/4"FPT x 3/8"FPT Bell Reducer		Please Login
01544	1/4"FPT x 3/8"FPT Reducing Bushing		Please Login
6435NR	1/4"FPT x 3/8"MPT Bushing		Please Login
01519	1/4"FPT x 1/2"FPT Union		Please Login
28199 (7676NR)	1/4"FPT x 1/2"FPT Bushing		Please Login
3850CPL	3/8"FPT x 1/2"FPT Coupler		Please Login
3850FTG	3/8"FPT x 1/2"FPT Bushing		Please Login
5038FTG	3/8"FPT x 1/2"MPT Reducing Bushing		Please Login
54	1/2"FPT x 1/2"FPT Swivel Union		Please Login
7500P	3/4"FPT x 3/4"FPT Swivel Union		Please Login





Brushable Thread Sealant

- Suitable for steel, copper, brass, aluminum, ABS, PVC and fiberglass piping
- · Not suitable for oxygen
- 8 oz. can


Item No.	Retail	Wholesale
TTS8		Please Login

Thread Sealing Tape





• 200 per carton





Pipethreads x Flare Fittings

Item No.	Description	Retail	Wholesale
097157-01	1/4"FPT x 1/4"MFLR		Please Login
097157-03	1/4"FPT x 1/2"MFLR		Please Login
097809-01	(6124NR) 1/4"MPT x 1/4"MFLR		Please Login
6127NR	1/4"MPT x 3/8"MFLR		Please Login
3810FTG	3/8"FPT x 3/8"MFLR		Please Login
M51572-01	(6122NR) 3/8"MPT x 3/8"MFLR		Please Login
M51572-02	3/8"MPT x 1/2"MFLR		Please Login
10444	1/2"MPT x 1/2"FFLR		Please Login
103401-01(6125NR)	1/2"MPT x 1/2"MFLR		Please Login

MPT=male pipe thread FPT=female pipe thread MFLR=male flare FFLR=female flare

These fittings will be used to connect heating appliances to hoses or regulators.



2538FLR



381050FTG

Flare x Flare Fittings

Item No.	Description	Retail	Wholesale
2538FLR	1/4"FFIR x 3/8"MFLR		Please Login
381050FTG	3/8"MFIR x 1/2"FFLR		Please Login







03536

Special Fittings

Item No.	Description	Retail	Wholesale
07970*	1/4"FPT x 1/4"LHMPT		Please Login
01098*	1/4"MPT x 1/4"LHMPT		Please Login
03395*	1/4"LHMPT x 1/2"MPT		Please Login
06771**	1/4"MPT x 1/2"MPT (INV. FLR)		Please Login
03536 (04800)**	3/8"MPT x 1/2"MPT (INV. FLR)		Please Login
02894**	1/2"MPT x 1/2"MPT (INV. FLR)		Please Login
*Left Hand Pipe Threa	ds **Inverted Flares		

Spark Plugs


















Ignitor/Electrode Wire Terminals

Item No.	Description	Pkg Qty	Retail	Wholesale
55211	90° Electrode Terminal, solderless, reusable	5		Please Login
55231	Straight Insulated Terminal, solderless, reusable	5		Please Login
55221	Straight Non-Insulated Terminal, solderless, reusable	5		Please Login
55321	90° Non-Insulated Terminal, solderless, reusable	5		Please Login



Transformer Wire

- · Will work with any portable oil fired space heater
- Belden Type GTO-15 Ignition Wire
- 15,000 Volt Rated
- UL listed

ltem No.	Length	Retail	Wholesale
41648	10'		Please Login
41650	25'		Please Login



-10° to 100°F **Thermostat**

- Maintains a set temperature
- Helps save on fuel cost
- Plugs into standard 120 volt outlet
- Bi-metal activated sensor
- · No installation required

Item No.	Retail	Wholesale
PP234		Please Login



8' Test Cord

- 110 volts
- · Stays flexible, even in coldest weather
- · Conductor firmly crimped and soldered for maximum current flow
- Clip strongly clinched to cable insulation-won't break off
- · Heavy-duty design

Item No.	Retail	Wholesale
7328TC		Please Login

See page 29 for description of flares and fittings.

Propane/Natural Gas Hoses

All hoses meet or exceed O.E.M. specifications. All hoses are UL-approved.

ltem No.	Description	Where Used	Retail	Wholesale
2510LH	1/4" x 10' w/left hand	Sure Flame torch		Please Login
	threads 9/16" x 18 fittings	LB White Heaters & Torches		
2510LHFTG	Fitting to connect 2510LH or 2525LH hoses together			Please Login
2510	1/4" x $10'$ w/ $1/4$ "MPT x $1/4$ " female flair swivel	3500FA, 250, 250A		
		TC200V, TC275,BLP375/T		Please Login
2525	1/4" x 25 ′ w $/1/4$ ″MPT x $1/4$ " female flair swivel	Same as above		Please Login
2525LH	1/4"x 25' w/left hand	Torches		Please Login
2525FTG	Fitting to connect 1/4" hoses together			Please Login
3810	3/8" x 10' w/3/8" MPT x 3/8" female flair swivel	BLP80, 150FA, 80FA,150FAS		Please Login
381050	3/8" x 10' w/3/8" MPT x 1/2" female flair swivel	BLP150, BLP155, BLP155T		Please Login
3825	3/8" x 25' w/3/8" MPT x 3/8" FPT female flair swivel	Optional hose for 80K & 150K		Please Login
382550	3/8" x 25' w1/2" MPT	Multiple applications		Please Login
3810FTG	Fitting to connect 3/8" #3810/25 hoses together	Multiple applications		Please Login
5010	1/2" x 10' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
5025	1/2" x 25' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
5050	1/2" x 50' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
54	1/2" Hose swivel connector			Please Login
7510P	3/4" x 10' w/3/4" MPT	Optional hose for heaters		
	each end with (1) female swivel adapter	over 375,000 BTU's (S405)		Please Login
7525P	3/4" x 25' w/3/4" MPT	Optional hose for heaters		
	each end with (1) female swivel adapter	over 375,000 BTU's (S405)		Please Login
7550P	3/4" x 50' w/3/4" MPT end with female swivel adaptor			Please Login
1050	1" x 50' w/1"MPT x 1"MPT	Includes swivel adapter		Please Login
12510P	1 1/4" x 10' with 1 1/4"MPT x 1 1/4"MPT	Includes swivel adapter		Please Login
12525P	1 1/4" x 25' with 1 1/4"MPT x 1 1/4"MPT	Includes swivel adapter		Please Login
12500P	Fitting to connect 1-1/4" hoses together			Please Login
1025	1" x 25' hose, 1"MPT			Please Login



Natural Gas Hose

- 1/2" x 25'
- · Recommended for natural gas heaters

Item No.	Retail	Wholesale
5025		Please Login

Scented Kerosene Additive

- Will help eliminate water and reduce odor!
- One bottle treats 80 gals
- · For wick heaters only



Item No.	Description	Retail	Wholesale
A09P	Pine, 8 oz. bottle		Please Login
A09H	Honeysuckle, 8 oz. bottle		Please Login
A09HB	Holly Berry, 8 oz. bottle		Please Login
A09R	Rose, 8 oz. bottle		Please Login
A08	Case of mixed additive		Please Login



P₂₀A

Ignitors

- Most popular plug fits Aladdin, Corona, Kero Sun, etc.
- Ignitor #1: For heaters you must pull a knob to light. See wick chart for proper ignitor.


	Part#	Description	Retail	Wholesale
	P10A	Ignitor #1		Please Login
	P20A	Ignitor #2		Please Login
7	P30A	Ignitor #3		Please Login
5	P15A	Ignitor #4		Please Login



Mica Windows


• Can be cut to fit all wick heaters - 4" x 3-3/4"


Item No.	Retail	Wholesale
58		Please Login



Siphon Pumps Battery Operated & Manual

Item No.	Description	Retail	Wholesale
A60	Battery Siphon		Please Login
S160	Individual Manual Pump		Please Login





Item No.	Model	RPM	Rotation	Nozzle Port Location	Strainer & Nozzle Ratin at 100 PSI	Features	Retail	Wholesale
154180	A1YA-7912	1725	R.H.	R.H.	7 gph	-		Please Login
7116	A2VA-7116	3450	R.H.	R.H.	3 gph	-		Please Login



GLOVES & WINTER PROTECTION



ToolHandz® Hi-Vis **Extreme Winter Gloves**

- Synthetic leather palm
- · Hi-vis spandex back
- · Palm reinforcements
- · Protective guards and padding
- MultiBlend™ insulation
- Waterproof lining
- · Sold by individual pair

Item No.	Size	Retail	Wholesale
GW101	L-XL		Please Login



Waterproof Polar Fleece **Insulated Gloves**

- Ultra-comfortable construction
- · Warm acrylic polar fleece back
- · Waterproof barrier lining
- · Resilient grain pigskin
- 6 pair per package

Size

M-XL

Item No.

15MAX2

So

old by individual pair	

Wholesale

Please Login



Spandex/Synth. **Leather Storm Cuff Hi-Vis Insulated Mechanic's Gloves**

- Padded synthetic leather palm
- · Comfortable and warm winter lining
- · Quality hi-vis materials and reflectives
- · Convenient slip-on style
- · Sold by individual pair

Item No.	Size	Retail	Wholesale
15HV	L-XL		Please Login

Arctic 2 in 1 **Sport Liners** Rated at 0° to -20°

- 17-1/2 oz. sport fleece top
- 100% polyester bottom
- · Great coverage with reduced drafting
- Top shell made of polyester fleece with elastic around the face
- Meets the 16 CFR 1610, Class 1

Item No.				Retail	Wholesale
22316	Silver	Navy Blue	Blue		Please Login



PANTHER VISION

POWERCAP LED Beanie Cap

- Provides the power to see in the dark
- Ultra Bright LED Technology
- Includes 4 LEDs with a light output of 48 lumens powered by
- · Batteries (included and replaceable)
- Visibility of up to 72 ft.

Item No.	Description	Retail	Wholesale
CUBWB-7141	Camouflage		Please Login



Winter Hard Hat Liners

Item No.	Description	Retail	Wholesale
165	32° to 45°, 100% cotton, napped flannel interior		Please Login
200	32° to 45°, 100% cotton, red heavyweight fleece lining		Please Login
400	0° to -20°, full head coverage, wrap around collar, sherpa lining		Please Login
440	0° to -20°, heavy-duty, extra-long nape, sheepskin-like lining		Please Login



Original HotHands

Provides up to 12 hours of up to 140°F warmth. 40 per case.

	Description	Retail	Wholesale
HH1	8 hrs. 4" x 5"		Please Login
HH2	12 hrs. 2.25" x 4" - 2 pack		Please Login



Toe Warmers

Provides up to 8 hours of up to 140°F warmth. 240 per case.

Item No.	Description	Retail	Wholesale
TT240	8 hrs. 3-1/2" x 2-3/4"		Please Login





Deerskin

- Supple deerskin leather palm
- ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- · Convenient sweat wipe
- Sold by individual pair

Item No.	Size	Retail	Wholesale	
R99D	M-XL		Please Login	



Goatskin

- Goatskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- · Leather thumbguard protects seam
- · Comfortable low profile neoprene cuff
- Convenient sweat wipe
- · Sold by individual pair

Item No.	Size	Retail	Wholesale
R99G	S-XL		Please Login



Pigskin

- Durable pigskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- · Comfortable low profile neoprene cuff
- · Convenient sweat wipe
- · Sold by individual pair

Item No.	Size	Retail	Wholesale
R99A	M-XL		Please Login



Performance Driver Hybrid Glove DEWALT

- · Provides the protection and durability of a driver, with the fit and dexterity of a performance glove
- Rugged cowhide finger & palm overlays
- · Premium grade cowhide leather
- · Short slip-on cuff for easy on and off
- · Lightweight, breathable spandex back
- Neoprene straps

Item No.	Size	Retail	Wholesale
DPG212	L-XL		Please Login



AngelFire® Women's Synthetic Leather Mechanic's Gloves

- Synthetic leather palm
- Spandex back
- · Silicone grips on palm

Item No.	Size	Retail	Wholesale
GX103-S	S		Please Login





Tool Handz Plus Tool Handz

- · Comfortable action spandex for snug fit
- · Sold by individual pair

Item No.	Size	Retail	Wholesale
R99P	S-2XL		Please Login
12 pair per	package		









Quality Grain Pigskin Driving Gloves

- · Pigskin toughness in a classic construction
- Multi-purpose use and versatility
- · Ergonomic keystone thumb design
- · Shirred elastic back for a snug fit

Item No.	Size	Retail	Wholesale
R9P	L		Please Login









Anti-Impact Gloves with BumpPatch

- Padded vibration-dampening palm
- ShokBlox™ 2 rubber guards for light impact protection
- Exclusive padded BumpPatch™ for side-hand comfort

Item No.	Size	Retail	Wholesale
GX100	L		Please Login





Textured Latex Concrete/Brick Gloves

- Textured blue latex palm coated
- · Gray string knit shell
- 10 Gauge
- Elastic knit wrist
- Seamless knitted

	Item No.	Size	Retail	Wholesale
Γ	4729G	L-XL		Please Login

Nitrile Coated Work Gloves

- 13 gauge, 100% Nylon Shell, Nitrile Palm Coated
- Pound for pound tougher than leather
- Form-fitting enough to pick up a dime
- · Sold by individual pair



Item No.	Size	Color	Retail	Wholesale
4631Q	M-XL	Black on black		Please Login
4631QRD	M-XL	Red on black		Please Login



Latex Palm Coated Gloves

- · Blue latex palm coated
- Standard weight string knit shell
- 10 Gauge cotton/polyester knit shell
- Elastic knit wrist
- · Seamless knitted

Item No.	Size	Retail	Wholesale
2300EE	L-XL		Please Login
2300EET	Tagged-L		Please Login



Black PVC Gloves

- 10" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- · Interlock lined
- Knit wrist
- · Great for sewer auger rentals

Item N	o. Size	Retail	Wholesale
3361G	L		Please Login



Black PVC Gloves

- 14" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- · Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
3365G	L		Please Loain







Economy Leather Palm Gloves

- · Shoulder split cowhide leather
- Gunn pattern
- Cotton palm lining
- 2 ½" rubberized cuff
- Knuckle strap
- Wing thumb construction

Item No.	Size	Retail	Wholesale
R5B	L		Please Login



Fleece Lined Hanging Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Easy slip-on construction
- Size L 12 pair per package
- Sold by individual pair

Item No.	Size	Retail	Wholesale
3421G	L		Please Login



Yellow Chore Gloves

- Regular weight
- Straight thumb
- Knit wrist
- · 2-layer fleece quilted palm and back
- Clute pattern

Item No.	Size	Retail	Wholesale
3460G	L		Please Login
4203QXL-I	3G XL		Please Login



Cotton / Polyester Knit Gloves

- Regular weight
- 7 Gauge
- Elastic knit wrist
- Seamless knitted
- Reversible

Item No.	Size	Retail	Wholesale
3403G	L		Please Login



Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Size L
- 9 oz.
- 12 per package

Item No.	Size	Retail	Wholesale
3401T	L		Please Login



Cotton String Knit Gloves with PVC Dots

- Two-sided black PVC dots
- 7 Gauge
- Elastic knit wrist
- · Seamless knitted
- Reversible

Item No.	Size	Retail	Wholesale
3405G	L		Please Login









Premium Rugged Series Rainsuit


- 3 piece suit
- 30" jacket with detachable hood
- Heavyweight .35 mil PVC with polyester backing
- Non-conductive
- · Medium through 7XL
- 10 per carton
- Sold individually

Item No.	Size	Retail	Wholesale
PHP570-(Size)			Please Login
PHP570-(Size)	5XL - 7XL		Please Login





Polypropylene



Size

M-5XL

Wholesale

Please Login

- Lightweight polypropylene
- Full zipper front

Coverall

- · Elastic wrist and ankle closures
- · Sold individually

ſ	Item No.	Size	Retail	Wholesale
ľ	S6843	L		Please Login
	S6844	XL		Please Login
ľ	S6845	3XL		Please Login



Yellow Slush Boots

- 100% heavy-duty rubber
- 44 mil
- · Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 pair per carton
- · Sold by the pair

Item No.	Size	Retail	Wholesale
S2117	9-18		Please Login



Black 5 Buckle **Boots**

- · Easy-on/easy-off
- 100% heavy-duty rubber
- Sizes 9-16
- 6 pair per carton
- · Sold by the pair

ltem No.	Size	Retail	Wholesale
B2511	9-16		Please Login



PROPANE ACCESSORIES

First Stage High **Pressure Regulator**

•Reduces LP tank pressure to 10 P.S.I.

•Connections: 1/2" Female NPT Inlet & Outlet

•Factory set outlet pressure: 10 PSIG

•Outlet Pressure: 2,500,000 BTU/hr Propane

Item No.	Retail	Wholesale
LV4403TR4		Please Login

Second Stage Low Pressure Regulator

Reduces the outlet pressure from first stage levels down to burner pressure

•Capacity: 1,200,000 BTU/hr Propane

Adjustment Range: 9-13" W.C.

•Factory set at 11" W.C.

•Connections: 1/2" Female NPT Inlet and Outlet

Item No.	Retail	Wholesale
LV4403B4		Please Login

High Pressure Regulator

•10 PSI outlet pressure

•1/4" x 1/4" FNPT

This regulator is used on: National Riverside: 250, 250A

Master: R/TC250, R/TC250A, R/TC275

Item No.	Model	Description	Retail	Wholesale
6256NR	130-00	10 PSI 130 Regulator		Please Loain

Low Pressure Regulator

•11" W.C. outlet pressure

•1/4" x 3/8" FPT

Used on: National Riverside: 150FA, 150FAS, 150FAST,

80VC, 80FA, 100RA

Master: B/RLP45, B/RLP80, BLP150, BLP155, BLP155T

Item No.	Model	Description	Retail	Wholesale
6255NR	230-00	11" W.C. 230 Regulator		Please Login



2-Tank Connection Assembly

- Tee adapter assembly
- Includes (2) 30" pigtails
- · Manifold (2) LP tanks together
- CSA Approved

Item No.	Retail	Wholesale	
FF-KIT188		Please Login	



2-Appliance **Connection Assembly**

- Manifold (2) appliances to (1) LP tank (i.e. Two gas grills to one 100 lb. tank)
- CSA Approved


Item No.	Retail	Wholesale
FF-KIT278		Please Login



T-Block Manifold

•Inlet - Male POL •Outlet - Female POL

Item No.	Retail	Wholesale
P400		Please Login



T-BLOCK **HEATER HOSE**

POL Pigtail

Item No.	Description	Retail	Wholesale
1662	30" Long x 1/4" Copper Tubing		Please Login
1630RU	30" Hose connection POL x POL		Please Login
1648RU	48" Hose connection POL x POL		Please Login



Regulator

- •5-20 PSI outlet pressure
- Fits DESA brands: Master, Reddy, Remington torpedo kerosene forced air heaters

Item No.	Retail	Wholesale
LPA2020		Please Login



Brushable Thread Sealant

- · Suitable for steel, copper, brass, aluminum, ABS, PVC and fiberglass piping
- · Not suitable for oxygen
- 8 oz. can

Item No.	Retail	Wholesale
TTS8		Please Login



Phone Toll-Free: 1.800.362.6951



6252NR



G1653







G1630-2

Tank Connectors

Item No.	Description	Retail	Wholesale
G1643	POL nut only		Please Login
G1653-3	O-Ring only (Bag of 10)		Please Login
30S07P	1/4" POL LH x LH - LB White heaters, torches		Please Login
G1653	POL fitting with handwheel		Please Login
G1630-2	Plastic handwheel		Please Login
6252NR	Tank connector w/check valve		Please Login
G1680	Tank connector without excess flow		Please Login



Thread Sealing Tape

- · Pipe thread connections
- · Air, propane or natural gas
- 200 per carton

Item No.	Retail	Wholesale
UT11		Please Login



PROPANE ACCESSORIES





Propane Tanks-Steel

Item No. Description

282157

1160TC.5 30# Tank/OPD

1220.13 40# Tank/OPD

100# Tank

20# Tank/OPD





Please Login

Please Login





Propane Tank Stabilizer

- · Safest way to rent or sell tank top heaters
- No more tanks falling over!
- Works for up to 60# LP tank

Item No.	Retail	Wholesale
F273169		Please Login



Brand

Worthington


Manchester

Manchester

Worthington

23.6





LP Tank Quick Connect

Item No.	Retail	Wholesale
F276334		Please Login



Acme Thread

Item No.	Retail	Wholesale
95QC		Please Login



Acme Thread Tank Connector

Item No.	Description	Retail	Wholesale
G1851	Up to 140,000 BTU (black)		Please Login
G1852	70,000 to 200,000 BTU		Please Login
G1853	200K to 400K (red)		Please Login



10 Pack Propane Tank **Leak Stopper**

Item No.	Description	Retail	Wholesale	
885	Flat tag (10 pk.)		Please Login	



ETY GLAS



- · Flexible and durable frame
- · Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Iten No.	Frame	Lens	Retail	Wholesale
SR116	Black	Smoke		Please Login



- · Modern wrap-around design
- Smoke lenses reduce glare
- · Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Item No.	Frame	Lens	Retail	Wholesale
TXB236	Black	Polarized Smoke		Please Login
XBAP139	Black	Red Mirror		Please Login





Delano G2

- · Sporty, lightweight wraparound frame
- · High visibility yellow insert on each temple
- · Soft TPR nose pads and temple arms for comfort
- · Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Item No.	Frame	Lens	Retail	Wholesale
SD111-G2	Black	Clear		Please Login
SD117-G2	Black	Silver Mirror		Please Loain





- Flexible and durable frame
- Soft TPR nose pads and temple arms for comfort
- · Polarized lenses increase clarity by reducing glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Item No.	Frame	Lens	Retail	Wholesale
TSKAP218	Black	Polarized Blue Mirror		Please Login
TSK236	Black	Polarized Smoke		Please Login
TSK-XL215	XL Black	Polarized Copper		Please Login



- Flexible and durable black frame
- · Soft TPR nose pads and temple arms for comfort
- · Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Item No.	Frame	Lens	Retail	Wholesale
DZ1111VS-G2	Black	Clear Anti-Fog		Please Login
DZ116VS-G2	Black	Smoke Vapor Anti-Fog		Please Login
DZ113VS-G2	Black	Light Blue Anti-Fog		Please Login
DZ1111-2.0-G2	Black	Clear 2.0 Magnifier		Please Login




Khor G2

- Flexible and durable black frame
- Open lower frame prevents sight obstruction
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards



Item No.	Frame	Lens	Retail	Wholesale
TSDKAP248-G2	White	Polarized Blue Mirror		Please Login
TSDK216-G2	Black	Polarized Smoke		Please Login
SDK111AR-G2	Black	Clear Anti-Reflective		Please Login



- Dual mold rubber temples
- · Adjustable rubber nosepiece
- Polycarbonate lens provides impact resistance
- Dielectric frame
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	OP1010ID	Black	Clear		Please Login
В	OP1011ID	Black	Clear A/F		Please Login
(OP1020ID	Black	Smoke		Please Login
D	OP1060ID	Black	Silver Mirror		Please Login
E	OP1090ID	Black	Indoor/Outdoor		Please Login
F	OP6710ID	Pink	Clear		Please Login
G	OP6790ID	Pink	Indoor/Outdoor		Please Login
Н	OP6767ID	Pink	Pink		Please Login



SAPETY GLASSES



Infinity Series

- 2mm panlite polycarbonate lens material
- Meets or exceeds ANSI Z87 2010 standards





Key	Item No.	Frame	Lens Color	Retail	Wholesale
Α	2812	Black/Orange	Gold Mirror		Please Login
В	2117	Crystal Brown	Brown Mirror (HD)		Please Login
C	241	Crystal Black	Smoke		Please Login
D	21126	Crystal Brown	Brown (HD)(P)		Please Login
E	2243	Pearl White	Silver Mirror		Please Login
F	224	Pearl Gray	Clear		Please Login
G	263	Shiny Black	Silver Mirror		Please Login
Н	2254	Pearl Pink	Clear		Please Login
Τ	22528	Pearl Pink	Smoke		Please Login



Sniper Series

- Rubber nosepiece for comfort
- Dual mold rubber temple grips for better stability
- Meets ANSI Z87.1-2003
- 99.9% Protection From UVA / UVB Rays

Key	Item No.	Frame	Lens Color	Retail	Wholesale
Α	9233	Burgundy	Silver Mirror		Please Login
В	9141	Camo	Smoke		Please Login
(9614	Black	Smoke(P)		Please Login
D	9610	Black	Emerald		Please Login



ES5 Series

- Rubber Nosepiece For All Day Comfort
- Dual Mold Rubber Temple Grips
- 8-Base Curve Lens
- · Hard Coated Lens Protects From Scratches
- Meets ANSI Z87.1+ standards
- 99.9% protection From UVA / UVB Rays

Key	Item No.	Frame	Lens Color	Retail	Wholesale
Α	29117	Crystal Brown	Brown Mirror(HD)		Please Login
В	2968	Black	Blue Mirror		Please Login
C	291113	Crystal Brown	Brown Polarized(HD)(P)		Please Login
D	2961	Pearl Gray	Smoke		Please Login



- Polycarbonate lens provides impact resistance
- Rubberized temples and nosepiece
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key	Item No.	Frame	Lens Color	Retail	Wholesale
Α	23117	Brown	Brown Mirror(HD)		Please Login
В	23226	Black	Blue Mirror(HD)(P)		Please Login
C	23233	Black/Red	Silver		Please Login
D	23125	Burnt Orange	Copper Mirror(HD)		Please Login
E	23615	Pearl Gray	Indoor/Outdoor		Please Login
F	23421	Black	Smoke		Please Login





Hot Seller!


Safety Goggles

- Dual injected rubber provides a soft comfortable seal
- · Elastic head strap provides a comfortable fit
- · Built-in ventilation channel provides extra fog control
- Meets ANSI spec. Z87.1

Item No.	Retail	Wholesale	
DPG82-11		Please Login	







DEWALT

The Dominator

• Full frame with larger lens

Series



Rad-Apocalypse **Camo Series**

- New, improved soft rubber temples with flared ends
- · Neck cord included
- · Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Safety Glasses meet ANSI Z87.1+ standards

		Frame	Lens Color	Retail	Wholesale
ľ	AP4-B1	Camo	Bronze Anti-Fog		Please Login



The Rad-Sequel Series

- · Rubber nosepiece for all day comfort
- Polycarbonate lens for impact resistance
- Meets ANSI Z87.1+ standard

Item No.	Lens	Retail	Wholesale
RS1-10	Clear		Please Login
RS1-20	Smoke		Please Login
RS1-90	I/0		Please Login



Mini Blade Series

- · Polycarbonate Lens Material
- Ultralight Frame
- · Scratch Resistant Coating
- Meets ANSI Z87 2010
- 99.9% Protection From UVA / UVB Rays





PETY GLA



- · Single lens wrap-around protection
- 99.9% UV protection
- · Free neck cord included
- Meets ANSI Z87.1+
- · Meets all impact resistance standards

Item No.	Frame	Lens	Retail	Wholesale
25679	Black	Clear AF		Please Login
25688	Black	Smoke Mirror		Please Login
22475	Black	Smoke AF		Please Login
25685	Black	I/0		Please Login
14481	Black	Blue Mirror		Please Login
22476	Black	Amber AF		Please Login
19639	Blue	Light Blue		Please Login
19642	Black	Blue Shield		Please Login
19644	Camo	Copper		Please Login
22608	Camo	Clear AF		Please Login
22610	Camo	Amber		Please Login
22609	Camo	Smoke AF		Please Login





- · Larger lens for a more complete wrap-around impact protection
- · Enhanced nose piece design with integrated ridges channels away sweat
- · Extended temples hug your head to prevent slipping
- Free neck cord included
- Meets ANSI Z87.1+ Standards

Item No.	Lens	Diopter	Retail	Wholesale
28624	Clear	+2.0		Please Login
22516	Smoke	+1.5		Please Login
22519	Smoke	+2.5		Please Login



· Wraparound lens for better eye protection

· Comfortable, padded temples

• 99.9% UVA/UVB protection

· CSA Z94.3 compliant

Item No.	Frame	Lens	Retail	Wholesale
25652	Smoke	Smoke		Please Login
25654	Clear	Clear AF		Please Login



- Trend-setting design at a better price point
- Exclusive Duramass® scratch resistant lens coating
- Meet ANSIZ87.1 standards
- · Near total seal of eye orbit

Item No.	Lens	Retail	Wholesale
CK100	Clear Uncoated		Please Login
CK110	Clear Coated		Please Login





The Tremor® Series

- · Sleek, wrap-around design
- Revolutionary Hingeless Frame System™
- Gel nosepiece and temple sleeves
- Meet ANSIZ87.1 standards
- · Exclusive Duramass® scratch resistant lens coating

Item No.	Frame	Lens Color	Retail	Wholesale
TM110	0nyx	Clear		Please Login







Infinity Series

- · 2mm panlite polycarbonate lens material
- · Meets or exceeds ANSI Z87 2010 standards
- 99.9% protection From UVA / UVB rays


Item No.	Frame	Lens Color	Retail	Wholesale
2254	Pearl Pink	Clear		Please Login
22528	Pearl Pink	Smoke		Please Login



AngelFire® Women's Synthetic Leather Mechanic's Gloves

- Synthetic leather palm
- Spandex back
- · Silicone grips on palm
- · Size small

Item No.	Retail	Wholesale
GX103		Please Login



Optima Series

- · Lightweight comfortable frame
- · Dual mold rubber temples
- Adjustable rubber nosepiece
- · Polycarbonate lens provides impact resistance
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection

Key	Item No.	Frame	Lens Color	Retail	Wholesale
Α	OP6710ID	Pink	Clear		Please Login
В	OP6790ID	Pink	Indoor/Outdoor		Please Login
C	OP6767ID	Pink	Pink		Please Login



- Comfortable 4-point nylon suspension
- High-density polyethylene (HDPE) shell designed for strength
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Item No.	Retail	Wholesale
SWX00348		Please Login



Electronic Earmuff

- · Electronic earmuff amplifies low level sounds but compresses noises that exceed safe levels
- Dual microphones
- · Independent volume controls
- · Adjustable moisture wicking headband
- NRR 20 dB






DEWALT



2200-Watt Portable Inverter Generator

- CO Protect technology -stops, alerts, saves, powerful protection against hazardous carbon monoxide
- Provides clean, stable power
- · Compact and lightweight
- 11-hours of run time at 25% load with integrated 1 Gal. fuel tank
- DEWALT 80cc OHV engine with Auto Throttle and low oil shutdown
- Fully enclosed design dramatically reduces noise levels and meets National Park Service camp ground noise requirements
- Economy Mode automatically adjusts engine speeds
- LED indicators alert when low on oil, overloaded or ready-to-use
- One 120-Volt 20 Amp OSHA compliant GFCI receptacle, one 12-Volt DC 8 Amp, one 1.5 amp USB port
- Connect two DXGNI2200 inverter generators for twice the power
- Covered outlets provide added protection from the environment



Southwire

DEWALT



4000-Watt Manual Start Portable Generator

- CO Protect technology -stops, alerts, saves, powerful protection against hazardous carbon monoxide
- Premium DEWALT 223 cc engine
- Never flat, durable wheels for maxi mum portability and durability
- Covered outlets for protection from the elements
- Hardened 1-1/4 in. steel tube cradle for added strength
- · Fold-down/locking handle
- · Low-oil level shutdown
- · Hour meter






5,000 Watt Diesel Generator

- Diesel power requires less maintenance, is more efficient and provides a long life
- Yanmar LW series 435cc air-cooled direct injection, industrial-grade diesel engine
- Large 12 Gal. fuel tank with fuel gauge
- Idle control conserves fuel and reduces noise
- Low oil shutdown automatically safeguards engine from damage
- Durable, fully welded 1-1/4" steel frame
- Single touch electric start provides hassle-free start-up, battery not included
- Hour meter with maintenance resets
- · Drop ship item



Item No.	Model No.	Retail	Wholesale
6864	XD5000E		Please Login



"W" Adapter Part

- One male plug and three female connectors, 12/3, STW-A, Vinyl, 18"
- · Indoor use only
- Polarized cord

Item No.	Retail	Wholesale
1479		Please Login

Yellow Jacket 5 Outlet In-Line Tap

- · Outdoor rated with cord lock
- Accommodates 16/3 10/3 SJT (300V) up to 12/3ST (600V)
- Connect extension cords together
- Durable, yellow overmolded vinyl

Item No.	Retail	Wholesale
997362		Please Loain









1	Part #	NEMA	Plug	Connector
	01915	() L5-30P	(±)8	5-20R
	01924	() 20 S	$(\cdot)^{\hat{\alpha}}$	5-20R
	01934	(14-30P	(±)®	5-20R
	09084	() L5-20P		5-15R

Generator Adapters & **Cord Sets**

- Increase the number of useable 20 amp connectors
- Job-site tough, flexible STOW and SJTOW cord jackets provide excellent durability.
- Oil and chemical resistant vinyl jacket

Item No.	Description	Retail	Wholesale
01915	3' - 10/3 STOW		
	L5-30P to (2) Lighted 5-20R		Please Login
01924	3' - 12/4 STOW		
	L14-2ÓP to (2) Lighted 5-2OR		Please Login
01934	3' - 10/4 STOW		
	L14-30P to (2) Lighted 5-20R		Please Login
09084	2' - 12/3 STOW		
	L5-20P to Lighted Tri-Source 5-15R		Please Login



Item No.	Description	Retail	Wholesale
6506UGSX	Power Box - straight blades		Please Login
8706UGCX	Power Box - roll cage		Please Login
01918	50' Cord SEOW W/California Ends		Please Login
01919	100' Cord SEOW W/California Ends		Please Login

Extension Cords

Jacket type SJTW-A



Yellow 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D11712100YL	100', lighted	4		Please Login

Orange 10 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D132100500R	50', lighted, triple tap	6		Please Login
D132101000R	100', lighted, triple tap	4		Please Loain

All Sold **Individually Or By The Case** Your Choice!



White 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login





Yellow 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
123100YN	100' lighted	6		Please Login
12350YN	50', lighted	4		Please Login
D11712050YL	50', lighted	6		Please Login





Magnetic Ratchet Tie-Downs



1"x16' Ratchet Straps

- · 2,250 Lb. break strength
- Securing building materials, ATV's, UTV's, or furniture
- 8 Lb. pull force on the magnet

Item No. Description	Retail	Wholesale
FG112 4 Pack		Please Login
FG116 2 Pack		Please Login



- Ensure your hook never falls off
- Eliminate the need for a second set of hands



2" Ratchet Straps

- 11,000 pound break strength
- 3,333 pound safe working load
- Hauling large loads like hay and equipment

Item No.	Description	Retail	Wholesale
FG227	2" x 27'		Please Login
FG235	2" x 35'		Please Login

2" Ratcheting Tiedowns

- 2" x 27'
- 3,333 lb. working capacity
- · Claw hook or flat hook

Item No.	Description	Retail	Wholesale
557	Flat Hook		Please Login
557-WHK	Claw Hook		Please Login

Chain Anchor Tiedown

- 2" x 27'
- 10,000 lb. rated capacity
- 3,335 lb. working capacity
- 18" chain length

Item No.	Retail	Wholesale
RS-2-27-W-CH		Please Login



2" Ratcheting Tiedowns

- 2" x 27"
- 10,000 lb. rated capacity
- 3,300 lb. working capacity
- · Claw hook or flat hook
- Yellow

Item No.	Description	Retail	Wholesale
82392	Claw Hook		Please Login
82392F	Flat Hook		Please Login



Ratcheting Tie Downs Claw Hook

- 1" x 15'
- 1,500 lb. rated capacity
- Red
- · Blister package for hanging

Item No.	Retail	Wholesale
84023		Please Login



CargoLoc

Locking Tie Down Set-4 pack

- 1" x 6', "S" Hook
- 300 lb. load limit
- 900 lb. break strength

Item No.	Retail	Wholesale
42459		Please Login



Ratcheting Tie Downs Claw Hook

- 1-1/2" x 15'
- · 3,000 lb. rated capacity
- Yellow
- Blister package for hanging

Item No.	Retail	Wholesale
28584		Please Login






Tow Strap

- Extra long 2" x 20'
- · 17,000 lb. rated capacity
- Reinforced loop
- Yellow







Heavy-duty CargoBar™

- · Retracts to 48"
- · Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- · Harder to bend and damage

Item No.	Retail	Wholesale
CC5010		Please Login



- Working load limit: 6,600 lbs. 3/8" 4.700 lbs. - 5/16"
- Clevis type hook

Item No.	Description	Retail	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login



- · Corrosion-resistant baked enamel finish
- 1 piece fork, lugs, handle
- · Drop forged, heat treated steel handle/hooks
- Working load limit: 9,200 lbs.
- · Easy secure tightening and quick release
- · Max. break strength: 19,000 lbs.

Item No.	Description	Retail	Wholesale
19055	1/2" x 3/8" Load Binder		Please Login

Works with 1/2" or 3/8" Chain



- Take-Up: 6.5"
- · Working load limit: 7,100 lbs.
- Handle Length: 13.92"
- DOT/CVSA
- Sold individually
- · Carton qty. 2

Item No.	Retail	Wholesale
H5121-4158		Please Login



Ratchet Style QuikBinder

- · Fast installation
- · Handle folds down for compact storage
- · Working load limit: 12,000 lbs.
- Max. break strength: 19,000 lbs.
- DOT/CNSA/CCMTA
- Sold individually
- · Carton qty. 4

Item No.	Retail	Wholesale
H5125		Please Login



Works with 1/2" or 3/8" Chain



or 3/8" Chain









PB-1 With Video





BB-SS10-RED (2 Boxes)

All-Purpose Rubber Tie-Downs

- Simply the fastest & easiest way to secure pretty much anything
- No complicated knots, no hazardous hooks & no rusty ratchets
- Recyclable & reusable
- Self-gripping design holds tight without using knots, hooks, ratchets, clamps, or clips
- Thick straps hold tight, withstanding strains up to 1000 PSI without damage
- 20' long strap can be cut to custom lengths
- Rubber construction is non-marring and cushioning
- Works when wet, in the dirt & in extreme temperatures







Item No.	Description	Color	Duty	Retail	Wholesale
SS10-RED	10' x 2.5mm	Red	Medium		Please Login
SS1-RED	20' x 2mm	Red	Regular		Please Login
SS1-YLW	20' x 2mm	Yellow	Regular		Please Login
SS1-BLK	20' x 2mm	Black	Regular		Please Login
SS2-RED	20' x 3mm	Red	Regular		Please Login
SS2-YLW	20' x 3mm	Yellow	Regular		Please Login
SS2-BLK	20' x 3mm	Black	Regular		Please Login
PB-1 Simple Strap Display w/Video, 36 Units, 18 units of 20'-2mm					
	(6 red, 6 black, 6 y	ellow) & 18 units of 20'	-3mm (6 red, 6 black, 6 yellow)		Please Login
BB-SS10-RED	Countertop Display	s (2), 10'-2.5mm, Red,			
	Medium Duty Maste	er Case 15 units each (3	O total)		Please Login



6 Piece Flat Bungee Pack

- Molded steel hooks with protective coating
- 3/4" wide cords for added surface contact
- Includes: 2 each of 15", 25"
 1 each of 35", 45"

Item No.	Retail	Wholesale
32407		Please Login



Elastic Tie Down

- Elastic design provides constant tension and a firm hold
- · Use for quick load binding
- Includes: 2 each of 12", 18", 24"
- · Blister package for hanging

Item No.	Retail	Wholesale	
28380		Please Login	



Rubber Tarp Straps

- Guaranteed elasticity for up to one year
- 25 per bundle

Item No.	Strap Lgth	Retail	Wholesale
STR9	9"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login











Nite Ize S-Biner Slidelock



- Organize, connect, carry, & keep your valuables extra secure
- · Will stay firmly locked until you choose to unlock it
- Size: 1.2" x 2.7" x 0.4" (25 lb. rating)
 Size: 1.6" x 3.6" x 0.4" (75 lb. rating)
- High quality stainless steel construction
- · Each gate can be independently locked
- Carded

Item No.	Color	Rating	Retail	Wholesale
LSB3-01-R6	Black	25 lbs.		Please Login
LSB3-11-R6	Stainless	25 lbs.		Please Login
LSB4-01-R3	Black	75 lbs.		Please Login
I SB4-11-R3	Stainless	75 lbs.		Please Login



NITE IZE S-Biner SlideLock Gravity Bin Display

- Includes 24 S-Biner SlideLocks
- 5.56"W x 10.87"H x 4.00"D

Item No.	Retail	Wholesale
GB-LSBA3-A1		Please Login

Universal Coupler Lock in Steel

- Designed to fit 1-7/8", 2", and 2-5/16" couplers
- Prevents theft and keeps your trailer secure
- Yellow color offers high visibility to deter break-ins
- Ratchet design features 11 locking positions for versatility

Item No.	Retail	Wholesale
72783		Please Login



Heavy-duty CargoBar™

- · Retracts to 48"
- Greater holding power than conventional loadlocks
- Adjusts continuously to a maximum extension of 108"
- Harder to bend and damage

Item No.	Retail	Wholesale
CC5010		Please Login

Master Lock® Steel Pin Tumbler Padlock, 4 Pin

- · Hardened steel shackle
- 4-pin cylinder helps prevent picking
- · Dual locking levers
- 1-9/16" wide body, 2" shackle

Item No.	Description	Retail	Wholesale
5KALJ	2-1/2" Shackle		Please Login
3DLH	2" Shackle		Please Login
1SSKADLF	1-1/2" Shackle		Please Login
1SSTLF	1-1/2" Shackle, 2-pack		Please Login



Light-duty Poly Twine

- Will not rot, mildew or rust
- Ships in plastic pail for ease of use
- Tensile strength of 210 lbs.
- Length: 6,500'

Item No.	Retail	Wholesale
J7603		Please Login



Rope Ratchet


- Releases with thumb lever
- Made of tough weather resistant nylon
- 10' braided cord included
- 3/8" has 200 lb. load limit

Item No.	Retail	Wholesale
20020		Please Login



Yellow Polypropylene Rope

- 1/2" x 50' yellow poly rope
- · Easy and simple use kit
- Twisted polypropylene construction
- 358 pounds load limit
- Coil design provides quick access to rope while keeping it neatly organized and untangled





Yellow Polypropylene Rope

- 3/8" x 50', Twisted, Peg Pak
- Economy tie-down rope, 100% virgin twisted poly
- Twice as strong as manila, resistant to rot, mildew, marine growth and petroleum products



Item No.	Retail	Wholesale
16361		Please Login









Gear Tie Reusable Rubber Twist Ties

Gear Tie Reusable Rubber Twist Ties have a tough rubber shell that provides excellent grip and a strong wire inside that holds its shape. (3", 6", 12", 18", 24" or 32")

- Waterproof, UV resistant
- · Tough rubber shell provides excellent grip
- · Use indoors and outdoors in any weather.
- · Won't scratch or mark
- Twist it, tie it, reuse it

Item No.	Length	Color	Qty.	Retail	Wholesale
GT3-4PK-A1	3″	Assort.	4 pk.		Please Login
GT3-4PK-01	3″	Black	4 pk.		Please Login
GT6-2PK-31	6"	Orange	2 pk.		Please Login
GT6-2PK-01	6"	Black	2 pk.		Please Login
GT12-2PK-38	12"	Blue	2 pk.		Please Login
GT12-2PK-31	12"	Orange	2 pk.		Please Login
GT18-2PK-31	18"	Orange	2 pk.		Please Login
GT18-2PK-01	18"	Black	2 pk.		Please Login
GT18-2PK-38	18"	Blue	2 pk.		Please Login
GT32-2PK-31	32"	Orange	2 pk.		Please Login
GT32-2PK-01	32"	Black	2 pk.		Please Login
GLL24-33-2R6	24"	Neon Yellow	2 pk.		Please Login
		Loopable			







The Gear Tie Loopable Twist Tie features a strong wire inside that holds its shape and an integrated loop on one end, it allows you to cinch, twist, store, and hang nearly anything for convenient storage and access.

Standard Nylon Cable Ties (clear)



Item No.	Qty Per Bag	Tensile Strength	Overall Length	Retail	Wholesale
33NCT4	100	18 lbs.	4 "		Please Login
CV200S	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
36-175	50	50 lbs.	36"		Please Login



Front-143 Front-141

Service Tags for Equipment

- Enhances your image and gives your customer confidence
- Provides liability protection
- Meets insurance company requirements
- 2-1/8" wide, 4-1/4" tall and 1000 per box
- Ties sold separately

Item No.	Description	Retail	Wholesale
143	Electrical Equipment		Please Login
141	General Purpose		Please Login
159	Ties for tags (1,000) Ties sold separately		Please Login



AccuSharp® Knife Sharpener

- No more messy oils or stones
- · Sharpens in as little as 10 seconds
- Large ergonomic handle
- Full length finger guard
- · Won't rust. clean with soap and water
- · Diamond Honed Tungsten Carbide



Item No.	Description	Retail	Wholesale
KS001	White		Please Login
C005C	Camouflage		Please Login











TRUE.

- · Drop Point Blade
- 8Cr13MoV Stainless Steel
- Black Oxide
- · G10 handle
- · Lanyard hole

Item No.	Retail	Wholesale
TRU-FMK-0006		Please Login



- · Blade length: 2-1/4"
- · Thumb knob for easy opening and added safety
- · Limited lifetime manufacturer's warranty

Item No.	Retail	Wholesale
DWHT10272		Please Login



- · Stonewashed 3Cr13 stainless steel full-tang
- 7.28" overall length
- · Paracord wrap skeletal handle
- · Nylon sheath: belt-loop, snap enclosure

Item No.	Retail	Wholesale
TRU-FXK-1020		Please Login



- · Lightweight, ergonimic design
- · Lanyard hole provides simple storage

Item No.	Retail	Wholesale
STHT10253		Please Login





Utility Smartknife and Multitool

- · 2.375" partially-serrated locking drop point knife
- · Black oxidized 420 stainless steel
- Anodized aluminum
- · Pry bar, bottle opener, screwdrivers, 1/4" magnetic bit storage, wire strippers, rulers, 5 wrenches
- Length: 4.375" (closed) / 6.875" (open)

Item No.	Retail	Wholesale
TU6869		Please Login



Victorinox Classic Red Army Knife

- · Tools include knife blade, scissors, nail file with screwdriver tip, toothpick, and tweezers
- · Contains six stainless-steel tools
- Measures just 2-1/4 inches long
- · Includes key ring









Sport Knives

- · Constructed of anodized aluminum and stainless steel
- · Patent pending wheel lock with allows for one hand operation
- Will not rust
- Lifetime warranty
- · Glass breaker feature
- Belt clip



Item No.	Description	Retail	Wholesale
SK701	Blue		Please Login
SK704	Camouflage		Please Login



LAPTING STRAPS





- Makes loads feel like 1/3 of actual weight
- No straining your back or gouging your hands
- · Adjustable up to 48"
- Weight Cap.:600 lbs./Pair
 -(Tested at 2,720 lbs.)

Description Forearm Forklift

Extension strap

Floor display kit

Countertop display kit

 Felt for comfort in any adjusted length



Item No

42895

L74995D

Floor-POP

EXT

#L74995D Countertop display contains 6 units.



Wholesale

Please Login

Please Login

Please Login

Please Login

#FLOOR-POP Floor display contains 15 units.







Moving Harness

- Rated for items weighing up to 800 lbs.
- · Encourages proper lifting techniques
- Strap system that employs leverage which makes the items being carried seem MUCH lighter
- Saves floors from scratches, dents, scuffs and scrapes that dollies and hand trucks leave behind
- Includes: 2 harnesses & 2 adjustable center straps

Item No.	Retail	Wholesale
FFMHVP		Please Login





- Allows different size boxes and other items to be carried together efficiently
- · Use for carrying up to 40 lbs.
- Use for bundling and securing boxes
 3" wide strap, the widest box strap around

Item No.	Retail	Wholesale
FFBS		Please Login





- Premium, two color
- Woven construction on the orange side for HEAVY-DUTY use
- Gentle, non-woven on the black side, better for shielding delicate items
- Use to protect floors from falling or stepped on tools, materials, and fixtures





SAPETY & CAUTION

Red/Silver 2" x 10' High Visibility Reflective Safety Tape

- For automotive, recreational vehicles, trailers, farm machinery, marine, sign marking, general household and work place uses, mail boxes, post markers or door markers
- Minimum of 700 candle power brightness
- Alternating 6" red and 6" silver segments
- Withstands brushing, dirt, grime, and high-pressure steam sprayers

ltem No.	Retail	Wholesale
RE2110		Please Login





Tear-Off Red Danger Flags

- 12" x 12" plastic flags
- · Easily attaches to items protruding from vehicles

		1 Bag of 100	15 Bag of 100
Item No.	Retail	Wholesale	Wholesale
14667		Please Login	



French Creek Full Body Harness

- Lightweight and comfortable
- High-strength, high-visibility nylon webbing
- Dee ring centered in the back for attaching lanyards

Item No.	Description	Retail	Wholesale
631	Harness		Please Login
490A	Shock absorbing lanyard		Please Login
208	Nylon carrying bag		Please Login
631-KIT	Harness, bag & lanyard		Please Login





Item No.	Description	Mil.	Ctn. Qty.	Retail	Wholesale
CT300	3" x 300' roll - Caution	2.0	36		Please Login
CT1000	3" x 1000' roll - Caution	1.5	25		Please Login
DT1000	3" x 1000' roll - Danger	2.0	16		Please Login



Back Support

- Lightweight, cool, washable nylon
- Contoured support
- Allows for full range of body motion
- 6 per carton

Item No.	Size	Retail	Wholesale
7162	M-32"-38"		Please Login
7163	L-38"-47"		Please Login
7164	XL-46"-56"		Please Login



Contractor Grade Non-Skid Tape

- Rugged adhesive-backed tapes easily install indoors or outdoors
- · Adheres to almost every clean, dry, and oil-free surface
- · Ideal for heavy-duty industrial traffic

Item No.	Description	Ctn. Qty.	Retail	Wholesale
SG7002CB	2" x 60' roll	6		Please Login
SG7004CB	4" x 60' roll	3		Please Login
SG7006CB	6" x 60' roll	2		Please Loain



- Rounded cap allows for swiveling & pivoting
- Durable cordura fabric
- 1/2" neoprene padding
- Woven elastic adjustable straps
- · Adjustable buckle easily fastens

Item No.	Retail	Wholesale
EKP		Please Login









Includes Tripod & Measuring Rod

Automatic Optical Level Kit

- Accurate up to ± 1/16 In. at 100 Ft.
- · Large aperture 32x-power lens
- Self-leveling compensator with transport lock — protects pendulum in carrying case against damage and loss of calibration
- Both horizontal/vertical Crosshairs and Stadia lines
- Top mount quick sight
- Circular bubble vial with 90-degree prism

Item No.	Retail	Wholesale
GOL32CK		Please Login





Self-Leveling Horizontal/Vertical Rotary Laser Kit

- Complete kit
- All-in-one hard carrying case
- Electronic self-leveling
- · Disturbance monitor
- Delivers ±1/16 In. accuracy at 100 Ft.
- Provides up to 2,000 Ft. working range
- · Lightweight aluminum tripod
- Robust design

Item No.	Description	Retail	Wholesale	
GRL2000-40HK	Horizonal		Please Login	
GRL2000-40HVK	Horizonal/Vertical		Please Login	



Laser Level LL100

- Complete system is contained in a single hard-shelled, portable carrying case containing the laser, receiver, clamp, tripod, and grade rod
- · Automatic electronic self-leveling
- · Simple one-button operation for quick start up
- · Unit stops rotating when jarred
- Job site durable and tough withstands a 3' drop on concrete or a 5' tip over without breakage

ŀ	tem No.	Retail	Wholesale
L	L100N-2		Please Login



- Rugged design
- Built to withstand drops up to 3' directly onto concrete
- · Fully automatic self-leveling capability
- Single cross-axis manual slope mode with cross-axis self-leveling allows grade matching for basic slope work, while maintaining accuracy in the cross-slope

Item No.	Retail	Wholesale
LL300N-2		Please Login

Includes
Tripod & Measuring Rod







HV302G-1 INCLUDES:

- HV302G Interior Laser
- RC402N Remote
- M302 Wall Mount
- Green Laser Glasses
 Magnetic Target Plate
 NIMH Batteries

- ChargerSmall Case



Construction Laser Levels

- Automatic self-leveling
- Robust design
- · Automatic horizontal and vertical self-leveling
- · Height of instrument alert
- · Ideal for both indoor and outdoor projects
- · Rotor vial for easy and accurate vertical plumb setup
- · Preset adjustable rotation speed and scan line sizes to fulfill all interior application needs
- · High visibility green beam is four times more visible than standard red beam lasers

Item No.	Retail	Wholesale
HV302G-1		Please Login
HV302G-2		Please Login



HV302G-2 INCLUDES:

- HV302G Interior Laser
- RC402N Remote
- M302 Wall Mount
 Magnetic Target Plate
 Green Laser Glasses
- NIMH Batteries
- HR150U Receiver
- ChargerSmall Case





Aluminum Tripod

- Sturdy and lightweight
- Telescopic legs to setup at various heights
- 5/8 x 11 threaded post accommodates standard instruments and lasers
- · Heavy-duty poly-webbing shoulder strap

Г	ltem No.	n No. Retail Wholesa	
Γ	Q104025		Please Login



Construction Tripod

- · Lightweight and durable aluminum hinge, clamp and shoe castings
- · Hinges are attached with screws, not rivets
- Adjusts from 3'6" to 6'1"
- 5/8" 11" threaded device

Item No.	Retail	Wholesale
2161		Please Login



MEASURING TOOLS



Open Reel Long Tape

- · Metal, planetary gearing for super-fast rewind & no more stripped gears!
- · High-visibility, double riveted housing
- · Tough, double nylon-coated steel
- · Double coated PVC fiberglass blades with blade shield
- · Metal reinforced crank handle for increased strength NRS = Nylon Steel OTRS = Fiberglass

		Unit of		
Item No.	Length	Measure	Retail	Wholesale
NRS18100	100′	Ft., In., 1/8		Please Login
OTRS18100	100′	Ft., In., 1/8		Please Login
NRS18200	200′	Ft., In., 1/8		Please Login
OTRS18200	200′	Ft., In., 1/8		Please Login
NRS18300	300′	Ft., In., 1/8		Please Login
OTRS18300	300′	Ft., In., 1/8		Please Login
*Engineer's & N	letric also av	ailable. Please cal	I for details	



Closed Reel Long Tape

- · Nylon coated blade for superior durability and rust resistance
- · High-impact resistant case with rubber grip

		Unit of			
Item No.	Length	Measure	Retail	Wholesale	
ST18503X	50′	Ft., In., 1/8		Please Login	
STIBIOUSX	100'	Ft In 1/8		Plense Lonin	_






PGPRO1825V

PGPRO1835V

Short Tape Measures

- Nylon Coated Steel Blade
- Easy-to-Read Graduations
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- Belt Clip





Contractor Grade Measuring Wheels

- 5-digit magnified counter subtracts in reverse
- RR318N features a 3-pc. collapsible handle with cam-locks and pistol grip handle
- RR112 telescopes from 17" up to 38" without bending
- · RR182 offers dual wheel for greater stability

Item No.	Wheel Circ.	Unit of Measure	Retail	Wholesale
RR112	1 ft.	Ft. & In.		Please Login
RR182	1 Ft. Dual	Ft. & In.		Please Login
RR318N	3 Ft.	Ft. & In.		Please Login

Professional RESOR **Measuring Wheel**

- · Center aligned design for better wheel balance
- · Handle brake and reset for ease of use
- · Enhanced pistol grip handle increases control

	Wheel	Unit of		
Item No.	Circ.	Measure	Retail	Wholesale
RRT12	3 ft.	Ft. & In.		Please Login
*Engineer's	& Metric als	o available. Plea	se call for a	details.



Metal Professional Measuring Wheel

- Rugged 3/4" tubing—Tough enough to handle any terrain
- · Innovative, center aligned design for better wheel balance
- · Huge numbers make for easy reading
- 5-digit counter reads up to 99,999

Item No.	Wheel Circ.	Unit of Measure	Retail	Wholesale
MP401	4 ft.	Ft.		Please Login
*Engineer's	& Metric als	o available. Plea	se call for de	etails.







Little Giant 100' **Chalk Line Reel**

- · Holds almost 1 lb. of chalk
- · One-piece steel crank for extra long life

Item No.	Retail	Wholesale
G100		Please Login





Giant Chalk Line Reel

- · Holds 24 oz. of chalk for less refills
- · Easy fill opening with no-leak stopper
- 1-piece steel crank for extra-long life

Item No.	Description	Retail	Wholesale
G130	130' - holds 24oz. chalk		Please Login
G150	150' - holds 24oz. chalk		Please Login



Lumber Crayons

- · Smear, water, and fade resistant
- · Outlast wax or chalk crayons
- Sold by box of 12

Lumber Crayon Holder

- · Advance crayon to any designed length then retract to prevent breakage
- · Aluminum barrel includes a leather strap
- Sold individually

Item No.	Color	Retail	Wholesale
LCRED	Red		Please Login
LCYELLOW	Yellow		Please Login
PS100	Holder		Please Login



Quick Fill Chalk Line Reels

- · Metal case for rugged use
- 100' line
- · Locking action with hook ring doubles as a plumb bob

Item No.	Retail	Wholesale
K1		Please Login





Carpenter Pencils

- 5/8" x 7" long
- #3 lead assures more durability
- Sold by box of 72

Item No.	Retail	Wholesale
LP72		Please Login



Marking Chalk Refill

- 5 lb. container
- Ultrafine

Item No.	Color	Retail	Wholesale
105B	Blue		Please Login
105R	Red		Please Login



Plastic Marking Flags

These bright plastic marking flags are hard to miss. The stake is a 21" wire with a 4" x 5" flag. Sold in bundles of 100.

Item No.	Color	Retail	Wholesale
900-0G	Orange		Please Login
900-PG	Pink		Please Login
900-LG	Lime Green		Please Login
900-BL	Blue		Please Login
900-WT	White		Please Login
900-RD	Red		Please Login
900-YL	Yellow		Please Login
900-G	Green		Please Login





- Priced individually
- Sleeves contain 12

Item No.	Color	Size	Retail	Wholesale
SP771-R	Day Glo Red	1-3/16" x 150'		Please Login
SP771-P	Day Glo Pink	1-3/16" x 150'		Please Login
SP771-0	Day Glo Orange	1-3/16" x 150'		Please Login
SP771-LG	Day Glo Green	1-3/16" x 150'		Please Login
SP771-B	Blue	1-3/16" x 300'		Please Login
SP771-W	White	1-3/16" x 300'		Please Login
SP771-Y	Yellow	1" x 300′		Please Login



STRIPING TOOLS



Paint Striper

800P Vers-A-Striper (pavement)

- Stripe widths from 2" to 4"
- · Heavy-duty metal construction
- · Holds 1 case of paint
- · Paint radius curves with ease
- Curb and edge attachment included

Item No.	Retail	Wholesale
800P		Please Login



· Professional results

· Reusable - heavy glossy cardboard

• Includes seventeen 22.5" x 36" stencils

• Full alphabet, numbers and 13 of the most often used set-ups (Handicap, Exit, No Parking)

Item No.	Retail	Wholesale
797P		Please Login







Athletic Paint Striper

801P Vers-A-Striper (turf and dirt)


- Stripe widths from 2" to 4"
- · Larger 10" diameter wheels
- Metal construction heavy-duty
- Holds 1 case of paint (12 per case)

Item No	o. Description	Retail	Wholesale	
801P	Striper		Please Login	
790P	White athletic paint		Please Login	
Paint will cover 800 linear ft. with a 4-inch stripe!				

Spot Marker

- 14" overall length
- Rubberized grip
- · Single-hand operation





Flag holder

Rubberized grip

Item No.	Description	Retail	Wholesale
1244	Spot Marker		Please Login
1245	Marking Stick 34"		Please Login
1745	Marking Stick 36"		Please Login



Potail Wholocale



Solvent-Based Striping Paint

- · Perfect for concrete and asphalt
- · Fast drying, one coat coverage
- 18 oz. cans net weight
- Sold individually

Item No.	Description	Retail	Wholesale
710P	White		Please Login
720P	Yellow		Please Login
740P	Orange		Please Login
750P	Blue		Please Login
770P	Asphalt Black		Please Login







- weight
- Sold individually

Helli No.	Describitori	Keluli	Willowsule
261P	Red		Please Login
262P	Yellow		Please Login
263P	Blue		Please Login
265P	Orange		Please Login
267P	White		Please Login
270P	Fl. Red		Please Login
272P	Fl. Orange		Please Login
274P	Fl. Green		Please Login
275P	Fl. Red Orange		Please Login
279P	Fl. Hot Pink		Please Login
*12 cans	per case		

Itam No Description



Survey Marking Paint

- · Upside-down marking paint
- · Lasting mark of up to six months
- 17 oz. cans net weight
- · Sold individually

Item No.	Description	Retail	Wholesale	
203P	Blue		Please Login	
205P	Orange		Please Login	
207P	White		Please Login	
222P	Fl. Orange		Please Login	
226P	Fl. Yellow		Please Login	
229P	Fl. Pink		Please Login	
281P	H.D. Red		Please Login	
*12 cans per case				
H.D.= (High Delivery) 30% greater than other colors				





Construction **Marking Paint**

- · Lasting mark of up to three months
- 20 oz. cans net weight
- Sold individually

Due to steel storage supplies are limited. Checkout **Invert-A-Cap Marking Paint** listed above.

Item No.	Description	Retail	Wholesale
256P	Red		Please Login
252P	Yellow		Please Login
254P	Blue		Please Login
251P	Black		Please Login
255P	White		Please Login
246P	Fl. Red		Please Login
247P	Fl. Orange		Please Login
139P	Fl. Yellow		Please Login
249P	Fl. Pink		Please Login
200P	Clear		Please Login
*12 cans	per case		







- 6,000 and 12,000 BTU/hour
- · Camo faceplate
- Quiet electronic ignition
- Fold-down handle
- · Accidental tip-over safety shut-off
- Storage space
- Propane cylinders sold separately
- · CSA certified

Item No.	Retail	Wholesale
MH12HB		Please Login



ACCU SHARP

AccuSharp Camouflage Knife Sharpener

- Diamond honed tungsten carbide blades
- · Large, ergonomic handle
- · Full length finger guard
- Will not rust
- · Great for the toolbox or tackle box
- · Made in the USA
- Free POP display w/purchase of 12

Item No.	Retail	Wholesale
C005C		Please Login



ACCU SHARP

AccuSharp Camouflage Sport Knife



- Constructed of anodized aluminum and stainless steel
- · Will not rust
- · Lifetime warranty
- · Glass breaker feature
- Belt clip

Item No.	Retail	Wholesale
SK704		Please Login



Khor Camo Kit W/Lens



- Includes smoke, yellow and anti-reflective interchangeable lenses, hard carrying case, a soft micro-fiber lens cleaning bag
- · Camo frames wraparound design
- Provide 99.9% protection from UVA, UVB and UVC Rays
- ANSI Z87.1+ 2010 Compliant



Item No.	Frame	Retail	Wholesale
TSDK21DC	Digital Camo		Please Login



Nemesis Series

- · Sleek, sporty style
- Soft-touch temples
- Single lens wrap-around protection

JACKSON

- 99.9% UV protection
- Free neck cord included
- Meets ANSI Z87.1+
- · Meets all impact resistance standards

Item No.			Retail	Wholesale
19644	Camo	Copper		Please Login
22608	Camo	Clear AF		Please Login
22610		Amber		Please Login
22609	Camo	Smoke AF		Please Login



Rad-Apocalypse Camo Series

- Soft rubber temples
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Meet ANSI Z87.1+ standards

	Lens Color	Retail	Wholesale	
AP4-B1	Bronze Anti-Fog		Please Login	







Balloon Light Kits

- · Quick and easy setup Lightweight and portable
- Glare-free 360° lighting
- Over 5,000 square feet of brilliant illumination
- Internal blower inflates balloon and cools LED panels
- Heat-and-water-resistant, UV protected nylon
- · Removable balloon cover-Hand washable with mild soap
- UL approved, RoHS, FCC, CE; IP42 rated
- 15' spec. grade power cord
- · Dimmable wireless remote
- 3-year warranty





Item No.	Watt	Volts	Max Height	Amp	Lumen	Retail	Wholesale
SD-60W-KIT-G1	60	110-240	7′	.5	7,80		Please Login
SD-150W-KIT-G1	150	110-240	8′	1.25	19,500		Please Login
SD-300W-KIT-G1	300	110-240	12′	2.5	42,000		Please Login
SD-700W-KIT-G1	700	110-240	15"	5.8	102,000		Please Login



LED Rechargeable Work Lights

- Dimmable (50% & 100% Brightness)
- 3-6 Hour Battery Life (Low & High)
- IP-65 Rated
- · Die-cast aluminum body
- Durable high-quality paint finish
- Adjustable angle knobs for easy tilting
- · Shatter-proof tempered glass
- · Fully charged in 5 hours
- · 2-year warranty



Item No.	Watt	Lumens	Retail	Wholesale
SD-RWL10W-G1	10	1,000		Please Login
SD-RWI 50W-G1	50	5 000		Please Loain



FREE Spare Bulb!

Halogen 1000W Convertible Light Tower

- Two 500 Watt Halogen Fixtures mounted to a removable light rack for portable lighting
- 8' Telescoping Tripod
- · Spare bulb (included)
- 6' All Weather 18/3 SJTW cord with polarized plug
- Tempered Glass Lens with safety grill
- · Extra bulbs sold in packages of 2

Item No.	Description	Retail	Wholesale
SL1006	1000 Watt Light		Please Login
34500	500 watt bulb (pk. 2)		Please Login



360° lighting on-the-go...no plug needed!

- Dimmable (25%/50%/100% Brightness)
- 2.5-10 Hour Battery Life (Low & High)
- IP-65 Rated

59.5"

- Adjustable tripod legs
- 2.5 10 hours of running time
- Multiple brightness settings
- · Fully charged in 4 hours
- 2 Year Warranty

Item No.	Watt	Lumens	Retail	Wholesale
SD-RAL40W-G1	40	4,000		Please Login
SD-RAL100W-G1	100	10,000		Please Login



Portable LED **Dual Head Worklight** Dual lamp

- · 6600 Lumens of light, 60 watts
- Low power consuption
- more than 50,000 hours of bulb life
- · Housing remains "cool to the touch"
- · Shock and vibration resistant
- · 200 sq.ft. lighting area
- 8' 18/3 SJTW power cord

Item No.	Retail	Wholesale
PT523230		Please Login







44

Phone Toll-Free: 1.800.362.6951





- Outdoor weatherproof
- Includes 15 bulbs (5 extra)
- · Heavy-duty 16/3 SJTW cord
- · Connect up to 13 string light sets
- · Perfect lighting for gazebos, patios, pergolas & restaurants

Item No.	Retail	Wholesale
72041		Please Login







LED Color Changing Cafe Lights

- Commercial grade for year-round, permanent installations
- White cord
- · Impact resistant acrylic bulbs
- · Perfect for patios, pergolas, gazebos, parties, and camping
- 16 colors to create over 120 possible color combinations
- · Includes remote to select color
- UL-153 listed

Item No.	Length	Retail	Wholesale
39511	24′		Please Login
39092	48′		Please Login



WL400MH



W BBLELIGHT

Wobblelight® Jr. LED

- 27" tall
- 9,000 Lumens
- · Lexan PC dome
- · Carrying handle
- Floating shock system
- Integrated 5' power cord
- No hot surfaces

Wobblelight®


- 36" tall
- Lexan PC dome
- · Carrying handle
- · Floating shock system
- Internal ventilation system
- Power outlet and inlet
- Counter-weighted
- 12 amp circut breaker

Item No.	Description	Retail	Wholesale
111206	Wobblelight Jr 80 Watts		Please Login
WL400MH	Wobblelight - 400 Watts		Please Login
111908	Bulb for WL85F		Please Login
111901	Bulb for WL175MH		Please Login

PANTHER VISION

POWERCAP LED Beanie Cap





- Ultra Bright LED Technology with premium compression fleece providing hands free lighting with comfortable lightweight material
- Includes 4 LEDs with a light output of 48 lumens powered by 4 CR2032 batteries (included and replaceable)
- Visibility of up to 72 ft. with battery life lasting up to 48-hours

	Item No.	Description	Retail	Wholesale
l	CUBWB-7141	Camouflage		Please Login













Virtually Indestructible LED 3AAA Headlight

- Super Bright LED Emitter
- 100 Lumen Output
- 30 ft. Impact Resistance
- IP67 Water Resistant
- Runs On 3 x AAA Batteries (Included)

Item No.	Retail	Wholesale
DIYHL3AAA-BXTB		Please Login



Virtually Indestructible LED 3AAA Flashlight

- Super Bright LED Emitter
- 300 Lumen Output
- IP67 Water Resistant
- Drop Tested up to 30 ft.
- Rubber bezel
- Anodized Aluminum Construction
- Runs On 3 x AAA Batteries (Included)

Item No.	Retail	Wholesale
DIY3AAA-BXTB		Please Login





Virtually Indestructible LED 6AA Flashlight

- 600 Lumens (High)
- 2 Modes High and Energy Saver
- Run Time 4 hr. (High)
- Beam Distance 265 M (High)
- IP67 Water Resistant
- Lifetime Warranty
- Includes 6 AA batteries
- Drop Tested up to 30 ft.

Item No.	Retail	Wholesale
DIY6AA-RXTR		Please Lonin



RAYOVAC.

Virtually Indestructible LED Spotlight

- Three light modes: High, Medium, and Low
- · Shatterproof lens and internal reflector
- · Includes batteries and a wrist strap
- Runs On 6 x AA Batteries (Included)
- Beam Distance 440 M (High)
- Brightness Outputs:
 High 750 Lumens 8 Hours 440 Meters
 Low 80 Lumens 40 Hours 164 Meters
- IP67 Water Resistant
- 15 ft. Impact Resistance

ſ	Item No.	Retail	Wholesale
ľ	DIYSP6AA-BXB		Please Login

MAKE SURE YOU CHECK OUT THE



ON PAGE 192-193



Focusing LED Flashlight

- 166 lumen output
- 7 hour runtime
- Rear power switch
- Includes 3 AAA-cell batteries
- 143 m (469 ft.) beam distance
- · Impact and water resistant

Item No.	Retail	Wholesale
TT8607CP		Please Loain







Extendable Magnetic Flashlight

- LED 3-mode light function: high, low, strobe
- · Powerful magnet at each end
- · Uses one 'AA' battery
- Extra heavy duty telescope for exact positioning
- Unique 2-pocket belt hoster for easy access
- Ideal for your industry: HVAC, plumbing, electrical, welding, auto and truck repair

Item No.	Retail	Wholesale
EMF-3		Please Login





Brilliant Solutions LED Flashlights



- (1) 2D: 5 LEDs 27 Lumens
- (2) 2AA: 3 LEDs 18 Lumens
- 3 ft. Drop Test
- LEDs Last 50,000 hours
- · Durable rubberized construction
- · Lifetime warranty
- Batteries (included)

Item No.	Retail	Wholesale
BER2AA2D-B3A		Please Login



Pre-Charged Rechargeable Batteries

- Batteries are ready to use out of pack
- Hold their charge 3X longer than standard NiMH rechargeables when not in use
- Can be charged and reused 500 times
- · Work in all NiMH chargers

Item No.	Description	Retail	Wholesale
LD715-40P	AA 4pack		Please Login
LD724-40P	AAA 4pack		Please Login



Ray-O-Vac Alkaline Batteries-sold by pkg. only

Item No.	Description	Case Qty.	Retail	Wholesale
ALC-6J	Size C, 6 pack	12		Please Login
ALD-6J	Size D, 6 pack	12		Please Login
ALAA-8J	Size AA, 8 pack	12		Please Login
ALAAA-8J	Size AAA, 8 pack	12		Please Login
AL9V-6J	Size 9 volt, 6 pack	12		Please Login

Lantern and Barricade Batteries

Item No.	Description	Retail	Wholesale
944	6-volt spring terminals		Please Login



RAYOVAC



12-1/2-Ton Low Profile **Hydraulic Bottle Jack**

- · Low profile model
- · Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- · Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- · Chrome-plated piston and ram are corrosion resistant
- · Pump handle included
- Load Capacity (Tons) 12-1/2 • Piston Lift (In.) 3-3/4 6-3/4 Minimum Height (In.) Maximum Height (In.) 13-3/8

Item No.	Retail	Wholesale
JHJ-12-12L		Please Login

Hydraulic Bottle Jacks

- · Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- · Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- · Chrome-plated piston and ram are corrosion resistant
- Industrial-duty construction permits use in extreme climates
- Pump handle included for both

JHJ-12-12

JET

- Load Capacity (Tons) 12-1/2 • Piston Lift (In.) 5-7/8
- Minimum Height (In.) 9-1/2
- Maximum Height (In.) 18-1/2

JHJ-22-12

- Load Capacity (Tons) 22-1/2 6-1/4 • Piston Lift (In.)
- Minimum Height (In.) 10-5/8 Maximum Height (In.) 16-7/8

Item No.	Description	Retail	Wholesale
JHJ-12-12	12 1/2 Ton jack		Please Login
JHJ-22-12	22 1/2 Ton jack		Please Login

10-Ton Screw Jack

- · Industrial design eliminates creeping wh
- F p
- C lc
- T
- (
- S
- B
- |-
- F

Description

Jack

Item No.

SJ-10

wnen nolding neavy loa	as	
Heavy-duty cast bell sha	aped base	Book 1
orovides a stable founda	ation	CO DOM
Corrugated pivoting hea	ad, contours to the	
oad providing maximun	n surface contact	
Turning bar not included	d	
(available seperately)		
Capacity (Tons)	10	
Screw Size (OD x L)	1-1/2 x 8-3/8	
Bar Hole Size (In.)	11/16	District Lines
Head Diameter (In.)	3-1/16	
Height Closed (In.)	11	JET

Retail Wholesale

Please Loain

20-Ton Screw Jack

- · Industrial design eliminates creeping when holding heavy loads
- · Heavy-duty cast bell shaped base provides a stable foundation
- · Corrugated pivoting head, contours to the load providing maximum surface contact
- · Turning bar not included (available seperately)
- 20 Capacity (Tons)
- Screw Size (OD x L) 2 x 12
- Bar Hole Size (In.) 13/16
- · Head Diameter (In.) 4-1/8
- Height Closed (In.) 16

Item No.	Description	Retail	Wholesale
SJ-20	Jack		Please Login
SJTB-34	Turner bar		Please Loain





Pallet Trucks



- 180° turning radius
- 2-1/2" low profile allows for easy engagement of pallets
- Easy-to-use fingertip controls permit single handed operation
- Welded all-steel frame and powder coat finish
- · Chrome-plated pump piston and ram provide corrosion resistance
- Poly over steel 6-1/4" x 2-3/4" steer wheels
- Steer wheels feature double sealed lubricated bearings

Item No.	Description	Retail	Wholesale
PT-2048JB	20" x 48" 5,500 lb.		Please Login
PT-2748JB	27" x 48" 5,500 lb.		Please Login
PTW-2748B	27" x 48" 6,600 lb.		Please Login







Lever Hoists



- Low headroom, light weight and durable formed steel enclosure
- · Weston style dual pawl brake system
- Allov steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9

Item No.	Load Cap.	Lift	Retail	Wholesale
LC008-10	3/4 Ton	10'		Please Login
LC015-10	1-1/2 Ton	10'		Please Login
LC015-20	1-1/2 Ton	20′		Please Login
LC030-10	3 Ton	10'		Please Login



Mini Lever Hoists

- Small size allows operation and storage in tight places
- Planetary gearing is used to minimize operator's effort
- Lightweight and durable all steel construction
- Meets ASME/ANSI B30, OSHA, NASA_STD_8719.9 and EU directives: 98/37/EC

Item No.	Load Cap.	Lift	Retail	Wholesale
ML003-05	1/4 Ton	5′		Please Login
ML003-10	1/4 Ton	10′		Please Login



BADGER

Hand Chain Hoists


- Low headroom, light weight and durable formed steel enclosure
- · Weston style dual pawl brake system
- Alloy steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9
- Hand chain opening is formed with radius, allowing operation in lifting or pulling direction


Item No.	Load Cap.	Lift	Retail	Wholesale
CB010-10-08	1 Ton	10'		Please Login
CB010-20-18	1 Ton	20′		Please Login
CB020-10-08	2 Ton	10'		Please Login
CB020-20-18	2 Ton	20′		Please Login
CB030-20-18	3 Ton	20′		Please Login





Beam Clamps






- · Compact and portable low headroom design
- Meets OSHA, ASME B30, NASA- STD-8719.9 and EU Directives: 98- 37/EC

		Flange		
Item No.	Load Cap.	Range	Retail	Wholesale
BC-01	1 Ton	3.1 - 9.6"		Please Login
BC-02	2 Ton	3.1 - 9.6"		Please Login
BC-03	3 Ton	3.5 - 13.0"		Please Login
BC-05	5 Ton	3.5 - 13.0"		Please Login
BC-10	10 Ton	3.5 - 13.8"		Please Login



- · Heavy duty polyester Web Slings
- · Reinforced polyesters wear pads on the eyes
- WLL rated at 5:1
- Each sling is serialized and meets ASME B30.9 and WSTDA standards

	Load Capacities (lbs.)						
Item No.	Vertical	Choker	Basket	Width	Length	Retail	Wholesale
EE290104	3200	2500	6400	1"	4'		Please Login
EE290106	3200	2500	6400	1"	6′		Please Login
EE290206	6400	5000	12800	2″	6′		Please Login
EE290208	6400	5000	12800	2″	8′		Please Login
EE290210	6400	5000	12800	2″	10'		Please Login
EE290212	6400	5000	12800	2″	12′		Please Login
EE290216	6400	5000	12800	2″	16′		Please Login
EE290220	6400	5000	12800	2″	20′		Please Login
EE290310	8800	7040	17600	3″	10'		Please Login
EE290320	8800	7040	17600	3″	20′		Please Login
EE290412	12000	9600	24000	4"	12′		Please Login
EE290420	12000	9600	24000	4"	20′		Please Login



- Load capacity 1-Ton
- Chain fall lines 2
- 9'10" lift height 12.5" required head room
- 1/4" grade 80 steel chain fully portable for use indoors or out
- Forged 360° swivel hooks
- · Mechanical load brake
- Hardened steel construction
- · Great for shop or engine hoist

Item No.	Retail	Wholesale
7518		Please Login







Item No.	Description	Retail	Wholesale
NS0206	6" Extension-Fits all No-Spill cans		Please Login
NS6132	Nozzle assembly (Since 2010)		Please Login
6235	Nozzle gasket		Please Login

Pour & Fill Out Of Single Hole Type I Red Safety Cans for Flammables

- Powder coated all steel construction
- · Guaranteed leakproof construction
- Self-closing lid controls vapors and spills
- Exclusive Ten-Year Warranty
- Meets OSHA and NFPA Code 30 FM approved
- · Flame arrester dissipates heat
- Includes funnel

Item No.	Gal.	Can Dim. Outer Dia. x H	Retail	Wholesale
7120110	2	Red 9-1/2" x 13-1/4"		Please Login
7150110	5	Red 11-1/2" x 16-7/8"		Please Login
11202Y		Funnel replacement		Please Login

No-Spill® CARB Fuel Cans w/Auto Stop Nozzle

Meets CARB Environmental Standard

- 7/8" Funnel spout easily fills even the smallest equipment
- · Wide, stable base can reduce upsets
- · Semi-translucent body lets you see your fuel level
- · Quart & Liter markings molded in for easy reference

Item No.	Description	Retail	Wholesale
NS1415	1.25 Gal. gas (red)- CARB		Please Login
NS1405	2.5 Gal. gas (red)-CARB		Please Login
NS1450	5 Gal. gas (red)-CARB		Please Login
NS1456	5 Gal. kerosene (blue)-CARB		Please Login
NS1457	5 Gal. diesel (yellow)-CARB		Please Login

What's a "CARB" can?

CARB stands for California Air Resources Board. Some other states subsequently adopted these requirements. No-Spill meets these requirements with the following features:

- An autostop, self venting nozzle that stops the flow of fuel when the target tank reaches full.
- 2. A single opening for filling & pouring. No separate vents.
- 3. A treated can body for very low permeation.
- 4. Automatic closure. Nozzle automatically springs to the closed position when not pouring.



Type II Safety Cans for Flammables

- Internal dual-density flame arrester to dissipate heat
- · Leaktight, self-closing lid
- Automatic venting to guard against pressure buildup
- Every can is 100% tested to guarantee leakproof construction
- Flexible metal hose provides a grounding path

Red T	ype II S	Safety Cans* Hose Dim.	Can Dim.		
Item No.	Gal.	Outer Dia. x L	Outer Dia. x H	Retail	Wholesale
7225120	2.5	5/8" x 9"	9-1/2" x 16"		Please Login
7250120	5	5/8" x 9"	11-1/2" x 16-7/8"		Please Login
11078	5/8" replo	cement spout			Please Login

Blue	Type II	Safety Car	ıs*	
725032	0 5	5/8" x 9"	11-1/2" x 16-7/8"	Please Login
Yello	w Type	II Safety C	ans*	
725022	0 5	5/8" x 9"	11-1/2" x 16-7/8"	Please Loain

*Complies with OSHA & NFPA. Accepted container under CARB. FM approved; UL & ULC listed.FM approved; UL & ULC listed.





Flexible Spout Fuel Cans

- Flexible Rotating Nozzle Rotates more than 180°
- Fit Perfectly into any Machines Fill Location
- Self Venting
- Thumb Trigger Release on Top Controls the Flow
- Child Proof Fill Cap
- · Ease of Use
- Total Flow Control
- Durable Design
- Flame Mitigation Device







Item No.	Description	Retail	Wholesale
SUR20G2	2.5 Gal. gas (red)		Please Login
SUR50G2	5 Gal. gas (red)		Please Login
SUR50D2	5 Gal. diesel (yellow)		Please Login
SUR50K2	5 Gal. kerosene (blue)		Please Login









Gas Caddy includes Industrial Pump



- 28 gallon capacity
- 3/4" ID UL-approved 10' Hose & Nozzle
- · Molded-in baffle
- · Pneumatic tires for easy rolling

DOT-APPROVED

- · Chemically resistant polyethylene
- Optional siphon kit can be used to fill or evacuate tanks (2400-12)
- · Molded-in fuel gauge
- 38"H x 18" W x 13"D
- 50 lbs.
- Includes ground wire
- · Pump works when caddy is standing or lying down

Item No.	Description	Retail	Wholesale
Includes Indus			
403IP	Red 28 gal Gasoline Caddy w/ Pump		Please Login
404IP	Yellow 28 gal Diesel Caddy w/ Pump		Please Login
	·	-	
Gravity Fed			
A93-2400	Red 28 gal Gasoline Caddy w/o pump		Please Login
A93-2401	Yellow 28 gal Diesel Caddy w/o pump		Please Login
2400-03	Replacement Pump		Please Login
	Special order only; non-stock item		
2400-12	Quick disconnect kit		Please Login
			_




Siphon Pumps Battery Operated & Manual

Item No.	Description	Retail	Wholesale
A60	Battery Siphon		Please Login
SI60	Individual Manual Pump		Please Login



HOT 4 in 1 Heating Oil Treatment

- · TOTALLY disperses water, so in effect there is no longer any "free water"
- · Treats 274 gallons.
- · Do not use with wick heaters







HOSES & ACCESSORIES

Flexogen **Super Duty Garden Hose** 5/8" x 50'

- · Strongest, lightest hose in its class
- 600 psi burst strength guarantees long hose life
- · Crush-resistant and corrosion-resistant brass connectors
- · Made in the U.S.A.
- · Lifetime manufacturer's warranty

Item No.	Retail	Wholesale	
876001-1001		Please Login	



ABBOTTRUBBER

Industrial Water/ **Garden Hose**

- 100% rubber
- 200# P.S.I. working pressure
- · Heavy duty MGHT x FGHT solid brass coupling
- · Resists sunlight, abrasion, kinking and cracking
- · Flexible in freezing temperatures

Item No.	I.D. x Length	Retail	Wholesale
1112-0625A	5/8" x 50'	Pleas	e Login
1112-0750A	3/4" x 50'	Pleas	e Login



Red

ABBOTTRUBBER



- · General purpose hose for various rental, construction and industrial applications
- · Limited oil resistance, EPDM cover
- Includes universal couplings with safety clips attached
- Two Band-It smooth I.D. clamps on each end
- 3/4" I.D. x 50' cpld.
- · Chicago fittings standard

Item No.	Retail	Wholesale
1025-0750R-50-CRS		Please Login

250 lbs. Working **Pressure**

Whip Check Safety Cable

- · Steel cable prevents the hose from whipping in case of accidental separation of the coupling
- Highly resistant to rust and corrosion
- · Easy to install and remove
- · No tools needed

Item No.	ltem No. Retail	
UWB1		Please Login



Universal Couplings

- For pneumatic lines & spray service
- Rust-proof malleable iron



Hose End

Item No.	I.D.	Retail	Wholesale
UH-050-M	1/2"		Please Login
UH-075-M	3/4"		Please Login



FNPT End

Item No.	I.D.	Retail	Wholesale
UF-050-M	1/2"		Please Login
UF-075-M	3/4"		Please Login



MNPT End

Item No.	I.D.	Retail	Wholesale
UM-050-M	1/2"		Please Login
UM-075-M	3/4"		Please Login

2-Lug Gaskets

- Size: 3/4"
- Bag of 50
- Use with red jackhammer hose

Item No.	Retail	Wholesale	
UG		Please Login	

In-line Lubricator

- Protects portable or stationary air tools
- · Efficiently lubricates the tool mechanism each time the air tool is operated

Item No.	Size	Oil Cap.	Retail	Wholesale
UPL-400	3/4"	3.7 oz.		Please Login



Boss Interlocking Bolt Clamp

- Attach to "Boss" interlocking clamp type couplings
- · Plated malleable iron
- · Serrations ensure couplings won't work loose

Item No.	Hose (I.D. x O.D)	Retail	Wholesale
HPC-075	3/4" x 1-3/16" - 1-5/16"		Please Login





HOSES & ACCESSOF



Goodyear **Rubber Air Hose**

- · Made of rubber for a long life
- 50' in length x 3/8" diameter
- · Maximum capacity of 250 PSI for safety

Item No.	Size	Weight	Retail	Wholesale	
12676	3/8"x50'	5.75 lbs.		Please Login	









Roofing/Framing Air Hose

- · Excellent oil resistance
- Use with air compressors, staplers, nailers and pneumatic tools
- UV stabilized for longer outdoor service
- Flexible in sub-zero temperatures
- Coupled with 1/4" reusable male swivel fittings



200 lbs. Working **Pressure**

Item No.	Size	Weight	Retail	Wholesale
1042-0250-100-4MMX	1/4"x100'	4.3 lbs.		Please Login

RUBBER



300 lbs. Working **Pressure**

Premium PVC Air Hose

- · Use with air compressors, staplers, nailers and pneumatic tools
- · Oil and abrasion resistant
- · Flexible/kink resistant construction
- Coupled with 1/4" brass MNPT
- 3/8" I.D. x 50' cpld.
- Includes two bend restrictors: 1 wire and 1 PVC
- · Weight 6.1 lbs.

Item No.	Retail	Wholesale
1048-0375R-50-4MMGSG		Please Login

Air Hose Quick Couplers

Coupler-3/8" FNPT



• 1/4" brass body

Item No.	Retail	Wholesale
M-718		Please Login



Coupler-1/4" FNPT

• 1/4" brass body

Item No.	Retail	Wholesale
M-715		Please Login



Coupler-3/8" MNPT

1/4" brass body

ı	I. M	n . ·!	wl I I
	Item No.	Retail	Wholesale
	M-719		Please Loain



Coupler-1/4" MNPT

1/4" brass body

Item No.	Retail	Wholesale
M-716		Please Login



Plug-3/8" FNPT

• 1/4" steel body





Plug-1/4" FNPT

• 1/4" steel body

Item No.	Retail	Wholesale
M-728		Please Login



Plug-3/8" MNPT

1/4" steel body

Item No.	Retail	Wholesale
M-733		Please Login



Plug-1/4" MNPT


• 1/4" steel body

Item No.	Retail	Wholesale
M-727		Please Login

HOSES & Acc

PVC Water Suction Hose

· Flexible, abrasion-resistant, extruded PVC









Shown



Cpld. M & F Alum Short Shank w/Band-it Clamps

Item No.	I.D. x Length	Retail	Wholesale
1240-2000-20	2" x 20'		Please Login
1240-3000-20	3" x 20'		Please Login

Cpld. Alum C & E Cam & Groove w/Band-it Clamps

Item No.	I.D. x Length	Retail	Wholesale
1240-2000-20-CE	2" x 20'		Please Login
1240-3000-20-CE	3" x 20'		Please Login
1240-4000-20-CE	4" x 20'		Please Login

Cpld. C & Plated Steel Nipple w/Band-it Clamps

•				
Item No.		I.D. x Length	Retail	Wholesale
	98128505	2" x 20'		Please Login
	98128510	3" x 20'		Please Login



50' PVC Flat Discharge Hoses

- · Ideally suited for all open end water discharge
- · High tensile polyester yarn reinforcement
- · Light weight hose coils flat for easy storage
- *1150-2000-50 is a heavy-duty reddish brown discharge hose

Cpld. M & F Alum Short Shank w/Band-it Clamps

Item No.	I.D.	Retail	Wholesale
1148-2000-50-NPSH	2″		Please Login
1148-3000-50-NPSH	3"		Please Login
1148-4000-50-NPSH	4"		Please Login
1152-2000-50-NPSH*	2″		Please Login

Cpld. Alum C & E Cam & Groove w/Band-it Clamps

Item No.	I.D.	Retail	Wholesale
1148-2000-50-CE	2"		Please Login
1148-3000-50-CE	3″		Please Login
1148-4000-50-CE	4"		Please Login

White Discharge Hoses

	-			
Item No.	Description	I.D.	Retail	Wholesale
1131-2000-50	M & F Short Shank	2″		Please Login
1131-2000-50-CE	C & E Cam & Groove	2″		Please Login
1131-3000-50-CE	C & E Cam & Groove	3″		Please Login
1131-4000-50-CE	C & E Cam & Groove	4″		Please Login

50' PVC **Discharge Hose Kit**


- · All-In-One Kit provides everything needed to retrofit your pump
- · Includes 20' PVC suction, 50' PVC discharge hose, steel round hole strainer and spanner wrench(M&F kits only)
- Kits are supplied in a retail box

ARROTTRUBBER

	Suction	Discharge	Hose		
Item No.	Hose	Hose	Ends	Retail	Wholesale
1240-KIT-1500-1148	1-1/2"	1-1/2"	M&F		Please Login
1240-KIT-2000-1148	2"	2"	M&F		Please Login
1240-KIT-3000-1148	3″	3"	M&F		Please Login
1240-KIT-1500-1148-QC	1-1/2"	1-1/2"	Quick Coupling		Please Login
1240-KIT-2000-1148-QC	2"	2″	Quick Coupling		Please Login
1240-KIT-3000-1148-QC	3″	3″	Quick Coupling		Please Login
Two aluminum part "A" adapters are included					

Aluminum Male-Female Pin-Lugs

SIPT threads · Requires clamps to attach to hose Male Aluminum



Female Aluminum with Brass Nut

Item No.	I.D.	Retail	Wholesale
SF-200-AB	2″		Please Login
SF-300-AB	3″		Please Login
SF-400-AB	4"		Please Login



EPDM Gaskets

- · Standard rubber gaskets
- Use for female SIPT pin-lug couplings

Item No.	I.D.	Retail	Wholesale
SRW-200	2″		Please Login
SRW-300	3″		Please Login
SRW-400	4"		Please Login



Spanner Wrenches

- · Plated malleable iron
- Use on male/female pin-lug couplings

Item No.	I.D.	Retail	Wholesale
SW-200	2″		Please Login
SW-300	3″		Please Login
SW-400	4"		Please Login

Phone Toll-Free: 1.800.362.6951





Aluminum Cam & Groove Couplings



Part "A" Male Adaptors

		-	
Item No.	I.D.	Retail	Wholesale
QA-200-DC	2″		Please Login
QA-300-DC	3″		Please Login
QA-400-DC	4"		Please Login
QA-600-DC	6"		Please Login



Part "E" Male Adaptors

HOSES & ACCESSOR

Item No.	I.D.	Retail	Wholesale
QE-200-DC	2″		Please Logir
QE-300-DC	3″		Please Logir
QE-400-DC	4″		Please Logir
QE-600-DC	6"		Please Logir



Part "B" Female Couplers

Item No.	I.D.	Retail	Wholesale
QB-200-DC	2″		Please Login
QB-300-DC	3″		Please Login
QB-400-DC	4"		Please Login
QB-600-DC	6"		Please Login



Part "F" Male Adaptors

ltem No.	I.D.	Retail	Wholesale
QF-200-DC	2″		Please Login
QF-300-DC	3″		Please Login
QF-400-DC	4"		Please Login
QF-600-DC	6"		Please Login



Part "C" Female Couplers

Item No.	I.D.	Retail	Wholesale
QC-200-DC	2″		Please Login
QC-300-DC	3″		Please Login
QC-400-DC	4"		Please Login
QC-600-DC	6"		Please Login



Part "DC" Dust Caps

ģ	Item No.	I.D.	Retail	Wholesale
ľ	QDC-200-DC	2″		Please Login
į	QDC-300-DC	3″		Please Login
	QDC-400-DC	4″		Please Login
	QDC-600-DC	6"		Please Login



Part "D" Female Couplers

Item No.	I.D.	Retail	Wholesale
QD-200-DC	2″		Please Login
QD-300-DC	3″		Please Login
QD-400-DC	4″		Please Login
QD-600-DC	6"		Please Login




Part "DP" Dust Plugs

Item No.	I.D.	Retail	Wholesale
QDP-200-DC	2″		Please Login
QDP-300-DC	3″		Please Login
QDP-400-DC	4"		Please Login
QDP-600-DC	6"		Please Login

Plated Steel Strainers

Round Hole

 Helps to keep potentially damaging solids from entering the pump







Gaskets for Cam & Groove Couplings

Item No.	I.D.	Retail	Wholesale
QRG-200	2″		Please Login
QRG-300	3″		Please Login
QRG-400	4"		Please Login



Hose Safety Clips

- · Clip and lanyard sold separately
- Bag of 25

ltem No.	Description	Retail	Wholesale
ESL	Lanyard		Please Login
ESC	Clip		Please Login

Square Hole

- Used for trash pumps
- · Large openings allow smaller solids to pass but keeps the larger potentially damaging solids out



Item No.	Description	Retail	Wholesale
SSHS-200	2" FNPT		Please Login
SSHS-300	3" FNPT		Please Login
SSHS-400	4" FNPT		Please Login

Hose Menders Steel

- For low pressure suction/discharge hoses
- · Used to repair/splice damaged hose or extend hose length
- Rust resistant

Item No.	I.D.	Retail	Wholesale
CM-200-S	2″		Please Login
CM-300-S	3″		Please Login
CM-400-S	4″		Please Login
CM-600-S	6"		Please Login



Center Punch

- Tensioning Tool
 Designed for fast, efficient application of center punch clamps
- Band width 5/8"
- · Galvanized steel clamps

Item No.	Description	Retail	Wholesale
BCP-P1000I	Tool		Please Login
BCP-10	#10 Clamp, 2-1/2x5/8		Please Login
BCP-14	#14 Clamp, 3-1/2x5/8		Please Login
BCP-18	#18 Clamp, 4-1/2x5/8		Please Login





PAYMENT TERMS

Our terms are net 30 from date of invoice, unless otherwise stated. Past due invoices are subject to finance charges.

PAYMENT METHODS

We accept Visa, Mastercard, Discover, and American Express.

CREDIT APPROVAL

Orders will be processed subject to credit approval. Unless we have a signed and approved credit application on file, all orders will be held until approved or be processed by credit card. To establish an account, please, fill out the PHP credit application at www.phpdistribution.com or request an application via phone and fax a completed copy to us at 800-255-7985. If you include an order with your application, we will make every effort to process your application within 24 hours of receipt. If you require same day shipping, we suggest you pay using Visa, Mastercard, Discover or American Express.

BACKORDERS

On occasion, an unexpected surge in demand may render us temporarily short of inventory. When that happens we will automatically ship the backordered product when it arrives unless you advise us otherwise. If you prefer, we will hold your order and ship complete.

MINIMUM ORDERS

A \$3.00 charge will be added to orders of less than \$25.00.

RETURNS

Please call for a Returned Goods Authorization Number (RGA#) before returning any item. This number must be clearly marked on the outside of the returned package. You may return parts and whole goods within 14 days of the purchase date without a restocking fee if in new, sellable condition (original factory package, unused, unmarked). After 14 days, returned goods are subject to a 15% restocking fee, after 30 days contact our sales dept. If determined that the goods were shipped to you in error, we will absorb the return freight, otherwise all returns must be shipped prepaid.

Non-stock, special-order items may not be returned.

WARRANTY

If you have new equipment that needs warranty repair (damaged in transit, or not working properly), you can repair it under warranty, or return it to us, and we will repair it under warranty. We will not exchange new equipment for defective models. We expect our customers to process all defects as warranties. Replacement parts from new equipment must reference the model number and serial number. Upon receipt of defective parts we will issue you credit in accordance with factory guidelines.

SHIPPING

We ship all orders to continental U.S.A. destinations via either Federal Express or UPS; any order not conducive to either Federal Express or UPS will ship via one of our preferred carriers prepaid and add. If your order is being shipped collect, you may specify the carrier of your choosing at the time you place your order. Shipments to areas outside of the continental U.S.A., including international shipments, are subject to applicable shipping guidelines and rates. Your non-continental U.S.A. and international shipping rates will be determined on a case-by-case basis and you will be responsible to pay for all applicable shipping costs, as determined by us. All non-drop-shipped orders are shipped FOB Valparaiso, Indiana and freight claims for damaged or missing goods must be settled between the consignee and carrier. Freight shipped pre-paid and add is subject to a handling fee. PHP does not ship Cash on Delivery (C.O.D.).

GENERAL INFORMATION

We sell only to retail or other wholesale outlets. If you have a resale license, you are authorized to purchase from us at wholesale cost.

PRICES

Due to unprecedented times, we are facing manufacturer price updates more frequently than usual. Please check www.phpdistribution.com for prevailing prices, which are subject to change without notice.

TERMS & CONDITIONS

All prices, terms & conditions, promotions & product availability expressed in this catalog supercedes any previous offers. Terms and conditions are subject to change without notice.

FINANCE CHARGES

We charge a late fee of 1-1/2% per month on overdue invoices.

WILL CALL ORDERS

Will call orders must be placed in advance. Please, allow one hour from the time the order is placed to pick-up. Upon your arrival, our customer service personnel in our main lobby will coordinate your pick-up.









3"

KOSHIN

Submersible Pump

- Full water channel design to cool the motor
- Uni-body constructed 40' power cord
- Motor Output 2 HP
- Delivery Volume 7286 GPH
- Voltage 110V / 220V
- Rated Current 15 Amps
- · Max Head 61'

Item No.	Retail	Wholesale	
PB68011		Please Login	

KOSHIN



2" Submersible Pump

- Oil bathed double silicon carbide mechanical Seals
- Thermal overload protected motors
- Fits into small diameter holes
- Motor output 1/2 HP
- Delivery volume 4,110 GPH
- Voltage 110 V
- Rated current 6.4 Amps
- · Cable length 20'
- Net weight 25 Lbs.
- Max head 33'

Item No.	Retail	Wholesale
PX65011		Please Login





Garden Hose Submersible Pumps

- ABS plastic housing is shock resistant and will not rust
- Completely rebuildable—All parts are replaceable
- Delivery volume: 1,584 GPH
- Voltage 110 V
- Cable length: 15'
- Max head: 24.6'

Item No.	Hose Dia.	Retail	Wholesale
NSM-62511	3/4" & 1"		Please Login



Nitrile Coated Work Gloves

- 13 gauge, 100% Nylon Shell, Nitrile Palm Coated
- Pound for pound tougher than leather
- · Form-fitting enough to pick up a dime
- · Sold by individual pair

Item No.	Size	Color	Retail	Wholesale
4631Q	M-XL	Black on black		Please Login



2" Submersible Trash Pump

- Easily handles solids up to 5/8" diameter
- Double mechanical seals run in an "oil" filled chamber of liquid paraffin to prevent damage from periods of dry running
- The built-in thermal protector turns off the power supply in case of overload operation thus protecting the motor
- Motor output 1/2 HP, 110V, 7.0 Amps
- Delivery volume 4760 GPH
- · Cable length 20'
- Net weight 33 Lbs.
- Max head 33'

Item No.	Description	Retail	Wholesale
PKS65011	Trash pump		Please Login
FS10	Float switch		Please Login



WATER PUMPS



2" Submersible Pumps

- Good for low to medium levels of water at home or at work
- Maximum output capacity: 62 GPM
- · Maximum head: 39'
- Intake/discharge diameters: 2"
- 2/3 hp, 115V, single-phase electric
- 32' submersible power cord included
- Urethane semi-vortex impeller with ethylene propylene rubber casing resists abrasion
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run

Automatic relay unit turns the pump on when the water level hits the electrodes. Pump shuts off automatically after 1 minute when the water level falls below the electrodes.

Item No.	Description	Retail	Wholesale
LB-480	Manual		Please Login
LB-480A	Automatic		Please Login





2" Submersible Pump

- Designed to fit in an 8" pipe up to 60' shut off head
- Maximum output capacity: 73 GPM
- · Maximum Head: 60'
- Intake/discharge diameters: 2"
- 1 hp, 115V, single-phase electric
- 50' submersible power cord included
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run

Item No.	Description	Retail	Wholesale
LB-800	Manual		Please Login
LB-800A	Automatic		Please Login

View Our Complete Line of

Hoses & Pump Accessories
on Pages 70-73













Submersible Trash Pumps

- Built-in shaft mounted agitator suspends solids
- \bullet Urethane, semi vortex Impeller for maximum durability and pump performance
- Dual inside mechanical seal with SiC faces provides longest operational life
- · Oil Lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- HSZ models have attached float switch for automatic operation

Item No.	Discharge	GPH	Max Head	Motor	Cable Length	Retail	Wholesale
Manual Operat	ion						
HS24S	2″	3,000	39′	1.2HP - 110V	20′		Please Login
HS375S	3″	4,200	60′	1 HP - 115V	32′		Please Login
Automatic Oper	ration						
HSZ24S	2"	3,000	39′	1.2HP - 110V	20′		Please Login
HSZ375S	3″	4,200	60′	1 HP - 115V	32′		Please Login









3/4" Submersible Ground Drainage Pump

- Able to pump down to the floor
- Prime pump through discharge outlet for start up at any water level
- Internal check valve holds prime and prohibits back flow through pump when stopped
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- · Maximum output capacity: 45 GPM
- · Maximum head: 40'
- Intake/discharge diameters: 3/4"
- 2/3 hp, 110V, single-phase electric
- 32' submersible power cord included

Item No.	Retail	Wholesale
LSC14S		Please Login



2" Submersible Ground Drainage Pump

- Pump holds suction for drainage to 0.2" water level
- Oil lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- · Maximum output capacity: 62.4 GPM
- · Maximum head: 40'
- · Intake/discharge diameters: 2"
- 2/3 hp, 110V, single-phase electric
- 32' submersible power cord included

Item No.	Retail	Wholesale
LSR24S		Please Login

Full Line of Tsurumi
Products & Power Solutions
Available!





- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- · Cast iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- · Rubber mounts on the pump and the frame
- · Honda engine

Item No.	Description	Retail	Wholesale
TE3-50HA	2", 4 HP engine		Please Login
TE3-80HA	3", 5.5 HP engine		Please Login





- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- · Cast Iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Galvanized steel hose couplings promise longer thread life
- Max. capacity (GPH): 21,600
- Discharge & suction connection: 3" NPT coupling
- Output: 8 HP GX-240 engine

Item No.	Retail	Wholesale
EPT3-80HA		Please Login





WATER PUMPS



1-1/4" Submersible Pump

- Heavy-duty, epoxy coated, cast aluminum construction
- Portable pump for emergency water removal or emptying shallow areas
- Draws water down to 1/8"
- 1/4 HP, 115v AC, 60 Hz
- · Maximum capacity: 1320 GPH
- Flow at 10' lift: 1020 GPH
- Discharge size: 11/4" (male) NPT
- 8' cord with 3-prong grounded plug

Item No.	Retail	Wholesale
FPSC1725X		Please Login



Submersible Cast Iron Sump Pump, Vertical Switch

- Rugged cast iron construction
- · Energy-efficient PSC motor
- · Rust-proof impeller
- Reliable, professional design
- Superior performance
- · Proven technology
- 1/2 HP, 115v AC, 60 Hz
- Maximum capacity: 80 GPM
- Flow at 10' lift: 61 GPM
- Discharge size: 1-1/2" (female) NPT
- 10' cord

Item No.	Retail	Wholesale
E50VLT		Please Login



ntelliPutti

Flotec



- Innovative electronic controlled pump Pump starts every 2-1/2 minutes to check for water. Shuts off if water is not detected
- Perfect for surfaces that collect water such as basements, rooftops, or any shallow flooded area
- Corrosion-resistant engineered resin construction
- 1/4 HP, 115v AC, 60 Hz
- · Maximum capacity: 1790 GPH
- Flow at 10' lift: 1260 GPH
- Discharge size: 1" (female) NPT
- 15' cord with 3-prong grounded plug

Item No.	Retail	Wholesale
FPOS1775A		Please Login



Water Removal Utility Pump

- Multipurpose pump designed for emergency dewatering, draining aquariums, waterbeds and clogged sinks
- Self-priming at 8-10 ft. vertically
- Corrosion-resistant, compact and portable
- 1/12 HP, 115v AC, 60 Hz, 2.0 Amps
- Maximum capacity: 350 GPH
- Flow at 10' lift: 300 GPH
- Discharge size: Garden hose
- 6' cord with 3-prong grounded plug
- Max water temp. 77°F (25°C)

Item No.	Retail	Wholesale
FPOF360AC		Please Login





Submersible Utility Flood Pump Kit

- · Ideal for dewatering applications
- Corrosion-Free thermoplastic construction
- Thermally Protected 4/10 HP motor
- · Bottom-suction design
- Removes water to within 7/16" of surface
- 1-1/4" discharge
- · Can handle solids up to 1/4"
- 15' power cord
- 25' cloth hose
- Cam-lock fittings (pump discharge & hose)
- Carrying case can also be used to filter out large debris to prevent clogging during operation

Item No.	Retail	Wholesale
MUFKP40		Please Login



PRESSURE WASHER ACCESSO



- 8.0 GPM Max Flow
- 1/4" hose
- (3) 7' sections

Item No. 85206424	Retail	Wholesale
85206424		Please Login



Pressure Washing Cleaner - 1 Gal.

Heavy duty butyl cleaner and degreaser for use in all type of pressures washers. Safe on all hard surfaces. **USDA-A1** rating

Item No.	Retail	Wholesale
C123		Please Login



Krud Kutter

- · House and siding pressure washer concentrate
- · Removes tough stains from mildew, mold, algae, fungus and moss
- 1 Gallon

Item No.	Retail	Wholesale
HS014		Please Login





Telescoping Wand Belt Kit

Item No.	Retail	Wholesale
85400019		Please Login

MAKE SURE YOU CHECK OUT THE



ON PAGE 192-193



Sandblaster **Heavy-duty Wet**



- Max Pressure 5,500 PSI
- P/N 85200040 -0° Meg Nozzle up to 4,000 PSI, 4.0 GPM
- MEG NOZZLE REQUIRED FOR USE!

Item No.	Description	Retail	Wholesale
90019	Sandblaster		Please Login
85200040	Meg Nozzle		Please Login



Hose to Pump Extension Kit



- Provides Quick-Connect fittings
- (2) Two foot hoses to make connections more easily accessible
- For pressure washers up to 4000 psi

Item No.	Retail	Wholesale
6216		Please Login











Magnetic Parts Tray



- · Heavy-duty stainless steel
- Holds tight to any ferrous surface
- 9-1/2" x 10" x 1-1/4" D

Item No.	Retail	Wholesale
67442		Please Login

Magnetic Floor Sweeper

- 30" wide
- Collects up to 50 lbs. of ferrous materials
- · Oversized rubber wheels
- Extra-long telescopic handle extends from 35-1/2" to 50"
- · Easy to clean out

Item No.	Retail	Wholesale
53420		Please Login





Wide Mouth Magnetic Parts Bowl



- · Holds tight to any ferrous surface
- · Holds small parts, nuts & bolts
- 6" diameter and 1" deep

Item No.	Retail	Wholesale
67440		Please Login



- Fits 15-55 gal. drums with 2" bung
- For light oils, ATF, kerosene
- · Dispenses approx. one pint per stroke

Item No.	Retail	Wholesale
381HP		Please Login



Professional Grease Gun

- Heavy-duty with a cast steel head
- HD 4 jaw chuck coupler
- 12" wire braided whip hose & #80 loader nipple
- Can be filled by standard 14.5 oz. cartridge, bulk suction & filler pump

Item	No.	Retail	Wholesale
HD4/	1		Please Loain



Pistol style

 Can be filled with 14.5 oz. grease cartridge, filler pump or suction

Item No.	Retail	Wholesale
615GG		Please Login









WD-40 Lubricant

Ite	em No.	Description	Retail	Wholesale
	90040	11 oz aerosol		Please Login
49	90118	1 Gallon		Please Login
)100	Spray Applicator		Please Login
49	90194	14.4 oz. EZ-Reach w/straw		Please Login
10	90118 0100 90194	1 Gallon		Please Logir Please Logir



Fast Orange Pumice Lotion Hand Cleaner



- · Biodegradable, waterless, petroleum solvent-free hand cleaner
- Contains no harsh chemicals that can sting cuts and abrasions
- Pure, fresh smelling natural citrus power does the cleaning

	Item No.	Size	Retail	Wholesale
ľ	25217	64 oz.		Please Login
ľ	25219	1 gal.		Please Login



Waterless Cleaning Towels

- 10" x 12" size
- 72 wipers per bucket
- · Heavy-duty, premoistened, textured towels
- Citrus-based cleaner quickly dissolves dirt, paint, grease & grime
- · Towels lock in dirt and will not transfer soils back onto hands

	Item No.	Retail	Wholesale
ľ	42274		Please Login





Workshop Wipes with Scrubbing Beads

- 8" x 12" Cloths, 60 Wipes/pack
- Double cleansing action with a rough side for tough scrubbing action and a smooth side for a clean finishing touch
- · Cut through grease, grime, oil, adhesives, marker, caulk and latex paint
- · Safe for hands, tools and hard non porous surfaces like wood, plastic, glass and steel
- · Dermatologist tested, hypoallergenic, and aloe-enriched to help soothe skin
- · Light citrus scent

Item No.	Retail	Wholesale
VENWP60		Please Login





Scott Blue Shop Towels

- Super strong even when wet
- · Easily absorbs grease, liquids, and oils
- Easy dispensing
- Each towel is 10-2/5 in. x 11 in.

Item No.	Retail	Wholesale
75130		Please Login



X80 Jumbo Roll

- 12.5" x 13.4" red wipers
- 475 WypAll X80 wipers per roll
- Guaranteed more cost-effective then rental shop towels or rags
- · Ideal for HEAVY Wiping and Cleaning rough surfaces
- · Softer and more absorbent than ever!

Item No.	Retail	Wholesale
41055		Please Login

IMPUSTRIAL SAMITATION



Cigarette Butt Receptacles

- · Self-extinguishing design
- Flame-retardant, sturdy polyethylene
- · Unique rain bonnet opening keeps rain out and discourages other trash
- FM fire tested and approved!
- 16.5" x 38.5"

Item No.	Description	Retail	Wholesale
26800B	Beige		Please Login
26800D	Black		Please Login



Polypropylene **Disposable** Coverall

- · Lightweight polypropylene
- Full zipper front
- · Elastic wrist and ankle closures
- Sold individually

Item No.	Size	Retail	Wholesale
S6843	L		Please Login
S6844	XL		Please Login
S6845	3XL		Please Login





Black PVC Gloves

- 14" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- · Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
3365G	L		Please Login





- Yellow
- Fiberglass
- CONTINENTAL
- 60"
- · Jaw style head grips mop more securely
- Plastic head won't rust or corrode
- For use with wide band mop heads (sold separately)

Item No.	Retail	Wholesale
A70612		Please Login



Wet Floor Sign

- · Professional quality, two-sided signs
- Durable Polyproylene, 25"H x 11"W
- · Sign locks into place and won't collapse when bumped

Retail	Wholesale
	Please Login
	Ketail



Yellow Slush Boots

- 100% heavy-duty rubber
- 44 mil
- Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 pair per carton
- · Sold by the pair

Item No.	Size	Retail	Wholesale
S2117	9-18		Please Login









Mr. Heater Propane Torch Kit



- 500,000 BTU/Hr
- 31" heavy-duty handle
- · Burn weeds, melt ice and peel paint
- Includes 10' hose and spark igniter
- CSA Certified
- · Limited 1-year warranty

Item No.	Description	Retail	Wholesale
MH500PT	Torch kit		Please Login
72602M	Hose assembly w/POL		Please Login



- Vapor torch kit for burning weeds, heating and thawing
- Flame-adjusting valve provides precision
- 500,000 maximum BTU per hour
- 10-foot hose, 23-inch handle length
- · Rugged, all steel construction
- · American Gas certified
- · Canadian Gas certified

Item No.	Retail	Wholesale
VT2-1-2-24CE		Please Loain



Sure Flame Torches



- 200,000 375,000 BTU
- Ergonomic design
- · Steel head for lower temp. & quick cool down
- · Adjustable flame control
- · Comes with 10' hose and pol fitting
- 30" torch is individually boxed

Item No.	Description	Retail	Wholesale
ST2P	50,000 - 200,000 BTU		Please Login
ST3P	90,000 - 375,000 BTU		Please Login
72603	Striker		Please Login
30S07P	POL fitting for ST2P/ST3P		Please Login
2510	LH hose, 10'		Please Login
2525	LH hose, 25'		Please Login



Torch Hoses

Item No.	Description	Retail	Wholesale
1412-0141	10' hose for 500FP		Please Login
2510LH	10' hose for ST2 & ST3		Please Login
2525LH	25' hose for ST2 & ST3		Please Loain

Adjustable High Pressure Torch Regulator

- · Capacity: 820,000 BTU/HR
- Propane outlet pressure range: 10-30 PSIG
- 1/4" Female NPT inlet & outlet
- · Color: Red
- Used on propane torches and high pressure gas heaters under 1,000,000 BTU's

Item No.	Retail	Wholesale
597FB		Please Login





- Fits standard 2" hitches and includes a locking hitch pin
- · Mount it on a bench or hook it to a trailer
- · Lightweight design with integrated carrying handle
- · Patented locking handle secures vice jaws
- Water resistant for all weather protection during transport or while hitched
- · Large striking anvil for forming and shaping materials
- · Replaceable jaws with v-grooves for vertical clamping

Item No.	Retail	Wholesale
10010		Please Login



Tradesman Bench Vises

- · Wider jaws provide greater clamping surface
- Fully enclosed spindle and nut increases the life of the vise
- · Large anvil work surface
- · Precision turned sidebar
- 360° swivel base with double lockdowns


Item No.	Jaw Width	Jaw Opening	Throat Depth	Shp. Weight	Retail	Wholesale
28806	5-1/2"	5"	3-3/4"	53 lbs.		Please Login
28807	6-1/2"	6-1/2"	4"	73 lbs.		Please Login



- · Steel knife blade with plastic body
- Ergonomic grip
- 13 pt. blade that can be snapped off for a new sharp edge

Item No.	Description	Retail	Wholesale
JL-54306-D	Box of 100		Please Login
JL-54306-EACH	Individual		Please Login





- · Mountable on a board or floor
- Cuts/bends up to 5/8", grade 60 rebar
- 52" handle length
- Max Material Hardness-HRC-48

Item No.	Description	Retail	Wholesale
RCB-26N	Bender		Please Login
RH-16	Repl. head		Please Login





Mini Dolly

- · Padded surface protects objects
- · Ideal for moving over-sized or heavy objects
- Hard rubber swivel casters
- · Rounded end corners protect walls
- 18" L x 12-1/4" W

Item No.	Retail	Wholesale
52024		Please Login



Furniture Dolly · Carpeting on both ends

- · Solid wood frame finished with clear varnish
- · Four rubber swivel casters
- · Max. load 800 lbs.
- 30"L x 18"W x 5.6"H

Item No.	Retail	Wholesale
52030		Please Login



Compact Laser Measurer 50-Feet Range

- · Simple one-button operation -
- · Continuous measurement mode walk off measurements from the wall and other surfaces
- Precise accuracy to 1/8"
- · Compact size and shape easily portable and will rest on any flat surface

Item No.	Retail	Wholesale
GLM15		Please Login











Wiss'

9-3/4" Straight Cut **Aviation Snip**

- Compound lever action
- · Cuts 18 gauge low carbon steel
- · Non-slip serrated jaws made of molybdenum steel
- Self-opening action

Item No.	Retail	Wholesale
M3R		Please Login



42-Piece **S2 Impact Duty Driver Bit Set**



- Premium grade S2 tool steel durable composition equals longer bit life
- · Driving bits designed for quick change
- Magnetic drive guide helps reduce slipping and wobble

Item No.	Retail	Wholesale
48-32-1551		Please Login



- Chrome vanadium steel construction
- · Reversible Jaw for work on bolts and round stock
- · Greater jaw capacity supports larger nuts, bolts, and pipe
- · Precise jaw design grips tight

Item No.	Retail	Wholesale
810PW		Please Login



Adjustable Wrenches

- · Increased knurl diameter for easier adjustment and increased load on fastener to reduce slip-off
- · All dimensions proportioned for greatest strength and minimum weight
- · Chrome plating for superior resistance to rust and corrosion
- 15/16" wide opening

Item No.	Size	Retail	Wholesale
AC26VS	6"		Please Login
AC28VS	8"		Please Login
AC210VS	10"		Please Login
AC212VS	12"		Please Login



Bi-Metal Reciprocating Saw Blade

- · Cuts composition materials, plastic, pipe, carbon steel and stainless steel
- Use with materials 1/8" and thicker
- · Electronic beam weld
- · Bi-metal construction

Item No.	Retail	Wholesale
372810BB		Please Login




orders@phpdistribution.com

- · Wide-opening jaws
- Turn screw stays adjusted for repetitive use
- · High-grade heat-treated alloy steel
- · Guarded release trigger

Item No.	Retail	Wholesale
11R		Please Login





- · Wide-opening jaws
- · Turn screw stays adjusted for repetitive use
- · High-grade heat-treated alloy steel
- · Guarded release trigger

Item No.	Retail	Wholesale
11SP		Please Login





12 Pc. Reciprocating Saw Blade Set

- Heavy-Duty
- 12-Piece Bi-Metal

Item No.	Retail	Wholesale
RBKITHD01		Please Login



HAMD TOOLS



1/4 in. Drive Socket Set (20-Piece)

- · Lockable stacking cases
- Knurled beauty rings for hand tightening applications
- Exceeds ANSI specifications
- · Removable internal tray
- SAE & Metric

Item No.	Retail	Wholesale
DWMT73811		Please Login



DEWAL



SAE Combination Wrench Set (8-Piece)

- · Lockable stacking cases
- Exceeds ANSI specifications
- · Removable internal tray
- Case allows for easy transport and organization
- SAE & Metric

Item No.	Description	Retail	Wholesale
DWMT73809	SAE		Please Login
DWMT73810	Metric		Please Login



1/2 in. Ratchet and Socket Set (23-Piece)

- · Lockable stacking cases
- 72-tooth quick release ratchet
- Exceeds ANSI specifications
- Removable internal tray
- Knurled beauty rings for hand tightening applications
- SAE & Metric

Item No.	Retail	Wholesale
DWMT73813		Please Login




1/4 in. Drive Socket Set (25-Piece)

- · Lockable stacking cases
- · Removable internal trav
- 72-tooth ratchet
- Full life time warranty
- Exceeds ANSI Specifications
- SAE & Metric

Item No.	Retail	Wholesale
DWMT73805		Please Login





- DirectTorque™ Technology
- · Polished chrome vanadium finish
- · Hand stamped markings
- Knurled control ring
- SAE & Metric

Item No.	Retail	Wholesale
DWMT75421		Please Login



1/2 in. Drive Socket Set (10-Piece)

- · Lockable stacking cases
- Removable internal tray
- Exceeds ANSI specifications
- SAE only

Item No.	Retail	Wholesale
DWMT73814		Please Login









1-3/16" x 25' Command Control Series™ Black Clad Tape Measure

- · Protected lock button and 6-point dual material case
- Anti-pinch, finger tip control feature for increased control when retracting the tape
- · 360° end hook and 12' standout make it easy for one person use
- Tether hole for safely working at heights
- · Matte clear protective blade coating for better visibility and durability of the blade
- Black blade for enhanced visibility in all light applications
- Rugged rubber over mold housing

Item No.	Retail	Wholesale
L1025CB-02		Please Login





- high-contrast colors for easy readability
- · Durable case is textured for non-slip grip
- Tape rule designed for easy use
- Numerical readouts every 1/8"; 7' standout
- · Corrosion-resistant Tru-zero end hook for accurate measurements

Item No.	Retail	Wholesale
30-455		Please Login

35' - High Vis

Short

 Belt Clip 3 Rivet Hook

Item No.

PGPRO1825V


PGPRO1830V

PGPRO1835V









· High-impact resistant case with rubber grip

Item No.	Length	Unit of Measure	Retail	Wholesale
ST18503X	50′	Ft., In., 1/8		Please Login
ST181003X	100′	Ft., In., 1/8		Please Login
*Engineer's &	Metric also	available.		

Tape Measures · Nylon Coated Steel Blade Easy-to-Read Graduations PGPRO1830V • True Zero Hook · Positive Locking Button Bumper Cushion PGPRO1825V Heavy-Duty End Hook KESON PGPRO1835V Wholesale Retail Description 25' - High Vis Please Login 30' - High Vis Please Login

87

Please Login





2 Pc. Tongue and Groove Plier Set

- Set includes: 6.5" & 9.5" Tongue & Groove
- High-carbon steel for superior performance on the job and specially coated for ultimate rust prevention
- Right angle, laser heat-treated teeth grip better and last longer
- · Undercut tongue and groove design won't slip
- · Patented reinforcing edge minimizes stress breakage

Item No.	Retail	Wholesale
GS-1		Please Login



- Professional-grade tools
- ProTouch™ grips provide extra comfort and reduces hand fatigue
- Machined jaws for maximum gripping strength
- Induction hardened cutting edge stays sharper, longer
- Includes (1) 6" Slip Joint Pliers and (1) 6" Long Nose Pliers

Item No.	Retail	Wholesale
2078702		Please Loain



9" Linesman Pliers

- High carbon C1080 steel and electronic coating for rust prevention
- Laser heat treated for longer lasting cutting edges
- · Plastic coated handles
- Round nose

Item No.	Retail	Wholesale
369		Please Login



Tongue and Groove Pliers

- Laser heat treated teeth made of high carbon C1080 steel and electronic coating for rust prevention
- Plastic coated handles

Item No.	Size	Retail	Wholesale
420	9.5"		Please Login
440	12"		Please Login
460	16"		Please Login



7" End Cutting Pliers

- High carbon C1080 steel and electronic coating for rust prevention
- Laser heat treated for longer lasting cutting edges
- · Plastic coated handles

Item No.	Retail	Wholesale
357		Please Login







Designed to quickly remove any type of decking materials as well as any fasteners left behind.

- · Reduces time and labor
- · Maximum leverage saves your back
- Single & double joist compatible
- No damage to existing structure with patented rocker design
- · Commercial grade, all-steel construction

Item No.	Retail	Wholesale
6004		Please Loain









3 Pc. Slip Joint **Plier Set**

- Drop forged
- · Cushion grip for comfortable use
- · High visbility handles
- 6", 8", 10" lengths

Γ	Item No.	Retail	Wholesale
Γ	58125		Please Login






Groove Joint Pliers

- · Heat treated from high grade steel
- Rib and groove design locks jaws securely in place for a non-slip grip
- · Laquer coated to resist rust
- 12" length

Item No.	Retail	Wholesale
57075		Please Login







• DM 7/8" to 5/8" arbor



Straight Jaw Locking Pliers



- · Straight jaws provide maximum contact on flat, square, or hex work
- Curved jaw puts tremendous pressure on four points of any style nut or bolt
- · High-grade heat-treated alloy steel
- · Guarded release trigger quickly unlocks
- · Hardened teeth grip from any angle

Item No.	Retail	Wholesale
10R		Please Login





Mold & Mildew Stain Remover

- · Commercial Strength
- No-Scrub
- Trigger Spray
- 32 oz.

Item No.	Retail	Wholesale
ZUMILDEW32		Please Login



Foaming Glass Cleaner

- Convenient, aerosol delivery provides premium glass and mirror cleaning.
- 19 oz.

Item No.	Retail	Wholesale
ZUFGC19		Please Login



Cleaner/Degreaser

- Quickly cleans virtually any hard or soft surface
- · Powers out stains and grease
- · Safe on granite, upholstery and more
- No harsh fumes
- 32 oz.

Item No.	Retail	Wholesale
ZUAOCD32		Please Logi





Simple Green All-Purpose Cleaner

- Strong enough to degrease an engine, gentle enough to remove stains from fabrics
- · Non-toxic, biodegradable, non-abrasive
- Concentrated 1 gallon

Item No.	Retail	Wholesale
2710200613005		Please Login



Quick Clean Disinfectant

- Kills 99.9% of bacteria in 5 sec.
- Cleans, disinfects, deodorizes in one easy step
- 32 oz.

Item No.	Retail	Wholesale
ZUQCD32		Please Login



Fast Orange Pumice Lotion Hand Cleaner



- Biodegradable, waterless, petroleum solvent-free hand cleaner
- Contains no harsh chemicals that can sting cuts and abrasions
- Pure, fresh smelling natural citrus power does the cleaning

Item No.	Size	Retail	Wholesale
25217	64 oz.		Please Login
25219	1 gal.		Please Login





Drive Belt Dressing

- Prevents belt slippage and glazing
- USDA P-1
- Increases pulling power up to 50%
- · Reduces squeaks and slippage
- Works great on generators, fans and pressure washers
- Container size: 16 oz. (12-oz. fill)

Item No.	Retail	Wholesale
DB8079		Please Login



Krud Kutter

- House and siding pressure washer concentrate
- Removes tough stains from mildew, mold, algae, fungus and moss
- 1 Gallon

Item No.	Retail	Wholesale
HS014		Please Login





Carb & Choke Cleaner

- Eliminates rough idling, stalling, engine run-on, and starting hesitation
- Quick and easy to use, fast drying, and leaves no film or residue
- Container size: 16-oz. (12-oz. fill)

Item No.	Retail	Wholesale
CC590		Please Login





LOCTITE.

MAKE SURE YOU CHECK OUT THE





Watertight Roof Sealant

- · High performance, asphalt-based sealant
- · Roof gaps and joints, spotting shingles and repairing minor roof leaks
- 10.1 oz.

Item	No.	Retail	Wholesale
1826	8		Please Login



Underwater **Epoxy Putty**

- Use on automotive, ceramic, fiberglass, metal
- · Great for any type plumbing
- · Sets in 30 minutes
- · Plugs holes and makes permanent repairs

Item No.	Retail	Wholesale
8277F		Please Login

ABS CEMEN



Sub-floor Construction Adhesive

- · For bonding wood, metal, concrete/masonry and FRP panels
- Structural & Sub-Floor
- · Interior/Exterior
- VOC Compliant
- 28 oz.

Item No.	Retail	Wholesale
1602142		Please Login



Black ABS Cement

- · Medium bodies, medium set, ABS solvent cement designed for use on non-pressure ABS pipe and fittings
- · NSF certified and UPC listed
- 4 oz.

Item No.	Retail	Wholesale
018500-24		Please Login



PC-CONCRETE Anchoring & Crack Filling Epoxy

- Product chosen to repair cracks in warehouse and factory floors
- · Squirt and apply using a standard size caulking gun
- · Cures hard enough to drive over within 3 hours
- · Apply to wet or dry surfaces and will accept paint or concrete stain
- 8.6 oz.

Item No.	Description	Retail	Wholesale
072561	Single tube		Please Login
072568	Case of 10		Please Login
900550	Heavy-duty gun		Please Login









Stens Small Engine Parts for Honda



- Starter Spring
 For HONDA GX120, GX160 and GX200
- Honda code 3683919

Item No.	Retail	Wholesale
155300		Please Login



Carburetor

- For HONDA GX160; for 5.5 HP engines
- Honda code 5266705

Item No.	Retail	Wholesale
520722		Please Login



Fuel Filter

- For HONDA GX110, GX120, GX140, GX160, GX200, GX240, GX270, GX340 and GX390
- Honda code 0474759

Item No.	Retail	Wholesale
120414		Please Login



Carburetor

- For HONDA GX240; for 5 HP engines
- Honda code 5222211

ltem No.	Retail	Wholesale
520726		Please Login



Outdoor Power Equipment Air Filters

Item No.	Description	Retail	Wholesale
605361	Pre-filter - Dolmar/394 173 030		Please Login
605840	Air filter - Dolmar/394173 010		Please Login
100012	Air filter - Honda/17210-ZE3-505		Please Login
100784	Air filter - Honda/17210-ZE1-505		Please Login
100818	Air filter - Honda/17210-ZE2-505		Please Login
100958	Air filter - Honda/17210-ZEO-822		Please Login
605224	Pre-filter - Stihl/4223 141 0600		Please Login





605224

⊘Stems

Stihl

Stens Stens Small Engine Parts for Honda



Gas Caps

- For 4 thru 13 HP engines
- OD: 2-13/16"
- 1/4 twist style, vented, plastic
- Honda code 4572392/5344817

Item No.	Retail	Wholesale
125364		Please Login



- For 4 thru 13 HP engines
- OD: 2-3/4"
- Twist lock style, vented, metal
- Honda code 3682028

Item No.	Retail	Wholesale
125368		Please Login



Stop Switch

- For HONDA GX120, GX160, GX200, GX240, GX270, GX340, and GX390
- Honda code 2787869

Item No.	Retail	Wholesale
430602		Please Login



Starter Switch

- HONDA 35100-772-003
- Honda code 4166369
- Magneto ground
- · 3 positions 5 terminals

Item No.	Retail	Wholesale
430538		Please Login



Ignition Coil

- For HONDA GX110, GX120, GX140, GX160 and GX200
- Honda code 4589693/7988801

Item No.	Retail	Wholesale
440105		Please Login



Gas Tank

- For HONDA GX240, GX270, GX340 and GX390; for 8,9,11 and 13 HP engines
- Honda code 3713278/7669757 3690070/7627540/8157174

Item No.	Retail	Wholesale
125568		Please Login



Dipsticks

- HÖNDA GX120, GX140, GX160 and GX200
- Honda code 4500146

Item No.	Retail	Wholesale
125692		Please Login

- HONDA GX240, GX270, GX340 and GX390
- Honda code 4523106

	Item No.	Retail	Wholesale
I	125696		Please Login

Oil Sensors



• Honda code 5858444

Item No.	Retail	Wholesale
120434		Please Login



GX160 and GX200

Honda code

5962063/1501733/5262605

Item No.	Retail	Wholesale
120101		Please Login

- For HONDA GX240, GX270, GX340 and GX390
- Honda code
 5792361/5361605

Item No.	Retail	Wholesale
120430		Please Login

100' Starter Rope

• Solid braid #4 - Diameter: 1/8"

Item No.	Retail	Wholesale
146027		Please Login

• Solid braid #4-1/2 - Diameter:9/64"

Item No.	Retail	Wholesale
146035		Please Login

· Solid braid #5 - Diameter:5/32"

Item No.	Retail	Wholesale
146043		Please Login



- For HONDA GX110, GX120, GX140, GX160 and GX200; for 3.5, 4, 5, 5.5 and 6.5 HP engines
- · Honda code 4193033/7546781

Item No.	Retail	Wholesale
150703		Please Login

- For HONDA GX340 and GX390; for 11 and 13 HP engines
- Honda code 3713302

Item No.	Retail	Wholesale
150707		Please Login

- For HONDA GX240 and GX270; for 8 and 9 HP engines
- Honda code 3678844

Item No.	Retail	Wholesale
150711		Please Login



Gas Tank

- For HONDA GX140, GX160 and GX200; for 5, 5.5 & 6.5 HP engines
- Honda code 3683661

Item No.	Retail	Wholesale
125560		Please Login



AUTOMOTIVE



- Grade 70 transport
- Working load limit: 6,600 lbs. 3/8" 4,700 lbs. - 5/16"
- · Clevis type hook

Item No.	Description	Retail	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login





Tow Strap

- Extra long 2" x 20'
- 17,000 lb. rated capacity
- · Reinforced loop
- Yellow

Item No.	Retail Wholesal	
82497		Please Login

Order Online

- Order online from a secure site
- ✓ Check account status
- ✓ Look up individual parts



Booster Cables

- Tangle free, twin line construction
- Fits all top and side post
- · Heavy duty jacket stays flexible to -30°F

D1110420YL-Yellow

• 20' length, 4 Gauge, 400 Amps

D1110130OR-Orange

• 30' length, 1 Gauge, 600 Amps

Item No.	Color	Retail	Wholesale
D1110420YL	Yellow		Please Login
D11101300R	Orange		Please Login



Trailer Hitch Ball Mounts

- · Chrome finish
- 200/2,000 TW/GTW capacity for 1-7/8" ball hitches, 600/6,000 for 2", and 1,000/10,000 for 2-5/16"



21512

- Box opening of 2" x 2"
- 200/2,000 TW/GTW capacity for 1-7/8" ball hitches, 600/6,000 for 2", and 1,000/10,000 for 2-5/16"
- Tri-Ball

21542


- Class III has a 6,000 lb. towing capacity
- Drop of 2 inch to help adjust trailer level
- · Shank length of 9"

Item No.	Retail	Wholesale
21514		Please Login
21512		Please Login
21542		Please Login



Universal Coupler Lock in Steel

- Designed to fit 1-7/8", 2", and 2-5/16" couplers
- · Prevents theft and keeps your trailer secure
- · Yellow color offers high visibility to deter break-ins
- · Ratchet design features 11 locking positions for versatility










Heavy-duty CargoBar™

- · Retracts to 48"
- · Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- · Harder to bend and damage

Item No.	Retail	Wholesale
CC5010		Please Login



Wheel Chock

Think safety

- · Durable fiber-reinforced rubber compound
- Black
- 9"L x 8"W x 5-3/4"H 9 lbs.

Item No.	Retail	Wholesale
68-9		Please Login

Permatex:

Professional Strength Rearview



Mirror Adhesive

- · Approved and used by GM, Ford and Chrysler
- Fast-acting
- · Permanently remounts mirrors to windshields
- ODC-free

Item No.	Retail	Wholesale
81844		Please Login






Rain-X

- Dramatically improves wet weather driving visibility, with and without wipers
- · Repels rain, sleet, and snow, frost, salt, mud, bugs and grime
- 7 oz.

Item No.	Retail	Wholesale
RX11212		Please Login



LIMITED Regane **Complete Fuel**



- · Cleans gasoline direct injection (GDI) systems too
- · Maximizes fuel economy
- · Helps eliminates knocks, pings and hesitation
- · Safe for use in turbo and super charged vehicle
- 6 oz.

Item No.	Retail	Wholesale
800001364		Please Login





Headlight Restoration

- · Helps restore clear plastic by removing haze and discoloration
- · Improves safety with clearer headlight lenses
- Multi-step kit provides a deeper cleaning process than single step products
- · Don't replace headlights when you can restore them

Item No.	Retail	Wholesale
800001809		Please Login





Pennzoil - Fix-A-Flat

- · Emergency tire repair system seals and inflates most tires in less than one minute
- · No jack or tools required
- · Can be used on tube or tubeless tires
- 20 oz.

Item No.	Retail	Wholesale
240430		Plages Login



Tubeless Tire Kit

- Allows repair of truck tires without deflating or removing
- Kit contains 5 repair plugs, 6.25" long, T-handle insert tool, T-handle rasp tool and 1 oz rubber cement

Item No.	Retail	Wholesale
22-5-08819-M		Please Loain



ELECTRICAL



D12500515BL

ProLock Extension Cord Lock

Your extension cords will lock together and not pull apart! Simply push your plug into the ProLock Connector, and the plug and connector instantly lock together.

- Delivers 80 lbs. of pull strength
- Lighted amber power check indicator
- Impact resistant polycarbonate body
- Fitted strain relief for both 10 AWG and 12 AWG cord



Item No.	Description	Retail	Wholesale	
Extension cord	with cord lock connector			
D14412050WH	50′ 12/3 White jacket Pro Lock		Please Login	
	extension cord			
D14412050BL	50' 12/3 Blue jacket Pro Lock		Please Login	
	extension cord			
D14412050YL	50′ 12/3 Yellow jacket Pro Lock		Please Login	
	extension cord			
DXEC14412100	100′ 12/3 Yellow jacket Pro Lock		Please Login	
	extension cord			
	<u> </u>			
Connector Only - replaces existing female end on cord				
D12500515BL	ProLock connector - Blue		Please Login	

They instantly lock together!!





Extension Cords

Jacket type SJTW-A



Orange 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D11712100YL	100', lighted	4		Please Login

Orange 10 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D132100500R	50', lighted, triple tap	6		Please Login
D132101000R	100', lighted, triple tap	4		Please Login

All Sold Individually Or By The Case Your Choice!



White 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login





Yellow 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
123100YN	100' lighted	6		Please Login
12350YN	50' lighted	4		Please Login
D11712050YL	50', lighted	6		Please Login





Rental Equipment Cord

- Thermal vinyl plastic rated to -40°F
- 10/3 AWG super heavy-duty cord
- "For Rental Equipment Use" imprinted on cord every 18"
- Highly resistant to abrasion wear
- · Maintains superior flexibility
- Jacket type SJTW-A
- Sold individually

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D117100500R	10/3 50' Orange, lighted	6		Please Login
D117101000R	10/3 100' Orange, lighted	4		Please Login

Heavy-duty White Multi-Outlet Cord 6 outlets

- 12/3 50' cord with 600 volt jacket
- The outlets are every 10'
- · Lighted ends
- · Individually boxed

Item No.	Retail	Wholesale
D1242		Please Login



12 Gauge 3 Wire **50**'

Ground Fault Circuit Interrupters (GFCI)

- 9" Pigtail Just plug it in
- · Grounded neutral protection
- · Open neutral protection
- 4-6 mA fault current protection
- · Mechanical trip indicator
- 120v/15 amp
- · Individually boxed for hanging

Item No.	Retail	Wholesale
30434-007		Please Login



GFCI Protected Quad (4) **Outlet Box**

- 125V/15A rated. UL/CUL listed
- Right angle GFCI plug, NEMA-15 P
- · 6 feet of 12/3 gauge SJTW cord
- · Lighted On/Off switch

Item No.	Retail	Wholesale
30336		Please Login



_	(H)
To	WER

Tower

3-Wire Single Outlet GFCI Adapter Plug

- 120V/15 amp
- · Individually boxed for hanging
- · For indoor use

Item No.	Retail	Wholesale
30439-005		Please Login



(VL)

In-line GFCI (20 amp)

- Rated for 125 volt, 20 amp use
- LED Power "ON" indicator
- · Open neutral and ground neutral protection
- · Rated for indoor and outdoor use

Item No.	Retail	Wholesale
30396500-08		Please Login





Triple Tap with In-line GFCI (15 amp)


- 2' cord
- 12/3 AWG
- Yellow
- · Tagged for hanging

Item No.	Retail	Wholesale
30438-024		Please Login



User Attachable GFCI (15 amp)

- 2.5 mA Fault detection
- · Grounded neutral protection
- · Mechanical trip indicator
- · Individually boxed for hanging












"W" Adapter Part

- · One male plug and three female connectors, 12/3, STW-A, Vinyl, 18"
- · Indoor use only
- · Polarized cord





 $(\mathbf{..})$



Plugs and Receptacles

Item No.	Description	Retail	Wholesale
5965P	15 Amp 10 gauge plug, male		Please Login
05984	3-Wire,15 amp, 12 gauge, male		Please Login
05985	3-Wire, 15 amp, 12 gauge, female		Please Login
LV5259VY	15 Amp 10 gauge, female		Please Login

Standard Nylon Cable Ties (clear)

Sold by the bag

Item No.	Qty Per Bag	Tensile Strength	Overall Length	Retail	Wholesale
33NCT4	100	18 lbs.	4"		Please Login
CV200S	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
36-175	50	50 lbs.	36"		Please Login



Power Cord Adapter

· Converts a Twist-to-Lock 20 amp receptacle to a standard 15 amp grounded receptacle.

Item No.	Description	Retail	Wholesale
09021	Power Cord Adaptor		Please Login
09020	Converts Standard U Ground to Twist-to-Lock (Not Shown)		Please Login

Yellow Jacket 5 Outlet In-Line Tap

- · Outdoor rated with cord lock feature to prevent cords from being accidentally disconnected
- Accommodates 16/3 10/3 SJT (300V) up to 12/3ST (600V)
- · Connect extension cords together for long power runs
- Durable, yellow overmolded vinyl

4	
1	

Retail	Wholesale
	Please Login
	Retail

Quad Plug Cord Reel w/Circuit Breaker

- 4 Outlet Reel Works with Almost Any Single-Tap Extension Cord
- Holds up to 100' of 16 & 14 Gauge Cords & up to 75' of 12 Gauge
- Polarized Plug w/4 Grounded Receptacles
- · Resettable 11 amp Circuit Breaker
- Durable Steel Stand w/Grip Handle

Item No.	Retail	Wholesale
K2000		Please Login





Don't starve your power tool motor to death! Determine the ampere rating which is shown on the tool nameplate. Apply this value to the following chart to determine the proper AWG and length of cord.

12/3 AWG Cable	10/3 AWG Cable
50' 15 AMPS	50' 15 AMPS
100' 15 AMPS	100' 15 AMPS
150' 13 AMPS	150' 15 AMPS
200' 10 AMPS	200' 15 AMPS
250' 7 AMPS	250' 13 AMPS







8706UGCX Roll Cage









Portable Power Distribution Centers

- Portable, flexible, rugged, and reliable power distribution center designed to withstand harsh jobsite conditions.
- It is an economical solution for electrical hook up on the worksite.
- · Made in the USA
- Provide economical, durable temporary jobsite power
- · Complies with OSHA and NEC specifications

Portable Distribution Center - 01970 & 01972 Power Inlet

- 50A 125/250V
- California style flanged covered w/ cover inlet

Power Outlet

- (1) 50A 125/250V California style receptacle w/ cover
- (1) NEMA L6-30R 30A 250V Locking receptacle w/ cover
- (6) NEMA 5-20R 20A 125V Straight blade receptacles w/ cover

Item No.	Description	Retail	Wholesale
6506UGSX	Power Box - straight blades		Please Login
8706UGCX	Power Box - roll cage		Please Login
01918	50' Cord SEOW W/California Ends		Please Login
01919	100' Cord SEOW W/California Ends		Please Login

Extension Cords for Distribution Centers

Item No.	Description	Retail	Wholesale		
01938	50' SEOW w Hubbell Ends		Please Login		
01939	100' SEOW w Hubbell Ends		Please Login		
Hubbell = 3 p	Hubbell = 3 prong, curved				



Part #	NEM/	Plug	Connector
01915	() L5-30P	(±)®	5-20R
01924	(T)	(±)®	5-20R
01934	(14-30P	(±)) (1-20R
09084	(C)		5-15R

Generator Adapters & Cord Sets

- Increase the number of useable 20 amp connectors
- Clear lighted female ends provide power indication
- Job-site tough, flexible STOW and SJTOW cord jackets provide excellent durability.
- · Oil and chemical resistant vinyl jacket
- New Hand Pack boxes
 - allow customers to freely view all cord ends in the box
- offer immediate counter/store displays

Item No.	Description	Retail	Wholesale
01915	3' - 10/3 STOW		Please Login
	L5-30P to (2) Lighted 5-20R		
01924	3' - 12/4 STOW		Please Login
	L14-2ÓP to (2) Lighted 5-2OR		
01934	3' - 10/4 STOW		Please Login
	L14-3ÓP to (2) Lighted 5-2OR		
09084	2' - 12/3 STOW		Please Login
	L5-20P to Lighted Tri-Source 5-15R		

Long Handle Round Point Shovel

- #2 front turn step head style
- · Black head color
- 47" yellow fiberglass handle
- Square socket
- PermaGrip™ collar, vinyl grip





Long Handle Square Point Shovel

- #2 front turn step head style
- · Black head color
- 47" yellow fiberglass handle
- Square socket
- PermaGrip™ collar, vinyl grip

Item No.	Retail	Wholesale
SVLS41		Please Login



Rice Shovel

- Used for irrigation
- 46" yellow fiberglass handle
- · Perforated round point head style
- · Square socket
- Vinyl grip

Please	Login
	-
400	\mathscr{A}



Grain Scoop

- · Aluminum head material, #14
- 15.5" x 20" head size
- 29" hardwood handle, steel grip



Trench Cleanout Shovel

- Used for cleaning loose materials from trenches prior to laying cable or pipe
- Blade size: (SVTR403 3") (SVTR45 5")
- Yellow fiberglass handle (48" SVTR403) (45" SVTR45)
- PermaGrip™ collar, vinyl grip

Item No.	Length	Retail	Wholesale
SVTR403	48"		Please Login
SVTR45	45"		Please Login

Heavy Duty Grain Scoop

- 27% thicker than our other scoops for longer wear
- Aluminum head material, #14
- 15.5" x 20" head size
- 36" hardwood handle, steel grip

	Retail Wholeso	N	Item No.
se Login	Please Lo		SVSDA14HM
e	Please		SVSDA14HM





- Cast metal tip head
- 0.5" x 48" yellow fiberglass shaft handle
- T-cushion grip

Item No.	Retail	Wholesale
SP48		Please Login



- 8" x 8" solid cast iron
- 45" yellow fiberglass, cushion handle

Item No.	Retail	Wholesale
TP8FG		Please Login





SHOVELS & RAKES

Snow Squeegee

- 66" blue aluminum handle with vinyl grip, works well on sidewalks and entryways
- · Great for slushy areas and features wrap bracing that does not interfere with snow removal
- 3" deep rubber blade which is replaceable
- 36" W x 66" L x 3"D

Item N	lo.	Retail	Wholesale
96636)		Please Login





- · 16' aluminum 3-piece handle with vinyl grip
- 24" x 4-5/8" aluminum blade with solid aluminum braces riveted to blade
- · Spring steel self-locking snap pins
- Flexible "Shingle Saver" protective sleeve
- ULTRA-light weight

Item No.	Description	Retail	Wholesale
96716	Snow rake		Please Login
96060	5' ext. handle		Please Login



Asphalt Lute


- · Aluminum blades are 36" wide
- Serrated edge
- · Handle is 84" long & 1" diameter non-oxidizing aluminum

Item No.	Retail	Wholesale
SA8436		Please Login

Landscape Rake

- with 2-1/2" long finger-like tines
- Handle is 66" long & 1" diameter non-oxidizing aluminum

Item No.	Retail	Wholesale
LA6636		Please Login



Thatching Rake

- 60" hardwood handle
- 20 teeth, 14-3/4"
- · Removes thatch and debris from lawns

Item No.	Retail	Wholesale
TR30		Please Login

Snow Pusher

- Black ABS head type
- 12" x 24" head size
- 44" yellow fiberglass handle, poly D grip

Item No.	Retail	Wholesale
SN100		Please Login





Atlas Digger

- 48" yellow fiberglass handles
- · 6" point spread
- Vinyl grip

Item No.	Retail	Wholesale
DG100FG		Please Login





- Forged steel, 5 tines head
- 54" hardwood handle
- · Ideal for spreading straw or cleaning up debris

Item No.	Retail	Wholesale
AF20		Please Login





SHOVELS & RAKES

Shingle Remover

- · Notched with fulcrum head
- 48" hardwood handle

Item No.	Retail	Wholesale
SG2LH		Please Login







- · Ideal for staining, sealing and washing
- Translucent bottle for ease in checking fluid level
- Spray decks, siding, fences and concrete with ease

Item No.	Retail	Wholesale
25041		Please Login



SEYMOUR MIDWEST

Shingle Remover

- 36" yellow fiberglass handle
- 9" wide head
- · Extra-strong steel brace

Item No.	Retail	Wholesale
SG1		Please Login

SureSpray 2-Gallon Sprayer

- · Patented surespray anti-clog filter
- · Dry hands measuring cup
- Clean 'n easy design
- Transculent bottle for ease in checking fluid level
- · Curved wand and reinforced hose

Item No.	Retail	Wholesale
27020		Please Login



San Angelo Bar

- Forged steel 1" dia. x 6' long,
- · Hexagonal, black head diamond point

Item No.	Retail	Wholesale
DG23		Please Login

Tree Pruner

- Compound action
- Cuts up to 1-1/4" limb
- 14" blade saw
- 7' to 14' extension fiberglass handle

Item No.	Retail	Wholesale
WP6555		Please Login
		6



TASCO

Digger Tamper Bar

- Forged steel
- 6' long, chisel point
- 1" diameter, round, handle

Item No.	Retail	Wholesale
DG19		Please Login

Metal Detector

- Sensitivity, Depth Adjustment (8 Settings)
- · Battery Indicator
- Coin Depth Indicator
- Headphone Jack
- Touch-n-Go Operation
- Length: 42" to 51"
- Weight: 2.7 lbs. (1.2 kgs.)
- 4 AA battery operation (batteries included)
- 2 year warranty

Item No.	Retail	Wholesale
ACE250		Please Login





SEYMOUR


Woodsman™

Forestry System

- Perfect solution for chain saw, sandblasting or woodworking
- Gladiator® six point ratchet hard hat
- · Earmuffs with cushions
- Molded steel mesh face screel

Item No.	Description	Retail	Wholesale
6000W	Entire System		Please Login
1000-5	Replacement suspension		Please Login
2293-1	Foam ear cups		Please Login
4000P	Face shield - clear		Please Login
4000W	Face screen - mesh		Please Login









Includes:

- (1) 4 lb. Head 12 in. Sledge Hammer
- (1) 32 oz. Head 14 in. Ball Pein Hammer
- (1) 2 lb. Head 16 in. Cross Pein Hammer

B.A.S.H Mechanics Hammer Kit

- Unbreakable technology
- · Hi-visibility green head
- · Steel core eliminates breaking during overstrikes
- · Drop forged 46 HRC head
- · Safety plate locks head firmly to handle, elimnating dislodging
- · Anti-vibe neck prevents injury from repeated use
- · No-slip textured handle for secure grip
- · Lanyard hole
- · Tested for 25,000 overstrikes

Item No.	Retail	Wholesale
11111		Please Login



- · Unbreakable technology
- · Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- · Safety plate locks head firmly to handle, eliminating dislodging
- · Anti-vibe neck prevents injury from repeated use
- · No-slip textured handle for secure grip
- · Lanyard hole
- Tested for 25,000 overstrikes
- · Meets ANSI standards

Item No.	Head Size	Handle	Retail	Wholesale
20212	2-1/2 lb.	12"		Please Login
20412	4 lb.	12"		Please Login
20416	4 lb.	16"		Please Login
20630	6 lb.	30"		Please Login
20816	8 lb.	16"		Please Login
20824	8 lb.	24"		Please Login
20830	8 lb.	30"		Please Login
20836	8 lb.	36"		Please Login
21016	10 lb.	16"		Please Login
21036	10 lb.	36"		Please Login
21236	12 lb.	36"		Please Login
21430	14 lb.	30"	-	Please Login
21436	14 lb.	36"		Please Login
22036	20 lb.	36"		Please Login



- · Unbreakable Technology: Steel core design prevents breaking during overstrikes
- · Safety Plate: Locks head firmly to handle eliminating dislodging
- · No-Slip Grip: Textured handle for secure grip while
- · Anti-Vibe Neck: Ergonomically designed to prevent injury from repeated job site use

Item No.	Head Size	Handle	Retail	Wholesale
50636	6 lb.	36"		Please Login
50836	8 lb.	36"		Please Login

Deck Demon

Designed to quickly remove any type of decking materials as well as any fasteners left behind. The most efficient and effective tool to remove decking materials!

- · Reduces time and labor
- · Maximum leverage saves your back
- Single & double joist compatible
- · No damage to existing structure with patented rocker design
- · Commercial grade, all-steel construction
- 46" long











Retail Item No. 6004 Please Logir

OUTDOOR EQUIPAENT



Maxim Commercial Tiller

- 160CC Honda engine
- Durable, simple to operate and maintain
- · Heavy-duty frames have additional reinforcement at points of stress
- Transmissions enclosed in special design double-welded case
- Extra metal shield keeps wire and vines from getting into seal
- Tillers feature heavy-duty transport wheels & hitch
- · Heavy-duty replaceable slasher tines are standard
- transmission Transmission Roller chain and sprocket sealed and running in oil
 - Handles 11-gauge seamless tubular steel w/ braces
 - Tilling Width 14" to 26" standard
 - Wheels Heavy-duty transport wheels with spring loaded latch pin

Item No.	Description	Retail	Wholesale
RMT55H	Tiller		Please Login
130761	Set of 4 tines		Please Login





Maxim Commercial Compact Tiller

- 120CC Honda OHV
- Transmission Roller chain and sprocket, sealed and running in oil
- Tines 11" Bolo, self-sharpening, heavy-duty non-winding, forged steel
- Tine Shaft Case hardened carbon steel
- Tilling Width 13" or 19" standard
- Tilling Depth Up to 8"
- Handles 14 gauge seamless tubular steel w/braces
- Clutch Hand controlled belt tightener
- · Frame All steel, welded and braced
- · Wheels Adjustable or removable for tilling

Item No.	Description	Retail	Wholesale
RM4H	Tiller		Please Login
130832	Set of 4 tines		Please Login





Wheelbarrow

- Poly tray
- 16" 2-ply tires
- · Hardwood handle
- · Heavy-duty channel steel front braces

Keluli	Retail Wholesale	
	Please	Login
		Please



- · Keep trash inside the drum and off the lawn
- · Spread peat moss, mulch, compost, etc.
- 24" wide x 18" diameter
- All steel construction

Item No.	Retail	Wholesale	
85755		Please Login	







Paint Striper

800P Vers-A-Striper (pavement)

- Stripe widths from 2" to 4"
- Heavy-duty metal construction
- · Holds 1 case of paint
- · Paint radius curves with ease
- · Curb and edge attachment included

Item No.	Retail	Wholesale
800P		Please Login



Solvent-Based Striping Paint

- · Perfect for concrete and asphalt
- Fast drying, one coat coverage
- 18 oz. cans net weight
- Sold individually

Item No.	Description	Retail	Wholesale
710P	White		Please Login
720P	Yellow		Please Login
740P	Orange		Please Login
750P	Blue		Please Login
770P	Asphalt Black		Please Login



Athletic Paint Striper 801P Vers-A-Striper (turf and dirt)

- Stripe widths from 2" to 4"
- Larger 10" diameter wheels
- · Metal construction heavy-duty
- Holds 1 case of paint (12 per case)

Item No.	Retail	Wholesale	
801P		Please Login	



Water-Based Athletic Striping Paint

More Paint Available on Page 60

- Will not burn grass
- · Fast drying, long lasting
- 18 oz. cans net weight
- Sold individually

Item No.	Description	Retail	Wholesale
790P	White		Please Login
Will cover 800 linear ft. with a 4-inch stripe!			



36" Plug Aerator with Wheels

- Loosen soil
- · Increase water filtration
- Increase oxygen
- · Release carbon dioxide
- · Encourage root growth
- · 200 lb. capacity/24 gallons
- Overall width 52"
- Rolls on 1" grease-able pillow block bearings
- Wheels are 2 ply, 4.10x 3.50x 4 (for off-road use only)
- · Bolt in sod pluggers

Item No.	Retail Wholesale	
MSP36		Please Login



MIXAM

48" Spike Aerator with Wheels

- Tank can be filled with water for added weight
- · Unit is heavy to begin with
- Wheels are bolted in place with no pins or latches to rotate the tow bar 180° while lowering or lifting the drum
- · Loosen soil
- · Increase water filtration
- · Increase oxygen
- Release carbon dioxide
- Encourage root growth
- Rolls on 1" grease-able pillow block bearings

Item No.	m No. Retail Wholeso	
MSAT48		Please Login



HOLES DIGGERS

One-Man Hole Digger

- Engine 1.3 HP (1000 W) Honda GX35, all-position, 4 Stroke
- · Starter Hand rewind
- Fuel-Gasoline
- Transmission Totally enclosed, spur gear, grease lubricated
- Maximum Digging Torque 51 ft. lbs.
- · Auger Rotation Speed 166 RPM, no load
- Auger Drive Connection 1" round
- Available Auger Diameter Range 2" to 8"
- · Standard Auger Digging Length 30"
- · Weight (less auger) 28 lbs.
- · Auger sold separately

Item No.	Description	Retail	Wholesale
242H	Hole Digger		Please Login
2350-4E	4" auger		Please Login
2350-6E	6" auger		Please Login
2350-8E	8" auger		Please Login
2350-15X	15" extension w/o flighting		Please Login





One-Man Towable Hole Digger

- 8 GPM fixed displacement gear type hydraulic pump, low speed, high torque hydraulic motor direct coupled to the auger
- Includes 10 micron return line filter, suction screen & return line diffuser
- 13 HP Honda GX390
- 276 lbs. at 2000 PSI Max. drilling torque
- 144 RPM auger rotation speed
- 1-3/8" hexagon standard
- Tires 4.80-12 highway use rated
- Dimensions 113"L x 41"W
- · Weight (less auger) 400 lbs.
- · Auger sold separately

Item No.	Description	Retail	Wholesale
660H	Hole Digger*		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login
*Special Order Only; non-cancelable			



Two-Man Hole Digger

- 5.5 HP Honda GXV160, 4-cycle engine
- Totally-enclosed, oil-lubricated spur gear reduction
- · All-metal centrifugal clutch
- · Approximately 190' lbs. drilling torque
- 1-3/8" hexagon drive shaft connection
- Weight (less auger) 71 lbs.
- Auger sold separately

Item No.	Description	Retail	Wholesale
332H	Hole Digger		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login
5500-15X	15" extension w/o flighting	•	Please Login
*Special Order Only; non-cancelable			

Replacement Wear Parts For Augers



35PAK7

Standard dirt tooth, thin cross section for fast penetration, wears sharp. For ordinary digging conditions. Can install in all boring head sockets. Includes RUB-R-LOKTM. Pack of 7.



35HFCPAK7

Hard-faced dirt tooth for substantially increased wear life. For ordinary digging conditions. Can install in all boring head sockets with hardfacing up. Includes RUB-R-LOKTM. Pack of 7.



5T30PAK3

Chisel dirt tooth. Rips through caliche, hardpan and other formations. For install inside, boring head sockets only, rib side facing up. Not for use alone w/6 inch diameter auger. Includes RUB-R-LOKTM. Pack of 3.



AT1336

Tungsten Carbide tooth. For use in extremely abrasive and frozen soil. Extended wear life. Can install in all boring head sockets. Use in rocky soils may shatter inserts. Includes RUB-R-LOKTM. Pack of 1.



SB25PAK3

Auger screw bit. For 2-1/4, 14, 16 and 18 inch diameter augers. Includes mounting bolt and nut. Pack of 3.



P801PAK3

Auger screw bit, 2 inch auger diameter only. Pack of 3.

Item No.	Description	Use With	Retail	Wholesale
35PAK7	Standard tooth - Pkg. 7	332H		Please Login
35HFCPAK7	Hardfaced tooth - Pkg. 7	332H		Please Login
5T30PAK3	Chisel tooth - Pkg. 3	332H		Please Login
AT1336	Tungsten tooth - Pkg. 1	332H		Please Login
SB25PAK3	Screw bit - Pkg. 3	332H		Please Login
P801PAK3	Screw bit - Pkg. 3	242H		Please Login








25 Person First Aid Kit

· Great for shops, jobsites, vehicles, hunters, camping

Item No.	Retail	Wholesale
6080		Please Login





50 Person First Aid Kit

· Great for shops, iobsites. sporting events

Item No.	Retail	Wholesale
6088		Please Login





CONTENTS QTY.


1" x 3" Adhesive Strips 4"x4" Sterile Gauze Pads 100 10 8"x10" Sterile Combine Pad 1/2"x5yd Adhesive Tape 4"x5yd Non-Sterile Gauze 40" Triangular Bandage Antiseptic Wipes/Burn Cream Antiseptic Wipes First Aid Burn Cream Packets Instant Cold Pack Latex Exam Gloves Scissors Forceps First Aid Instructions



Double Bottle 16oz. Eye

Wash Station

• 2 each



• Includes eye cups for easily focusing the fluid stream

Item No.	Description	Retail	Wholesale
24102	Complete station		Please Login
24101	Replacement bottle		Please Login
24 replace	ment bottles in a case		



Includes 2

eye cups



Portable Eyewash Station



- Compliance ANSI Z358.1
- 1-hand operation
- · Gravity fed
- · No plumbing required
- Size: 25-1/2" x 20" x 9-1/2"
- Eyewash preservative #5136
- 15 minute flow time

Item No.	Retail	Wholesale
5134-00		Please Login



Supply Refills for all **First Aid Kits**





Item No.	Description	Retail	Wholesale
1-200	1"x3" adhesive strips(100)		Please Login
1-100	3/4"x3" adhesive strips(100)		Please Login
1-550	1"x3" heavy woven fabric strips(50)		Please Login
1-825	Heavy woven knuckle bandage(25)		Please Login







White Duct Tape

- · Polyethylene coated cloth
- Use for indoor/outdoor carpet or vinyl tent sidewall repair
- · 24 per carton
- 9 mil

Item No.	Size	Retail	Wholesale
20CW2	2" x 60 yards		Please Login



Carton Seal Cleartape

- 2.0 Mil
- Exceptional strength and flexibility with excellent adhesion
- Best for carton sealing, bundling and securing loose objects during shipment
- Temperature, tear and impact resistant
- Polypropylene Film



Item No.	Size	Retail	Wholesale
9852	2" x 55 yards		Please Login



Tarp/Visqueen/ Sidewall Tape

- · Heavy-duty poly tape
- · Repair tarps, visqueen or sidewalls
- · Resists cracking or peeling
- 24 per carton



Item No	. Size	Retail	Wholesale
82736	2" x 36 yards		Please Login



7 Mil Vinyl Electrical Tape

- UL approved
- Indoor & outdoor
- Sold in sleeves of 10
- 20 sleeves per case



Item No.	Size	Retail	Wholesale
VE75	3/4" x 60'		Please Login



Thread Sealing Tape

- · Pipe thread connections
- Air, propane or natural gas
- 200 per carton



Item No.	Size	Retail	Wholesale
UT11	1/2" x 260"		Please Login





Painters Tape

- Removes cleanly and easily for up to 14 days without leaving adhesive residue
- Use with water-based and solvent-based coatings
- Medium Adhesion

Item No.	Size	Retail	Wholesale
2090-48A	1.88" x 60 yards		Please Login



Nifty® Hand Tear ClearTape

- 3.2 Mil
- Uses serrated edges for simple hand tearing
- Works in cold weather and outdoors
- · 36 rolls per carton

Item No.	Size	Retail	Wholesale
T3761	2" x 55 yards		Please Login



Utility Grade Duct Tape

- Conforms well to irregular surfaces
- Easy unwind
- Industrial strength
- 24 per carton



Item No.	Size	Retail	Wholesale
493	1-7/8" x 60 yards		Please Login











Blue Poly Tarps

- 8 x 8 Scrim
- 3' grommet spacing
- Roped Hem
- 30 micron coating
- 5-6 mil
- Sold individually



NEW!Biolet grommet.
Stronger and
Rust Proof!!!

Item No.	Ctn Qty	Size	Retail	Wholesale
B1010-068	40	6' x 8'		Please Login
B1010-810	25	8' x 10'		Please Login
B1010-1012	18	10' x 12'		Please Login
B1010-1216	10	12' x 16'		Please Login
B1010-1620	5	16' x 20'		Please Login
B1010-2020	5	20' x 20'		Please Login
B1010-2030	3	20' x 30'		Please Login
B1010-2040	3	20' x 40'		Please Login
B1010-3040	2	30' x 40'		Please Login
B1010-4040	1	40' x 40'		Please Login
B1010-4060	1	40' x 60'		Please Loain



Rubber Tarp Straps

- Molded of 100% EPDM Rubber
- · Guaranteed elasticity for up to one year

Item No.	Strap Lgth	Retail	Wholesale
STR9	9"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login



Dispenser and roll are sold separately

Large Stretch Wrap

- 18" x 1500'
- Extra wide

Item No.	Description	Retail	Wholesale
80183	Large stretch wrap		Please Login
12018	Metal dispenser(as in photo)		Please Login
4 per carton			



Small Stretch Wrap

- Fits in the glovebox or toolbox
- 15 in a case

Item No.	Size	Retail	Wholesale
51000	5" x 1000'		Please Loain



Elastic Tie Down

- Elastic design provides constant tension and a firm hold
- · Use for quick load binding
- Includes: 2 each of 12", 18", 24"
- · Blister package for hanging

Item No.	Retail	Wholesale
28380		Please Login





6 Piece Flat Bungee Pack

- Molded steel hooks with protective coating
- 3/4" wide cords for added surface contact
- Includes: 2 each of 15", 25"
 1 each of 35", 45"

Item No.	Retail	Wholesale
32407		Please Login







Combicut Wet Tile Saw

- · Cuts tile, stone or masonry
- Powerful 1.75 hp 110v 15amp motor turns the blade at 2800rpm
- 28" cutting length extends to 31" with plunge cut
- Super light at 72lbs for this length of cutting ability
- Accurate 45 degree miter cuts with tilting head and rail system

Specifications

- Blade Diameter: 10"
- Blade Shaft Diameter: 5/8"
- Max. Cutting Length: 28"
- Max. Cutting Depth: 4.75"
- Motor Rating: 1.75HP, 110v, 15 amp
- Blade Speed: 2,800 RPM
- · Weight: 72lbs
- · Water Pan Capacity: 10 Gallons
- Water Pump Flow: 3 GPM
- Noise Level: 78 dB(A)
- Length: 40"Height: 22"
- Width: 18"
- Accuracy of 1/32" allows for seamless cutting
- · ABS water tub

Includes

- · High quality miter gauge
- Built in laser for accurate long piece cutting
- Removable side table to increase width for large tile
- 10" CR continuous rim blade for tile, stone, and porcelain
- · Square steel folding stand







Please Login

10" Wet cut blade

B000006



10" Continuous Rim Wet Cut Tile, Stone & Porcelain Diamond Blade

10" Wet Tile Saw

- 1000W induction motor which makes every cut quickly, easily and reduces noise
- Tilting head allows users to make bevel cut easily
- Anti-slip rubber cutting table provides a firm grab for accurate cuts
- Maximum cutting length up to 24" for straight cut & 18" for diagonal cut
- Rail minor adjustment with hex wrench for quick and easy adjustment
- · Stainless steel rails for smooth tracking of the table

Specifications

- Motor size: 1.5HP
- Voltage: 120
- Maximum Diagonal Tile Cut 18"
- Maximum Tile Cut Size Rip 26"
- Angle Cut Yes
- Plunge Cut Yes
- Bevel Cut Yes
- Rip Cut Yes
- Sliding Table Included
- Splash Guard Included
- Maximum Speed (RPM) 360
- UL Safety Listing Yes
- Weight (lbs.) 82
- Arbor Diameter 5/8"

Includes

- 10" wet tile saw
- 1 tile blade (10")
- · Detachable stand
- Water pump
- · Rust proof tray
- Splash guard



Item No.	Description	Retail	Wholesale
VA-TS-10	Tile Saw w/stand		Please Login
425-02992	10" Premium Tile Blade	•	Please Login







Velo Slimline Blower

- · Broad-path airflow
- · Low profile
- · Daisy-chain with GFCI outlet
- Tough rotomolded housing
- · Cord wrap and easy-carry handle
- · Multiple position versatility
- F504

Item No.	CFM	Volts	Amps	Retail	Wholesale
125470	885	115	1.9		Please Login





VIDEO

Shipp Carpet Cleaning Chemicals

2 oz. of product to 1 gallon of

Marvel Steam Cleaner water! The ideal product for top quality, one step, convenient carpet cleaning.

Item No.	Description	Ctn.	Retail	Wholesale
S00562	Marvel, 32 oz.	12		Please Login
S00563	Marvel, 64 oz.	6		Please Login
S00564	Marvel, 128 oz.	6		Please Login



Traffic Lane Pre-Cleaner - 12 per carton Loosens tough spots from high traffic lanes.

Item No.	Description	Retail	Wholesale
S00531	Pre-Cleaner, 32 oz.		Please Login



UrineRx - 12 per carton

Specially engineered to remove urine odor.

	Item No. Description		Retail	Wholesale
Ľ	URINERX	UrineRX, 32 oz.		Please Login

All Chemicals Are Sold By The Bottle



Sahara Pro X4 TurboDryer

- · Versatile 3-speed, 3-position operation
- VIDEO DEMO
- · GFCI outlets to connect up to 6 units
- · Built-in carpet clamp for under-carpet drying
- · Lightweight, easy-carry design
- · Secure stacking vertically for storage

Item No.	CFM	Volts	Amps	Retail	Wholesale
124315	867	115	1.9		Please Login



Presto 3 Mini Carpet Extractor/Spotter

- · Convenient 2 gallon capacity
- · Translucent recovery tank
- 8' x 1" hose, 25' 18/3 cord
- 19" L x 10" W x 17" H
- · Weight: 16.3 lbs
- · Clear view hand tool shows cleaning results
- 1.16 HP (870 watt) vacuum motor and 55 psi pump

Item I	No.	Retail	Wholesale
PRS3			Please Login







RIP-R-STRIPPER Handheld Floor Stripper

- · Ideal for closets, bathrooms and other difficult to access locations
- 1400W, 115 VAC, 60 HZ electric motor; manually operated
- 5 inch maximum blade cutting width
- Two position handle for easy maneuvering
- · Heavy-duty, sealed ball bearings
- Integral current interruption protection
- Includes heavy-duty case and two FCS5-1500 5" self-scoring blades
- · Weighs 9 lbs.

Item No.	Retail	Wholesale
FCS5AC		Please Login



RIP-R-STRIPPER Generation 2 Floor Stripper

- For small to mid-size rooms
- 2300W, 115 VAC, 60 HZ electric motor; manually propelled
- 10 inch maximum blade cutting width
- Anti-Vibe™ caster wheels
- Quik-A-Tach™ composite handle
- · Heavy-duty, sealed ball bearings
- · Easy transport in today's small vehicles
- Includes FCS16-1100 4" x 6" and FCS16-1300 3" x 10" straight blades
- · Weighs 27 lbs.

Item No.	Retail	Wholesale
FCS10GEN2		Please Login






RIP-R-STRIPPER Generation 3 Floor Stripper

- For projects up to 10,000 square feet
- .75 HP, 115 VAC, 60 HZ electric motor; manually propelled
- 16 inch maximum blade cutting width
- Unitized, welded steel frame
- Back-Saver™ Blade Control System
- Single point bearing lubrication
- Magnetic-type ON/OFF switch
- 37 foot extension cord w/GFI
- Includes FCS16-1100 4" x 6" and FCS16-1300 3" x 10" straight blades
- · Weighs 132 lbs.

Item No.	Retail	Wholesale
FCS16		Please Login





*General

RIP-R-STRIPPER Blades

Item No.	Machine	Description	Retail	Wholesale
FCS5-1500	FCS5AC	Scoring, 5" W, For removing carpet, linoleum and VCT, 1 PK		Please Login
FCS16-1050PAK2	FCS10 & FCS16	Scoring, 3" W, For high bond materials from concrete only, 2 PK		Please Login
FCS16-1100PAK3	FCS10 & FCS16	Straight, 6" W, For removing VCT type materials from concrete		
		floors bevel up/fromwood floors bevel down, 3 PK		Please Login
FCS16-1200PAK2	FCS10 & FCS16	Angled, 6" W, For mastics from concrete floors only, 2 PK		Please Login
FCS16-1300PAK3	FCS10 & FCS16	Straight, 10" W, For removing VCT type materials from concrete floors bevel up/fromwood floors bevel down, 3 PK		
				Please Login
FCS16-1500PAK2	FCS10 & FCS16	Scoring, 8" W, For removing glued carpet, sheet linoleum		
		rubberand PVC materials from concrete floors only, 2 PK		Please Login
FCS16-1600PAK2	FCS10 & FCS16	Scoring, 8" W, For removing glued carpet, sheet linoleum		
		rubberand PVC materials from wood floors only, 2 PK		Please Login



Angled



Rip-R-Stripper Cart

General

· Removes ceramic tile, hardwood floor and other tough coverings

· Acts as a tool carrier for electricpowered breakers with ratings between 30 and 45 ft.-lbs.

· Quick adjustment provides 5 breaker tool angles relative to floor

Item No.	Breaker Model	Availability	Retail	Wholesale
CTS10-1000A	Makita HM1500B	Drop Ship		Please Login
	Makita HM1307C			2
CTS10-1100A	Makita HM1317CB	Drop Ship		Please Login
	Makita HM1307C			- 9
CTS10-1200A	Bosch 11335K	Drop Ship		Please Login
	Bosch GSH 16-28			
CTS10-1300A	Hilti TE905-AVR	Drop Ship		Please Login
CTS10-1410A	Hilti TE1000-AVR	Drop Ship		Please Login
CTS10-1600A	Hitachi H65DS2	Drop Ship		Please Login
CTS10-2100A	DeWalt D25941K	Drop Ship		Please Login
	DeWalt D25951K			

*Please Note: The carts listed below come with one mounting kit.





Mounting **Kits**



· Use these different mounting kits to attach the Rip-R-Stripper to different 35 lb. electric powered, hand-held breaker hammers.

The Rip-R-Stripper Cart comes with one mounting kit at no additional charge.

If you need an additional mounting kit, please specify which one when ordering.

	Retail	Wholesale
Makita HM1500B		Please Login
Makita HM1307C		
Makita HM1317CB		Please Login
Makita HM1307C		
Bosch 11335K		Please Login
Bosch GSH 16-28		
Hilti TE905-AVR		Please Login
Hitachi H65DS2		Please Login
DeWalt D25941		Please Login
	Makita HM1307C Makita HM1317CB Makita HM1307C Bosch 11335K Bosch GSH 16-28 Hilli TE905-AVR Hitachi H65DS2	Makita HM1307C Makita HM1317CB Makita HM1307C Bosch 11335K Bosch GSH 16-28 Hilli TE905-AVR Hitachi H65DS2

BOSCH

Bosch Breaker Hammer

- · Unmatched power to weight ratio; 34-feet-per-pound of impact force; fastest removal rate in its class by far
- · Active vibration control handle
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Rugged durability--metal tube and case design handles tough jobsite use and abuse

KIT INCLUDES


- Pointed Chisel
- Articulating Auxiliary Handle
- Carrying Case with Wheels
 - Grease tube
 - Cleaning rag

ltem No.	Retail	Wholesale
11335K		Please Login

Floor Scrapers







Heavy-duty Scraper

Item No.	Description	Retail	Wholesale
FSHD-103B-100S	Scraper		
	1-1/8" Shank		Please Login
FSHD-905-100S	Scraper		
	Hilti 805/905/1000 Shank		Please Login
FSHDB-2MM	Repl. Blade		Please Login
FSHDRKIT-L	Repl. Hardware		Please Login

Sure Lock Scraper

Item No.	Description	Retail	Wholesale
FSA-MAX-100	Scraper		
	SDS Max Shank		Please Login
FSA-ROTARY-100	Scraper		
	Spline/Rotary Shank		Please Login
FSAB-2MM	Repl. Blade		Please Login
FSARKIT-L	Repl. Hardware		Please Login

FSP Scraper System

Item No.	Description	Retail	Wholesale
FSP-2MM-4	4" Scraper		
	SDS Plus Shank		Please Login
FSP-2MM-8	8" Scraper		
	SDS Plus Shank		Please Login
FSPB-2MM-4	4" Repl. Blade		Please Login
FSPB-2MM-8	8" Repl. Blade		Please Login
FSPRKIT-L	Repl. Hardware		Please Login



PLOOR INSTALLATION



Multi-Undercut Saw Kit

- Undercuts along walls, door jambs, under toe spaces, and will also fully undercut inside corners
- · Height of cut is easily adjustable from flush to one inch above the floor

Wholesale

Please Login

Please Login

- · Base prevents tipping and assures accurate, level cutting
- Heavy duty industrial motor
- "Dual angle" precision depth gauge

Retail

- · Cuts inside corner completely
- Cuts flush to the floor with a carbide blade

• Rating: 120 Volt AC

• Amperage: 7.0

• No-load RPM: 11,000 • Max Cutting Height: 1"

Description

Blade

• Max Cutting Depth: 1-1/4"

· Weight: 11.0 lbs

Item No.

556

Includes:

- 575 Multi-Undercut Saw
- Carbide-Tipped Blade (#556)
- Hex wrench
- · Carrying Case



Carbide-tipped blade (#556) included



Toe-Kit Saw Kit

- Cuts flush to the inner wall of a toe space in a cabinet or counter area to remove old underlayment
- Clutch mechanism that may disengage to reduce kickback forces if the saw is abused by cutting curves or cutting backward
- Fixed cutting depth for perfect flush cuts
- Powerful 11 Amp, 2-1/2 hp motor with helical gears
- Will fit under toe-kicks as low as 3" in height
- For blade changes, the spindle lock stops the blade rotation, so that the blade can be easily removed
- Rating: 120 Volt AC
- Amperage: 11.0
- · Horsepower: 2-1/2
- No-load RPM: 4.500

Description

Blade

· Weight: 11.8 lbs

Item No.

Includes:

- 775 Toe-Kick Saw
- 3-3/8" Saw Blade(#787)
- · Carrying Case
- · Hex wrench



Carbide-tipped blade (#787) included



Linoleum Roller

- All steel trouble free construction
- · Detachable handle
- · Use on: linoleum, vinyl sheet goods, rubber tile, vinyl tile, cork tile, wood block tile, and roofing systems
- 100 lbs.

Item No.	Retail	Wholesale
GU100LR		Please Login

MultiTalent Start Q Oscillator Multi-Tool-FMT250QSL

Retail

The universal system for interior construction and renovation with QuickIN and the basic accessories for sanding and sawing.

· Highest quality and stability

· Powerful 250 Watt FEIN high-performance motor

· Convenient, tool-free accessory change

· Electronic speed control

- · Softgrip zone provides optimal handling
- Power consumption 250 Watts
- Oscillations 11,000-20,000 rpm
- · Weight according to EPTA 3.1 lbs
- Cable with plug 16.4 ft

















- FEIN MultiTalent FMT250QSL
- · Backing pad
- 3 of each sanding sheet (grits 80, 120, 180)
- Universal E-Cut saw blade 1-3/4"
- · Nylon tool bag





PLOOR INSTALLATION



Carpet Knee Kicker

- Recessed trigger for length adjustment in five settings from 17³/₄" to 21³/₄"
- · Nine different depth settings
- Gripping head includes three nap grips and a pin plate with 16 hardened steel pins
- Bumper is made from rubber for durability and provides a firm feel and impact that is preferred by many installers
- · Comes with gripper cap
- Bumper, nap grips, and pin plate are replaceable
- · Net weight: 3 lbs.

GUNDLACK

- · Adjustable depth setting
- Pin plate with four rows of four hardened steel pins
- Nine depth adjustments in 1/32" increments
- Each pin plate also includes two 'Power Rods' for best force transfer
- Pins can be completely retracted to permit use of the three nap grip inserts on lightweight or low pile carpet
- Snap on plastic cover to protect the pins when not in use and a
- Seamless foam filled bumper that can be rotated for even wear
- · Black powder coat finish
- · Net weight: 5 lbs.

	◆ CIRAI	DI
		-
ш		

4" Wide Stair Tool with Molded Cushion Grip

- Used for tucking carpet into the tackless strip/wall gully and to drive carpet into a stair crotch
- Tough chisel type alloy steel, and is bright nickel plated to resist rust and corrosion
- Blade is ground to the correct smooth slim taper, and oversize heads resist hammer damage
- 8" long and a molded cushion grip

Item No.	Retail	Wholesale
445		Please Login

Login

Item No.	Retail	Wholesale
Item No. 152B		Please Login



Jr Power Carpet Stretcher

- Head assembly is made of a lightweight cast aluminum
- 14-1/2" wide metal pin plate holds
 59 rust resistant nickel plated pins
- 14-1/4" wide tail block assembly has a non-marring rubber pad and glides on each of the 1" ball type casters
- Minimum operating length is 34-1/2", and opens to 22' with four tubing sections

Includes: Adjustable 14" Transfer Tube, Head Assembly, Tail Block Assembly, Steel carrying case, (4) Steel Stretcher Tubes

Item No.	Retail	Wholesale
400-CS		Please Login



24" Tile Cutter with Casters

- Makes precise cuts on large tile with ease
- Use on rubber, vinyl comp. and solid vinyl tiles
- Can also cut carpet tiles and other flooring materials
- · Makes straight cuts up to 24" tile
- Full diagonal cuts on 12" tile
- · Dual measuring scale
- · Alloy steel blades

12" Tile Cutter with Casters

- Fantastic, high performance tile cutter
- Clean cuts for all types of resilient floor tile
- Cuts solid vinyl tile, asphalt, rubber, cork, linoleum, felt-backed vinyl, marble translucent vinyl, and more
- Expertly designed for a fast, convenient, and durable work experience

Item No.	Retail	Wholesale
H-24		Please Login

Item No.	Retail	Wholesale
H-76-1		Please Login





Electrical Orbital Sander

Sanding path: 18"Pad size: 12" x 18"

• Motor: 1HP

• Power cable: 14-3 50'

• Size (L x W x H): 19" x 20" x 45"

· Shipping weight: 145 lbs.

- Powerful totally enclosed motor requires less maintenance
- · Rigid cast aluminum pad driver provides increased durability
- Designed specifically for fine finishing of hardwood floors
- · Large non-marking transport wheels
- Precision balanced for smooth operation
- OBS18DC is 07081B





Item No.	Retail	Wholesale
OBS18DC		Please Login

Orbital Floor Sanding Sheets

- Pressure Sensitive Adhesive "Sticky-Back" Backing
- · Sold individually



Virg. Abr.	Abmast				
Item No.	Part#	Size		Retail	Wholesale
PSA Abrasive	Sheets - "S	ticky-Back" Backinç]		
206-34100	B1810	12" x 18" 100	20		Please Login
206-34080	B1880	12" x 18" 80	20		Please Login
206-34060	B1860	12" x 18" 60	20		Please Login
206-34036	B1836	12" x 18" 36	20		Please Login
206-34020	B1820C	12" x 18" 20	20		Please Login



Orbital Floor Maintenance Thick Pads

Sold individually




V: AL	A I				
Virg. Abr.	Abmast				
Item No.	Part#	Size	Pkg. Qty.	Retail	Wholesale
416-54187	J182W	12" x 18"x1" White	5		Please Login
416-54186	J182T	12" x 18"x1" Tan	5		Please Login
416-54185	J182G	12" x 18"x1" Green	5		Please Login
416-54184	J182B	12" x 18"x1" Black	5		Please Login
416-54180	J182R	12" x 18"x1" Red	5		Please Login





- Heavy duty 1-1/2 HP dual capacitor motor is totally enclosed and dust free
- · Non-slip cogged belt
- Easy change sandpaper
- Dismantles easily
- 40' power cable
- · Designed for years of service
- Weight 105 lbs.

Item No.	Retail	Wholesale
07058A		Please Login



• 8" x 19-1/2"

Virg. Abr.	Abmast				
Item No.	Part#	Description	Pkg. Qty.	Retail	Wholesale
002-08100	B5210	100 Grit	50		Please Login
002-08080	B5280	80 Grit	50		Please Login
002-08060	B5260	60 Grit	50		Please Login
002-08036	B5236	36 Grit	50		Please Login
002-08024	B5224C	24 Grit	50		Please Login
002-08020	B5220C	20 Grit	50		Please Login
002-08016	B5216C	16 Grit	50		Please Login



Qualifies For

FREIGHT

Sandpaper Model 7058A (expandable type)

Virg. Abr.	Abmast			
Item No.	Part#	Description	Retail	Wholesale
Sandpaper is f	or Expandable	e Sander		
018-81996	C8912	120 Grit		Please Login
018-81994	C8910	100 Grit		Please Login
018-81980	C8980	80 Grit		Please Login
018-81960	C8960	60 Grit		Please Login
018-81940	C8940	40 Grit		Please Login
018-81936	C8936	36 Grit		Please Login
018-81924	C8924	24 Grit		Please Login
10 per carton				







Weight: 106 lbs.

· Direct Drive to the Plate

· Automatically Adjusting Shroud

Removable Shroud Sections

· Water Connection for Wet Grinding

• Foldable Handle for Easy Transportation

· Adjustable Wheels for Level Grinding

· Easily accessible vacuum port

· Speed is fixed, no changes required

Self-adjusting floating shroud creates a tight seal

• 433-50000

Item No.	Retail	Wholesale
FG10		Please Login

Includes

- 10" Electric Grinder
- 50' 10-Ga. Electric Cord



Equipment Compatibility: EDCO® Magna-Trap, Virginia Abrasives® FG10, Lavina® by SuperAbrasive, Virginia Abrasives® FG11

FG11 11" Electric Concrete Floor Grinder

- 800 RPM / 1.5 HP Electric Motor
- 20 Amps, 120V
- Belt Drive
- · Weight: 106 lbs.
- Removable Shroud Bubble
- · Level for Head Adjustment
- · Water Connection for Wet Grinding
- · Adjustable Wheels for Level Grinding
- Twist Locking Cord
- Sealed Bearings
- The removable shroud allows for adjustments to be made to ensure proper dust collection
- · Easily accessible vacuum port
- A water connection is optimally positioned for wet grinding
- · Foldable handle for easy transportation
- 433-51000

Item No.	Retail	Wholesale
FG11		Please Login

Includes

- 11" Electric Grinder
- 50' 10-Ga. Twist Locking Electric Cord

VIRGINIA

BRASIVES

• 11" Magnetic Grinding Head

Grinder Tooling

Item No.	Description	Color	Retail	Wholesale
425-07999	Single Dot - 40/50 grit - Medium Bond	Grey		Please Login
425-08395	Double Bar - 18 grit - Medium Bond	Orange		Please Login
425-08622	Double Dot - 120 grit - Medium Bond	Green		Please Login
425-08638	Single Bar - 40/50 grit - Medium Bond	Grey		Please Login
425-08661	Double Bar - 30/40 grit - Medium Bond	Grey		Please Login
425-08662	Double Bar - 60/80 grit - Medium Bond	Gold		Please Login
425-08663	Double Dot - 30/40 grit - Medium Bond	Grey		Please Login
425-08664	Double Dot - 60/80 grit - Medium Bond	Gold		Please Login
421-82000	Carbide Magnetic Scraper with Carbide Insert	Blue		Please Login
421-80001	Carbide Inserts - Box of 6 - Priced each piece			Please Login
425-07849	PCD with Diamond Bar	Blue		Please Login

Super 7R Wood Floor Edger

- Powerful 1 HP motor
- 2800 RPM
- · Sealed ball bearings
- Hardened steel pinion reduces vibration
- Precision fitted integral universal motor components
- Large 600 cubic inch collector bag



Super 7R Edger Sandpaper Model 7075A

Virg. Abr.	Abmast			
Item No.	Part#	Description	Retail	Wholesale
006-70894	B0710	100 Grit		Please Login
006-70880	B0780	80 Grit		Please Login
006-70860	B0760	60 Grit		Please Login
006-70840	B0740	40 Grit		Please Login
006-70836	B0736	36 Grit		Please Login
006-70820	B0720C	20 Grit		Please Login
50 per carton	•			

Item No.	Retail	Wholesale
07125A		Please Login







Pul-krete

- Blade of 12-gauge cold rolled steel
- Comes with 54" hardwood handle
- Size: 19" x 54" with hook

Item No.	Retail	Wholesale
13877		Please Login



Bull Float

- · Magnesium blade
- · Double rib construction for added strength
- Long wearing and properly balanced
- Size: 48" x 7-1/4"

Item No.	Retail	Wholesale
14704		Please Login



Aluminum Handle Section


- · Lightweight, yet rigid tubular design
- · Large threads can be combined with similar handles
- · Size: 6'x 1-3/4" diameter

Item No.	Retail	Wholesale
14804		Please Login

Power Trowel Blades

- Used in conjunction with power trowels for finishing large areas of concrete or for concrete that is too stiff to handle otherwise
- · Some available in two mounting styles: bar or channel mount

Item No.	Type	Model#	Mach. Size	Size	Retail	Wholesale
17436	Float	A4172	36	10" x 14"		Please Login
17236	Combo	M6092	36	8" x 14"		Please Login
17336	Finish	M6093	36	6" x 14"		Please Login
17244	Combo	M6094	42-48	8" x 18"		Please Login



Power Trowel Blade Conversion Chart (all size references reflect inches)

Machine Model# BARTELL	Blad Type	e Size	Mfr. Part#	Model Part#	Machine Model# ESSICK	Blade Type	e Size	Mfr. Part#	Model Part#	Machine Model# STONE	Blad Type	e Size	Mfr. Part#	Model Part#
B336/B-436	Finish Comb. Float	6 x 14 8 x 14 10 x 14	TA414 TA414 TA414F	M6093 M6092 A4172	LB34-3-4	Finish Comb. Float	6 x 14 8 x 14 10 x 14	LB34-120 LB34-107 LB34-121	M6093 M6092 A4172	T-36	Finish Comb. Float	6 x 14 8 x 14 10 x 14	34578 34583 34586	M6093 M6092 A4172
CEMENTO	CO-WE	STER	N		KELLEY					STOW				
3CT-34G3-G4 3CT-34E3-E4	Finish Comb. Float	6 x 14 8 x 14 10 x 14	3CT-146F 3CT-148C 3CT-148C	M6093 M6092 A4172	360TNew	Finish Comb. Float	6 x 14 8 x 14 10 x 14	23674 23673 23675	M6093 M6092 A4172	36"	Finish Comb. Float	6 x 14 8 x 14 10 x 14	22027-501 22029-501 22028-501	M6093 M6092 A4172
CHALLENGE-CLIPPER					KRAFT					WAGMAN				
EVEREAD	Y-BRI	KSAW			36"	Finish	6 x 14	SK100	M6093	WAGWAN	Finish	6 x 14	WX614F	M6093
F-34-3-4	Finish Comb.	6 x 14 8 x 14	5530065 5530064	M6093 M6092		Comb. Float	8 x 14 10 x 14	SK101 SK102	M6092 A4172		Comb. Float	8 x 14 10 x 14	WX8140 WX914F0	M6092 A4172
	Float	10 x 14	5530066	A4172	MBW									
CHAMPIO	N-DE	SA			36"	Finish	6 x 14	5347	M6093	WHITEMA				
CORBIT N	IORTH	IRUP				Comb. Float	8 x 14 10 x 14	5402 5403	M6092 A4172	J3 & E 34"	Finish Comb.	6 x 14 8 x 14	900 840	M6093 M6092
360-370-G-G4	Finish Comb.	6 x 14 8 x 14 10 x 14	441140 441128 441143	M6093 M6092 A4172	MORRISC					J4 & E 34"	Float Finish	10 x 14 6 x 14	900F F900	A4172 M6093
DART	Float	10 X 14	441143	A4172	36"	Finish Comb. Float	6 x 14 8 x 14 10 x 14		M6093 M6092 A4172	& 36"	Comb. Float	8 x 14 10 x 14	C844 CL954F	M6092 A4172
DTF-36	Finish	6 x 14	DT7082	M6093	MULLER	540			2					
211 00	Comb.	8 x 14	DT7080	M6092	36-3G & E	Comb.	8 x 14	G1951	M6092					
					36-4G & E	Comb.	8 x 14	G1951	M6092					



CONCRETE MIXERS



- · Easy to clean poly drum.
- · Mix 275 lbs. of mortar, stucco, grout and concrete in less than 4 minutes
- · Easy to move around, construction duty 14" tires make it a breeze to roll around the job site or home
- Can be "knocked down" into 3 easy to load components

1/2 h.p. 110v industrial grade motor with direct gear drive provides non-stop performance

> Wheelborrow pneumatic wheels.

Domes inside the drum exect the

material back into


1/2 HP, 110V motor

with gearbox drive

the paddles.

1	WHEELMAN II GAS	WWEELMAN II E
Drum capacity	5 cu ft	5 cuft
Batch output	2.5 cuft	25 ou ft
Motor rating	n/a	1/2 tp 110v/6amp
Gas engine	Honda 5 hp	1/3
Drum dameter	24 in	24in
Discharge outlet height.	8 in 23 in w/stand	8 in 21 in w/stand
Wheel size	14 in preumatic tires	M in pneumatic tires
Weight*	gas 15 bs	elec. 101 ibs
Length"	30 (28) in	30 (28) in
Height"	20-16 (28) in	20-1/ (28) in
Width"	14 (29) in	54 (29) in

[10pening Diversion (publical)



Minuteman II **Concrete Mixers**

- · Mix 275 lbs. of mortar, stucco, grout and concrete in less than 4 minutes
- · Easy to move around, construction duty 10" tires make it a breeze to roll around the job site or home
- Can be "knocked down" into 3 easy to load components
- Contractor duty!





SHIPS EN

Choose either metal or poly

drum, Both drums are

interchangeable.

Easy to

transport.

move, easy to



16 Gal. Wet/Dry Vac

- Reinforced barrel and lid (3x stronger)
- · Durable rubber wheels for mobility
- · Primary and secondary filters may be cleaned without removing the lid
- · Large capacity barrel easily holds 40 pounds of dust
- Filters are washable (just throw them in your washing machine)
- · Patented double filter system
- We use a powerful 23,000 RPM 11.5 amp electric motor
- Quiet operation at only 81 dB
- INCLUDES:(1) 16-gallon DustlessVac, (2) extension wands, (1) outer filter, (1) inner filter, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 Durable rubber casters

16 Gal. HEPA Wet Dry Dustless Vac

- · Certified to meet EPA Lead Safe standards
- Can be used for hazardous materials like lead, silica, asbestos
- Large capacity barrel easily holds 40 pounds of dust
- Powerful 11.5 amp motor provides strong suction
- · Switch between dry and wet pickup instantly
- · Worry-free wet or dry vacuuming-HEPA filter stays dry
- · Wunderbag works in wet and/or dry applications
- INCLUDES:(1) 16-gallon HEPA DustlessVac, (2) extension wands, (1) certified HEPA filter, (1) HEPA filter cover, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 durable rubber casters



Flexible Hose






HEPA Dustless Filter

Item No.	Description	Retail	Wholesale
D1603	Dustless Wet/Dry Vac		Please Login
D1606	HEPA Dustless Vac		Please Login
DT13141	Micro Pre Filter Package, .5 Microns, 2-pk		Please Login
DT13201	HEPA Dustless Filter, .3 Microns		Please Login
D14251	12' Flexible Hose		Please Login
D14291	25' Flexible Hose		Please Login





Turbo Drywall Sander

- Orbital sanding head does the work for you
- Turbine motor is powered by air flow from the vacuum
- · Drywall dust is sucked through narrow channels on all four sides of the sanding face
- · 6' extendable pole
- Velcro-style sandpaper

Item No.	Description	Retail	Wholesale
50001	Turbo Sander		Please Login
54502	100 grit sandpaper		Please Login
54102	120 grit sandpaper		Please Login
54702	150 grit sandpaper		Please Login
54202	180 grit sandpaper		Please Login
54302	220 grit sandpaper		Please Login







BitBuddie™ Bit Shroud


- · Use with drills, hammer drills & core drills
- Vacuums up dust and slurry as it is made
- · Vacuum pressure holds it in place

Item No.	Retail	Wholesale	
D1900		Please Login	



DustBuddie® with **Universal Adapter** & 18" hose

- · Fits most hand grinders
- Polycarbinate for improved visibility
- Removable front edge of shroud for grinding close to edge







Dustie™

- Fits 4" 9" grinders
- · Fits most hand grinders
- Meet OSHA guidelines
- Installs fast and easy
- · No separate universal adapter to hassle with

Item No.	Description	Retail	Wholesale
D1836	5" Dustie		Please Login
D1854	7" Dustie		Please Login
D5155	18" Hose		Please Login









10-Gallon Wet/Dry Vacuum with Detachable Blower

- 10-Gallon* Rugged Polypropylene Tank
- Powerful 4 Peak HP† Motor
- 210 MPH Blowing Speed
- · Integrated Accessory Storage
- 10' Power Cord with Cord Storage
- 17' Reach with Hose and Power Cord

Item No.	Retail	Wholesale
VBVA1010PF		Please Login



Included Accessories:

- 7' x 2-1/2" Hose
- (2) Extension Wands
- Utility Nozzle
- Crevice Tool
- Car Nozzle
- · Blower Adapter
- · Concentrator Nozzle
- · Standard Cartridge Filter
- · Foam Wet Filter



5-Gallon Wet/Dry Vacuum

- Portable 5-Gallon* Polypropylene Tank
- Powerful 5.5 Peak HP† High Performance Motor
- · Complete Vac Organization with On-Board Hose, Cord and Accessory Storage
- 18-Foot Power Cord with Cord Storage
- · Easily Converts to Blower
- 25-Foot Cleaning Reach with Hose & Power Cord
- Equipped with High-Efficiency Fine Dust Filter
- · Large Dust Sealed On/Off Switch

Item No.	Retail	Wholesale
VFB511B0201		Please Login



Included Accessories:

- 7' x 1-7/8" Premium Hose
- Extension Wand
- Utility Nozzle
- Car Nozzle
- Crevice Tool
- · Air/Noise Diffuser
- · Fine Dust Cartridge Filter
- Foam Wet Filter



12-Gallon Wet/Dry Vacuum

- Portable 12-Gallon* Polypropylene Tank
- Powerful 5.5 Peak HP† High Performance Motor
- · Complete Vac Organization with On-Board Hose, Cord and Accessory Storage
- 20-Foot Power Cord with Cord Storage
- · Easily Converts to Blower
- 27-Foot Cleaning Reach with Hose & Power Cord
- Equipped with High-Efficiency Fine Dust Filter
- Unique Flat Power Head Design
- Extra-Large Drain Port
- · Large Dust Sealed On/Off Switch

Item No.	Retail	Wholesale
VJH1211PF0201		Please Login



Included Accessories:

- 7' x 2-1/2" Premium Hose
- (2) Extension Wands
- Utility Nozzle
- Crevice Tool
- Floor Nozzle
- · Air/Noise Diffuser
- Fine Dust Cartridge Filter
- · Foam Wet Filter






Wet/Dry Dust Extractor Vacuums

- Air Flow (CFM): 150 • Cord Length: 15 ft.
- Automatic filter cleaning system cleans filter every 15 seconds to maintain maximum suction power
- For dry and wet pickup, the extractor has a water-level sensor
- Power tool activation allows power tool's switch to turn vacuum on and off
- Power broker dial optimizes usage of the available power and helps avoid blown circuits
- Wet vacuuming water level sensor automatically shuts down vacuum when water reaches a maximum height to protect motor
- Rubber wheels tires and locking caster built to withstand the demands of a jobsite

Includes:

- HEPA Flat Filter
- VB090F Fleece Filter Bag
- VX1035 9.85 Ft. Vacuum Hose
- VX100 Bend Nozzle
- VX120 Power Tool Adapter Nozzle







Item No.	Description	Retail	Wholesale
VAC090AH	9 galAuto filter clean		Please Login
GAS20-17AH	17 galAuto filter clean		Please Login
Accessories			
VB000P	Disposable plastic bags-9/14 gal. (10)		Please Login
VB090	Paper filter bags-9 gal. (5)		Please Login
VB090F	Fleece filter bags-9 gal. (5)		Please Login
VB090R	Reusable fleece filter bag-9 gal. (1)		Please Login
VB090S	Wet filter bags-9 gal. (5)		Please Login
VB140	Paper filter bags - 14 gal. (5)		Please Login
VB140F	Fleece filter bags-14 gal. (5)		Please Login
VF100	Flat paper filter		Please Login
VF110	Flat PES filter		Please Login
VF120H	Flat HEPA filter		Please Login
VH1022	Hose-10 ft., 22mm		Please Login
VH1035	Hose-10 ft., 35mm		Please Login
VH1622A	Hose-Anti-static-16 ft., 22mm		Please Login
VH1635	Hose-16 ft., 35mm		Please Login
VH1635A	Hose-Anti-static-16 ft., 35mm	<u> </u>	Please Login
VX100	Bend, Anti-static		Please Login
VX110	3-piece chrome extension tube, 3 ft.		Please Login
VX120	Powertool adapter 22/35mm		Please Logir
VX130	Floor nozzle set		Please Logir

Attachments

Item No.	Description	Retail	Wholesale
HDC100	SDS-plus (drilling & chipping)		Please Login
HDC200	SDS-max (drilling)		Please Login
HDC250	SDS-max core bit		Please Login
HDC300	SDS-max chiseling		Please Login
HDC400	1-1/8" hex dust collection	·	Please Login



HDC400

HDC250

HDC200





Speed Clean™ **Dust Extraction Bits**

Bosch Speed Clean™ drill bits are built using a solid piece of steel with a dust channel that's milled to Bosch specifications to extract dust while drilling.

- Hollow drill bit connects to a vacuum system
- Faster drilling provides up to 25% greater drilling speed
- Great durability
- · Optimized for adhesive anchoring



Item No.	Description	Retail	Wholesale
DXS2104	DXS SDS+ 5/8 x 10 x 15		Please Login
DXS2114	DXS SDS+ 11/16 x 12-1/2 x 18		Please Login
DXS2124	DXS SDS+ 3/4 x 12-1/2 x 18		Please Login
DXS5034	DXS SDS Max 3/4 x 12-1/2 x 21		Please Login
DXS5044	DXS SDS Max 7/8 x 15 x 25		Please Login
DXS5048	DXS SDS Max 13/16 x 15 x 25		Please Login
DXS5054	DXS SDS Max 1 x 17-1/2 x 27		Please Login
DXS5062	DXS SDS Max 1-1/8 x 20 x 29		Please Login
DXS5082	DXS SDS Max 1-3/8 x 25 x 34		Please Login
DXSMAX	DXS SDS Max Adapter		Please Login
DXSPLUS	DXS SDS+ Adapter	·	Please Login



Grinder Attachments

18CG-45E

18DC-5E



18SG-5E





19DC-7

AG50-10TG



CSG15



GA50DC



GA50UC



TG502



Item No.	Description Re	tail	Wholesale
18CG-45E	4-1/2" Cut-off guard		Please Login
18DC-5E	4-1/2" - 5" Cut-off guard		Please Login
18DC-6E	6" Cut-off guard		Please Login
18SG-5E	5" Surface grinding guard		Please Login
18SG-5K	Surface grinder kit		Please Login
18SG-7	7" Surface grinding guard		Please Login
19CG-7	7" Large angle grinder cutting guard		Please Login
19CG-9	9" Large angle grinder cutting guard		Please Login
19DC-7	7" Large angle grinder dust guard		Please Login
19DC-9	9" Large angle grinder dust guard		Please Login
AG50-10TG	5" Tuckpointer kit		Please Login
CSG15	5" Concrete surfacing grinder w/shroud		Please Login
GA50DC	5" Concrete cutting dust guard		Please Login
GA50UC	5" Concrete cutting dust cover		Please Login
TG502	5" Tuckpointer guard		Please Login





WALL COVERING TOOLS



- · Lightweight stilts are perfect for handling walls and overheads
- · Adjusts quickly and easily without tools
- Features dual-spring action to make walking more natural
- · Cotton straps with heavy-duty spring clips permanently installed
- · Adjustable sole and heel plates with rubber sole bottoms
- · Features side pole security pocket for additional safety
- · Protective plate over straps for extended wear life
- Taller heel support giving more stability and accommodation for work boots
- Accommodates 230 pounds

Item No.	Description	Retail	Wholesale
10770	18"-30", Pair		Please Login

Safety Step Stepladder Type 1A

- · Rugged, corrosion-resistant aluminum alloy construction
- Ultra-slim 5" folded depth
- Wide, slip-resistant step treads
- · Fold-up safety bar for extra security
- · Lightweight and portable
- · Integrated work tray
- · 300 lbs. capacity

					-	
Item No.	Steps	Height	Weight	Load Cap.	Retail	Wholesale
10210BA	2	31.5"	15 lbs.	300 lbs.		Please Login
10310BA	3	44"	20 lbs.	300 lbs.		Please Login
10410BA	4	56"	25 lbs.	300 lbs.		Please Login



Earlex Wallpaper Steamer Accessories

Item No.	Description	Retail	Wholesale
PPF1	Perforating tool		Please Login
SSP	Small steam pan		Please Login
PS0253	Large steam pan		Please Login
PS0019	Fuse		Please Login
PS0303	Threaded cap		Please Login
PS0038	Hose		Please Login
PS0109	Cord		Please Login
PS0112	Switch		Please Login
PS0123	Thermostat		Please Login
Large pan-1	10"x13" Small pan-6"x3"		



Black PVC Gloves

- 10" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- · Interlock lined
- Knit wrist
- · Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
3361G	L		Please Login



Black PVC Gloves

- 14" gauntlet black PVC fully coated
- · Smooth finish
- Single dipped
- Interlock lined
- Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
3365G	L		Please Login







Bolt Remover & Left Hand Spiral Jobber Length Drill Set-10 Pieces

Drills

- Sizes: 3/32, 1/8, 3/16, 1/4 & 5/16
- Special Hi-Molybdenum tool steel
- · 135° split point for fast penetration



- Sizes: EX 1, 2, 3, 4, & 5
- · Hi-carbon steel bolt remover used to remove broken screws, bolts, threaded parts

Item No.	Retail	Wholesale
58510		Please Login





17 Pc. Pvb Set 1/16"-3/8"

- · Set includes HSS drills and plastic case with rubberized grip panels
- Metal Master



Item No.	Retail	Wholesale
8711400R		Please Login



Heavy Duty Jobber Length Drill Set-29 Pieces

- Sizes: 1/16 thru 1/2 by 64ths
- 135° split point drills are self centering and perform well in harder metals
- · Heavy duty construction-ideal for metal drilling applications
- · Waterproof and unbreakable case included

Item No. Retail Wholesale 44170 Please Login



MAKE SURE YOU CHECK OUT THE



ON PAGE 192-193





7" High Performance Angle Grinder

- Maximum power at minimum weight up to 20% lighter than comparable tools
- Patented vibration control with soft grip
- AC/DC capability
- · Quick adjust guard system
- Service minder brushes eliminates guesswork, stops tool when preventive maintenance is required
- Tri-Control Switch Design helps prevent accidental start-ups

Includes

Vibration control side handle Quick adjust wheel guard Grinding wheel flange kit Spanner wrench

pecifications	

	17.5"
ŀΡ	4
V	8,500
120	V AC/DC
ad	5/8" - 11
	11.4
	IР И 120 ad

Item No.	Retail	Wholesale
1974-8		Please Login



9" High Performance Angle Grinder

- Maximum power at minimum weight up to 20% lighter than comparable tools
- · Patented vibration control with soft grip
- AC/DC capability
- · Quick adjust guard system
- Service minder brushes eliminates guesswork, stops tool when preventive maintenance is required
- Tri-Control Switch Design helps prevent accidental start-ups

Includes

Vibration control side handle Quick adjust wheel guard Grinding wheel flange kit Spanner wrench

Specifications

Length 17.5"

Max. Motor HP 4

No Load RPM 6,500

Rating 120 V AC/DC

Spindle Thread 5/8" - 11

Weight (lbs.) 11.8

Item No.	Retail	Wholesale
1994-6		Please Login



4-1/2" Angle Grinder

- Powerful motor 10 A and 11,500 RPM
- Carbon brushes
- · Direct-motor cooling for higher overload capabilities
- Two-position Vibration Control™ side handle
- · Directed air flow diverts dust from vital components
- · Toolless, burst-protection adjustable guard
- Service Minder™ brushes
- · Large spindle lock for more convenient disc change

Includes

Backing Flange
Lock Nut
Spanner Wrench
Grinding Guard
Vibration Control Side Handle

Specifications

Length 12"
Amps 10
No Load RPM 11,500
Rating 120 V AC/DC
Spindle Thread 5/8" - 11
Weight (lbs.) 4.6

Item No.	Retail	Wholesale
GWS10-45		Please Login



X-Lock Cutting/Grinding Wheels

- · Snap-on mounting that's up to five times faster
- Wheels are backward compatible with standard 7/8" arbor mounts
- Multiple layers of stranded fiberglass and Aluminum Oxide grit for speed and durability
- Optimized wheels for less vibration and improved working speed

Item No.	Application	Dia.	Grit	Retail	Wholesale
TCWX1S450	Metal / stainless steel	4-1/2" x .045"	60		Please Login
TCWX1S500	cutting Metal / stainless steel	5" x .045"	60		Please Login
	cutting				
GWX27LM450	Metal grinding	4-1/2" x 1/4"	30		Please Login
GWX27LM500	Metal grinding	5" x 1/4"	30		Please Login







4-1/2" X-LOCK Ergonomic Angle Grinder

- X-LOCK quick-change mount minimizes downtime between wheel changes
- Multi-grip paddle switch provides increased grip options for better ergonomics, comfort and control
- Tool-free changes with single-lever wheel release, lock-in connection
- Professional 10-amp motor delivers up to 11,000 no-load rpm
- · Directed air flow-which cools the motor
- Service Minder brushes-eliminates guesswork, stopping grinder when preventative maintenance is required

Includes Angle Grinder Auxiliary Handle Wheel Guard **Specifications**

Length 11.1"
Amps 10
No Load RPM 11,000
Rating 120 V AC/DC
Weight (lbs.) 4.5

Item No.	Description	Retail	Wholesale
GWX10-45E	Angle Grinder		Please Login
GWX10-45PE	Angle grinder w/paddle switch		Please Login



5" X-LOCK Ergonomic Angle Grinder

- X-LOCK quick-change mount minimizes downtime between wheel changes
- Multi-grip paddle switch provides increased grip options for better ergonomics, comfort and control
- Tool-free changes with single-lever wheel release, lock-in connection
- Professional 13-amp motor delivers up to 11,500 no-load rpm
- · Directed air flow-which cools the motor
- Service Minder brushes-eliminates guesswork, stopping grinder when preventative maintenance is required

Includes
Angle Grinder
Auxiliary Handle
Wheel Guard

Specifications
Length 12.1"
Amps 13
No Load RPM 11,500
Rating 120 V AC/DC

Weight (lbs.) 5.5

Item No.	Description	Retail	Wholesale
GWX13-50	Angle Grinder		Please Login
GWX13-50VSP	Angle grinder w/paddle switch		Please Login



Includes Angle Grinder Auxiliary Handle Wheel Guard

Specifications

Length 12.5" Bat. Voltage 18 Rating 18V Weight (lbs.) 4.5

18V X-LOCK EC Brushless Connected-Ready 4-1/2"- 5" Angle Grinder with No Lock-On Paddle Switch

- X-LOCK quick-change mount minimizes downtime between wheel changes
- Tool-free changes with single-lever wheel release, lock-in connection
- EC Brushless motor provides greater efficiency that maximizes runtime and productivity
- X-Brake helps provide a rapid stop of the wheel
- No lock-on paddle switch provides for multiple, comfortable grip positions; shuts off motor after the switch is released
- KickBack Control helps shut off the tool if the wheel gets into a bind situation

Item No.	Retail	Wholesale
GWX18V-50PCN		Please Login



ER TOOL



Makita 4-1/2" Paddle Switch **Angle Grinder**

- Powerful 6.0 AMP motor delivers 11,000 RPM for the most demanding applications
- Small diameter barrel grip (only 2-3/16") with paddle switch for added comfort
- · Labyrinth construction seals and protects the motor and bearings from dust and debris for longer tool life
- 4.2 lbs. for reduced operator fatigue

Specifications	
No Load Speed	11,000 RPM
Spindle Thread	5/8" x 11 UNC
AMPS (120V)	6.0
Lock-On: No	Lock-Off: Yes
Length	10-3/8'
Net Weight (lbs.)	4.2
	No Load Speed Spindle Thread AMPS (120V) Lock-On: No Length

Item No.	Retail	Wholesale
GA4534		Please Login



1/4" Sheet Finishing Sander

- 2.0 AMP motor that delivers 14,000 OPM for fast and smooth finishing sanding
- · Precision engineered all-ball bearing construction for reduced vibration and noise
- Contoured, rubberized palm grip design
- Large clamping lever for quick and easy paper installation
- · Efficient through-the-pad dust collection system for a cleaner work environment
- · Conveniently located on/off switch
- · Rubber-sealed switch prevents dust contamination for longer tool life

Includes

Abrasive Paper-60 Grit, 100 Grit, 150 Grit, Dust Bag, Punch Plate, Tool Case

Item No.	Retail	Wholesale
B04556K		Please Login



Makita 7" Angle Grinder

- Powerful 15.0 AMP motor delivers 8,500 RPM
- Rotatable rear handle rotates with just the push of a button
- "Tool-less" wheel cover allows for easy guard adjustment
- AC/DC switch for use with alternative power source
- · Lower vibration rear and side handles includes soft grip
- Protective zig-zag varnish seals the armature from dust
- · Externally accessible brushes for easy serviceability

Includes	Specifications	
 Lock Nut Wrench 	No Load Speed	8,500 RPM
 Tool Less Wheel Cover 	Spindle Thread	5/8" x 11 UNC
Side Handle	AMPS (120V)	15.0
Inner Flange	Lock-On: No	Lock-Off: Yes
Lock Nut	Length	19-7/8"
Wire Mesh Intake Cover	Net Weight (lhs.)	18

Item No.	Retail	Wholesale
GA7031Y		Please Login



Grinding Wheels (1/4" Thick)

- · For metal polishing & general flat grinding
- 24 grit

Item No.	Diameter	Arbor	Model	Retail	Wholesale
741423-B-25	4-1/2"	7/8"	GA4534, 9527NB, 9527PB 9554NB, 9557NB/PB, 9564CV		Please Login



Super Thin Cut-Off Wheel (3/64" Thick)

- Cuts up to 50% faster
- A46 Grit
- Pack of 25

Item No.	Diameter	Arbor	Model	Retail	Wholesale
724115-A-25	4-1/2"	7/8"	GA4534, 9527NB, 9527PB		Please Login







DeWalt 10 Amp Reciprocating Saw

- Powerful 10.0 Amp motor designed for heavy-duty applications
- · 4-position blade clamp allows for flush cutting and increased versatility
- 0-2,800 strokes per minute and 1-1/8" stroke length deliver fast cutting
- Variable speed trigger allows user to instantly control speed at the trigger
- · Cord Length: 6.9 ft.
- · Keyless Blade Clamp: Lever
- Stroke Length: 1-1/8"
- · 4-Position Blade Clamp: Yes
- Adjustable Shoe: No
- · Anti-Slip Comfort Grip: No
- · Tool Length: 17.5 in.
- · Tool Weight: 7 lbs.

Item No.	Retail	Wholesale
DWE304		Please Login





Makita Cordless Reciprocating Saw Kit

- Variable 2-speed brushless motor delivers 0-2,300 (Low) & 0-3,000 (High) strokes per minute
- Long 1-1/4" stroke length provides increased cutting efficiency
- · Built-in L.E.D. light with preglow and afterglow
- Retractable tool hook secures the tool when not in use
- "Tool-less" blade change system allows for faster blade installation and removal for increased productivity
- Compact and ergonomic design at only 17-1/4" long
- Weighs only 8.2 lbs. with battery for reduced operator fatigue
- · Rubberized soft grip handle provides increased comfort on the job
- Large two-finger variable speed trigger for operator convenience
- Includes (2) 18V LXT® Lithium-ion 5.0Ah batteries, rapid charger & tool case

Item No.	Retail	Wholesale
XRJ05T		Please Login



DeWalt 12 Amp Reciprocating Saw

- Powerful 12.0 Amp motor designed for heavy-duty applications
- · 4-position blade clamp allows for flush cutting and increased versatility
- Keyless lever-action blade clamp for guick and easy blade changes
- 0-2,900 strokes per minute and 1-1/8" stroke length deliver fast cutting
- · Variable speed trigger allows user to instantly control speed at the trigger
- · Adjustable Shoe: Fixed
- · Anti-Slip Comfort Grip: Yes
- Length: 17.5"
- · Weight: 7.0 lbs.

Item No.	Retail	Wholesale
DWE305		Please Login





12 Pc. Reciprocating Saw Blade Set

- Heavy-Duty
- 12-Piece Bi-Metal

Item No.	Retail	Wholesale
RBKITHD01		Please Login



Reciprocating Saw Blade



129

- carbon steel and stainless steel · Use with materials 1/8" and thicker
- · Electronic beam weld
- · Bi-metal construction

Item No.	Retail	Wholesale
372810BB		Please Login



OWER TOOL





20V MAX* XR® 15 GA Cordless **Angled Finish Nailer Kit**

- 100% battery powered. No gas, compressor, and hose
- · Brushless motor maximizes runtime and durability
- · Micro nose improves line of sight and accuracy
- Tool-free depth adjustment for precise countersinking
- Tool-free jam release to guickly and easily clear nail jams
- Multi-functional LED lights help to provide both workspace illumination and tool diagnostics
- · Integrated tool-free stall release lever
- · Adjustable belt hook for left or right attachment
- Inline magazine provides easy use in multiple orientations
- Compatible with all DEWALT 20V MAX* batteries

Includes: Angled Finish Nailer, 2.0Ah Battery, Charger, Kit Bag

ltem No.	Retail	Wholesale
DCN650D1		Please Login







20V MAX* XR® COMPACT 12 IN. Cordless Chainsaw Kit

- · Low kick back 12 in. bar and chain for construction and outdoor cutting applications
- Compact, lightweight design (just 9 lbs. with battery)
- High-efficiency brushless motor maximizes runtime and motor life
- Up to 90 cuts per charge on 4x4 pressure treated wood
- · Tool-free chain tensioning and bar tightening knob for proper bar clamping force

Includes: Chainsaw, 5.0Ah Battery, Charger

Item No.	Retail	Wholesale
DCCS620P1		Please Login





Bosch Breaker Hammer

- Unmatched power to weight ratio; 34-feet-perpound of impact force: fastest removal rate in its class by far
- Active vibration control handle--a unique flexible 2-handed design that reduces vibration
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Total comfort and control--articulating auxiliary handle to maintain the best working posture
- Rugged durability--metal tube and case design handles tough jobsite use and abuse

Item No.	Retail	Wholesale
11335K		Please Login

Specifications Amperage 15.0 Certifications cULus Impact Energy (ft. lbs.) 34 Length 30" No Load BPM 1,300 Rating 120V Weight (lbs.) 38 KIT **INCLUDES** Pointed Chisel Articulating Auxiliary Handle

- Carrying Case with Wheels
 - Grease tube
 - Cleaning rag



Specifications

No Load BPM

Weight (lbs.)

Cord length

14.0

120V

22-1/2

22.5

12'

900-1,890

Amperage

Rating

Length



Auxiliary handle Carrying case

Bosch SDS-Max® Demolition Hammer

- · SDS-max® bit system
- Soft-start and maintains constant speed under load
- Variable-speed dial for controlled chipping applications
- Hammer rotates and locks chisel into 12 different positions
- Double insulated, UL listed, complies with OSHA standards

Item No.	Retail	Wholesale
11316EVS		Please Login



Phone Toll-Free: 1.800.362.6951

POWER TOOLS

Bosch 1" SDS-plus® Rotary Hammer



Specifications Amperage 120V Rating No Load RPM 0-1,300 0-5,800 No Load BPM Length 17-1/4" Weight (lbs.) 6.7

- 3 modes of operation, rotation, rotary hammer & hammer
- · Variable-speed reversing trigger for accurate bit starting, as well as removing fasteners or bound bits
- Integral clutch helps minimize torque reaction
- · Double insulated, UL listed, complies with OSHA standards

Item No.	Retail	Wholesale
11255VSR		Please Login

Bosch 1-9/16" Combination



- Tool-free bit changes with automatic bit locking
- · Best in class Impact Energy
- Combination Dual Mode Selector Knob
- · Varo-Lock Positioning: Rotates and locks chisel into 12 different positions

Item No.	Description	Retail	Wholesale
RH540M	SDS-Max		Please Login
RH540S	Spline		Please Login

Specifications Amperage 120V Rating No Load RPM 170-340 No Load BPM 2,900 19" Length 15.2 Weight (lbs.)

Bosch 2" SDS-max® **Rotary Hammer**



Includes

Auxiliary handle Carrying case

120V

100-220

23-1/2

26.2

1,000-2,150

Specifications

Amperage Rating No Load RPM No Load BPM Length Weight (lbs.)

- Turbo[™] Power for torque & speed boost in hammer mode
- Best power-to-weight ratio of 14.1 ft.-lbs. of impact energy
- Vibration Control[™] for comfort in all-day applications
- Constant Response[™] for soft start, constant speed under load
- Vario-Lock™ positioning for precise chiseling location
- · Two drilling speeds to match speed to application

Item No.	Retail	Wholesale
RH1255VC		Please Login





Bosch 1-5/8" Spline **Combination Hammer**



Includes Auxiliary handle Carrying case

Specifications Amperage 120V No Load RPM 340 2.900 No Load BPM 19.25" Weight (lbs.)

- Vibration Control™ vibration reduction in the hammer mechanism and the grip area
- · Combination dual mode selector
- Vario-Lock™ positioning rotates and locks chisel into 12 different positions to optimize working angle
- Service Minder™ light

Item No.	Retail	Wholesale
11265EVS		Please Login



1" SDS-Plus Rotary Hammer



Specifications Amperage Rating 120V 0 - 1,100**RPM BPM** 0 - 4,50016-5/8" Length Weight (lbs.)

- Powerful 8 amp motor delivers 2.1 ft-lbs. of impact energy
- Anti-Vibration Technology (AVT)
- Vibration Control[™] for comfort in all-day applications
- · Variable speed trigger
- · 40 bit angle settings
- Integrated damper spring is engineered to absorb impact vibrations

Item No.	Retail	Wholesale
HR2641		Please Login



DITILLRITE

Overhead Drill Press

- · Chain mechanism for simplicity, long life and low maintenance
- · Includes secondary flat base for use on work plaforms
- · Flex base available for uneven floors (ie; parking garages)
- · Reduces operator fatigue
- · Integrated dust extraction system
- Drill and vacuum sold separately
- · Reaches: 140"
- Travel: 59"
- · Cradle Height: 81"




Item No.	Retail	Wholesale	
350		Please Login	









SDS-max® R-Tec

The R-Tec Advantage

Bosch R-Tec technology for SDS-max® chisels use an energy diverting reflection element that increases material removal by 15%. Because the energy is dispersed back into the work material, the tool and bit do more of the work with less vibration for the user. And the R-Tec chisel features a unique cutting head with extra wedges for increased breakout. Bosch SDS-max® R-Tec chisels and points produce faster results in less time and help increase overall jobsite productivity and profitability.



The reflection element diverts the energy of the return shock and converts it into new impact energy.



SDS-max® Hammer Steel

Bosch offers a full assortment of SDS-max® hammer steel points and chisels.

Item No.	Description	Retail	Wholesale
HS1934	16" R-Tec star point chisel-self-sharpening		Please Login
HS1935	1" × 16" R-Tec flat chisel-self-sharpening		Please Login
HS1903	1" × 16" R-Tec flat chisel		Please Login
HS1906	5" × 15" Asphalt cutter		Please Login
HS1909	1-3/4" × 9-1/4" Bushing tool		Please Login
HS1910	3" × 12" Scaling chisel		Please Login
HS1916	1-1/2" × 12" Scaling chisel		Please Login
HS1917	2" × 14" Scaling chisel		Please Login
HS1911	1" × 12" Flat chisel		Please Login
HS1912	1"×18" Flat chisel		Please Login

Item No.	Description	Retail	Wholesale
HS1913	12" Bull point		Please Login
HS1914	18" Bull point		Please Login
HS1915	2"×12" Tile chisel		Please Login
HS1918	6"×25" Floor scraper		Please Login
HS1922	4-1/2" × 16" Clay spade		Please Login
HS1924	Ground rod driver		Please Login
HS1927	12" Tamper plate shank		Please Login
HS1828	5" × 5" Tamper plate		Please Login
HS1929	1" x 12" gouge		Please Login

BOSCH

Core Bits with Wave Design Larger, cleaner holes up to 6" in diameter Carbide-Asymmetrical tipped carbide teeth centering bit for faster cutting, longer life Item# HC88 All-in-one core Wave design transmits transfers energy power directly to bit more effectively for up to 40% faster to the end of the bit drilling vs. previous design

SDS-max® Rotary Hammer Core Bits (One Piece Bits)

Bosch SDS-max® carbide-tipped rotary hammer core bits offer an integral shank for better power transmission. Maximum core size is 2-5/8" deep.

Item No.	Dimensions	Retail	Wholesale
HC8501	1-3/4"x 7" x 12"		Please Login
HC8506	1-3/4" x 17" x 22"		Please Login
HC8510	2" x 7" x 12"		Please Login
HC8515	2" x 17" x 22"		Please Login
HC8521	2-3/4" x 7" x 12"		Please Login
HC8526	2-3/4" x 17" x 22"		Please Login
HC8531	3-1/4" x 7" x 12"		Please Login
HC8536	3-1/4" x 17" x 22"		Please Login
HC8540	3-1/2" x 7" x 12"		Please Login
HC8545	3-1/2" x 17" x 22"		Please Login
HC8550	4" x 7" x 12"		Please Login
HC8555	4" x 17" x 22"		Please Login
HC8575	5" x 17" x 22"		Please Login
HC8595	6" x 17" x 22"		Please Login
HC88	Centering bit		Please Login

SDS-max® **Demolition** Steel Chisel



· Includes: header, rack hooks and product

Includes SDS-max® Demolition Steel (1 each)

HS1903 1" x 16" Rtec flat chisel HS1909 One piece bushing tool

HS1910 3" x 12" scaling chisel

HS1915 2" x 11-1/2" tile chisel self-sharpening

HS1917 2" x 14" wide chisel self-sharpening

HS1918 6" x 25" floor scraper

HS1922 4-1/2" x 17" clay spade

HS1924 Ground rod driver

HS1929 1" x 12" gouge

HS1934 16" Rtec star point chisel self-sharpening

Item No.	Retail	Wholesale
T5117P		Please Login



CHISELS & BITS



SDS-max[®] SpeedX[™] Rotary Hammer Bits

Bosch carbide rotary hammer bits feature tips that stay sharper longer and deliver more holes within specification than competitors' bits.

- Manufactured to ANSI specification B212.15
- SDS-max® rotary hammer bits fit Bosch SDS-max® hammers, but also competitive SDS-max® drive hammers and Hilti® hammers using TE-Y and TE-FY shanks

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
	3/8"	8"	13"	Keluli	
HC5005*					Please Login
HC5010*	1/2"	8"	13"		Please Login
HC5011*	1/2"	16"	21"		Please Login
HC5015*	9/16"	8"	13"		Please Login
HC5020	5/8"	8"	13"		Please Login
HC5021	5/8"	16"	21"		Please Login
HC5024	5/8"	24"	29"		Please Login
HC5030	3/4"	8"	13"		Please Login
HC5031	3/4"	16"	21"		Please Login
HC5033	3/4"	31"	36"		Please Login
HC5034	3/4"	24"	29"		Please Login
HC5041	7/8"	16"	21"		Please Login
HC5050	1"	8"	13"		Please Login
HC5051	1"	16"	21"		Please Login
HC5061	1-1/8"	16"	21"		Please Login
HC5062	1-1/8"	24"	29"		Please Login
HC5071	1-1/4"	16"	21"		Please Login
HC5081	1-3/8"	16"	21"		Please Login
HC5091	1-1/2"	16"	21"		Please Login
HC5099	2″	16"	21"		Please Login
*Two cutter					



SDS-max[®] SpeedX[™] Merchandiser

 Includes: header, rack hooks and product

Includes SDS-max® SpeedX™ Bits (1 each)

HC5091 1-1/2"× 16"/21" HC5071 1-1/2"× 16"/21" HC5061 1-1/8" × 16"/21" HC5051 1" × 16"/21" HC5041 7/8" × 16"/21" HC5031 3/4" × 16"/21" HC5021 5/8" × 16"/21"

HC5021 5/8 × 10 /21 HC5030 3/4" × 8"/13" HC5020 5/8" × 8"/13" HC5010 1/2" × 8"/13"

Item N	o. Retai	Wholesale
T5017)	Please Loain



CHISELS & BIT



SDS-plus® Bulldog™ Rotary Hammer Bits

- 15% faster in concrete (compared to S4L)
- · Optimized brazing and hardening process for long life
- Manufactured to ANSI specification B212.15
- · Optimized flute design to reduce bit stress and make the bit SDS-plus® BulldogTM Rotary Hammer Bit Sets run cooler
- · Centric tip for optimal hole geometry
- · Some items are special order only; non-stock item



	Bit	Usable	Overall		
Item No.	Dia.	Length	Length	Retail	Wholesale
HC2000	5/32"	2"	4 ⁱⁱ		Please Login
HC2001	5/32"	4"	6"		Please Login
HC2009	5/32"	6"	8"		Please Login
HC2010	3/16"	2"	4"		Please Login
HC2011	3/16"	4"	6"		Please Login
HC2012	3/16"	6"	8"		Please Login
HC2014	3/16"	10"	12"		Please Login
HC2031	7/32"	4"	6"		Please Login
HC2040	1/4"	2" 4"	4"		Please Login
HC2041	1/4"		6"		Please Login
HC2042	1/4"	6"	8"		Please Login
HC2044	1/4"	10"	12"		Please Login
HC2051	5/16"	4"	6"		Please Login
HC2054	5/16"	10"	12"		Please Login
HC2061	3/8"	4"	6"		Please Login
HC2064	3/8"	10"	12"		Please Login
HC2067	3/8"	16"	18"		Please Login
HC2081	1/2"	4"	6"		Please Login
HC2084	1/2"	10"	12"		Please Login
HC2087	1/2"	16"	18"		Please Login
HC2088	1/2"	22"	24"		Please Login
HC2094	9/16"	10"	12"		Please Login
HC2102	5/8"	6"	8"		Please Login
HC2104	5/8"	10"	12"		Please Login
HC2107	5/8"	16"	18"		Please Login
HC2124	3/4"	10"	12"		Please Login
HC2127	3/4"	16"	18"		Please Login
1					



SDS-plus[®] Bulldog[™] **Hammer Carbide** Merchandiser

· Includes: header, rack hooks and product



Includes all SDS-plus® bits shown here!

Item No.	Retail	Wholesale	
BDG25P		Please Login	

BULLDGG

Rotary Hammer

SDS-plus® Bulldog™

Bit Sets



O MALLES D.	
	BHI
5//	
	ii.J
31 = H	iiiii

Item No.	Includes	Retail	Wholesale
HCK005	(1) 3/16" × 4" × 6", (1) 1/4" Type × 2"×4", (1) 1/4"×4"×6", Tube (1) 3/8"×4"×6", (1) 1/2"× 4"×6"		Please Login
HCST006	(1) 5/32"× 4" × 6", (1) 3/16" × 4" × 6", (1) 1/4" × 2"Brute ×4", (1)3/8"×4"×6", (1) ToughTM flat chisel, (1) point chisel		Please Login






SDS-plus® Rebar Cutters



Item No.	Dia.	Length	Retail	Wholesale
RC2064	3/8"	12"		Please Login
RC2084	1/2"	12"		Please Login
RC2094	9/16"	12"		Please Login
RC2124	3/4"	12"		Please Login
RC2144	7/8"	12"		Please Login
RC2164	1"	12"		Please Login
RC2168	1-1/8"	12"		Please Login
RC2172	1-1/4"	12"		Please Login
RC2176	1-1/2"	12"		Please Login



Concrete Screw Anchoring System

Holds tight tolerances that are critical to precision anchoring



Common Applications:

- ► Condui<u>t</u>
- ► Electrical boxes
- ▶ Pipe straps
- ► HVAC strapping
- ► Sign fastening
- ▶ Window frames
- ▶ Backer boards



SDS-plus[®] Bulldog™ **Hex Drive Rotary Hammer Bits**

For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.

Manufactured to ANSI specification B212.15

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC2302	5/32"	4"	7"		Please Login
HC2312	3/16"	4"	7"		Please Login

SDS-plus[®] Bulldog[™] **Hex Drive Accessory and Kit**

For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.

• 1/4" hex shoulder for drive sleeve used to set masonry screws

Item No.	Includes	Retail	Wholesale
HC2309	7 pc anchor drive installation kit:		Please Login
	5/32" × 6-1/2" and 3/16" × 6-1/2"		
	hex bits, #2 and #3 Phillips®		
	power bits, 5-3/4" sleeve, 1/4"		
	and 5/16" sockets		
NOTE: Drill bits	(or extension + drill bit) in excess of 8" sho	uld never exce	ed 600 RPM
	,		



SPEEDCORE™ Thin-Wall Core Bits

Core Bit Assembly: Screw core bit onto shank





Thin-Wall Core Bit

SDS-plus[®] SPEEDCORE™ Thin-Wall Core Bits

Bosch SDS-plus® thin-wall core bits are designed for drilling with smaller hammers; core body range is 1" up to 4-3/8" with a usable cutting depth of 3".



Item No.	Dia.	Retail	Wholesale
T3910SC	1"		Please Login
T3911SC	1-3/16"		Please Login
T3912SC	1-3/8"		Please Login
T3913SC	1-9/16"		Please Login
T3914SC	1-7/8"		Please Login
T3915SC	2-9/16"		Please Login

Item No.	Dia.	Retail	Wholesale
T3916SC	2-11/16"		Please Login
T3917SC	3-1/8"		Please Login
T3918SC	3-3/16"		Please Login
T3919SC	3-1/2"		Please Login
T3920SC	3-7/8"		Please Login
T3921SC	4-3/8"		Please Login

Item No.	Description	Retail	Wholesale
T3922	3" extension SDS-plus®-doesn't include pilot bit (T3924)		Please Login
T3923SC	4" extension SDS-plus®-doesn't include pilot bit (T3924)		Please Login
T3924	SpeedCoreTM pilot bit		Please Login
T3925SC	7" extension SDS-plus®-does include pilot bit (T3924)		Please Login
T3926SC	13" extension SDS-plus®-does include pilot bit (T3924)		Please Login
T3927SC	17" extension SDS-plus®-does include pilot bit (T3924)		Please Login

T3924-Pilot Bit

T3922 / T3923SC





SDS-plus[®] Bulldog[™] Hammer Steel

Description	Retail	Wholesale
10" point		Please Login
3/4" × 10" chisel		Please Login
10" gouging chisel		Please Login
		Please Login
		Please Login
3/4" × 5-3/4" stubby flat chisel		Please Login
	10" point 3/4" × 10" chisel	10" point 3/4" × 10" chisel 10" gouging chisel 1-1/2" × 5-3/4" stubby scaling chisel 5-3/4" stubby point



SDS-plus[®] Bulldog[™] Xtreme Hammer Steel

Bosch offers a full assortment of SDS-plus® hammer steel points and chisels.

- HS1465 removes material up to 40% quicker than conventional tile chisels. Ideal for smaller grout joints and specially shaped for prying and removing tiles in one piece
- HS1470 viper flat chisel and HS1472 pointed chisel provide 30% longer life and 15% more material removal

Item No.	Description	Retail	Wholesale
HS1425	1-1/2" × 10" wide chisel		Please Login
	(self-sharpening)		
HS1427	2-1/2" × 10" wide chisel		Please Login
	(self-sharpening)		
HS1465	1-1/2" × 10" tile chisel		Please Login
HS1470	3/4" × 10" viper flat chisel (long life)		Please Login
HS1472	10" point (long life)		Please Login



SDS-plus[®] Bulldog[™] Hammer Steel Merchandiser



 Includes: header, rack hooks and product

Includes SDS-plus[®] Bulldog[™] Steel (1 each)

HS1425	Wide chisel 1-1/2" × 10"
HS1465	Tile chisel 1-1/2" × 10"
HS1470	Viper flat chisel LONG LIFE
HS1472	Pointed chisel LONG LIFE
HS1475	Gouging chisel
HS1485	Stubby scaling chisel
HS1490	Stubby pointed chisel
HS1495	Stubby flat chisel
HS1427	Wide chisel 2-1/2" × 10"

Item No.	Retail	Wholesale
BDC10P		Please Login







Spline SpeedX[™] Rotary Hammer Bits

Bosch spline rotary hammer bits are carbide tipped, fit Bosch and other spline hammers. Manufactured to ANSI specification B212.15.

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC4501*	3/8"	8"	13"		Please Login
HC4511*	1/2"	8"	13"		Please Login
HC4512*	1/2"	16"	21"		Please Login
HC4513*	1/2"	24"	29"		Please Login
HC4021	5/8"	8"	13"		Please Login
HC4022	5/8"	16"	21"		Please Login
HC4031	3/4"	8"	13"		Please Login
HC4032	3/4"	16"	21"		Please Login
HC4040	7/8"	8"	13"		Please Login
*Two cutter					

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC4041	7/8"	16"	21"		Please Login
HC4050]"	8"	13"		Please Login
HC4051]"	16"	21"		Please Login
HC4053]"	31"	36"		Please Login
HC4060	1-1/8"	8"	13"		Please Login
HC4061	1-1/8"	16"	21"		Please Login
HC4071	1-1/4"	16"	21"		Please Login
HC4081	1-3/8"	16"	21"		Please Login
HC4091	1-1/2"	16"	21"		Please Login
CASO08	Core Bit 8	" Extension			Please Login





Spline Shank SpeedX™ Merchandiser


· Includes: header, rack hooks and product

Includes Spline Shank SpeedX™ (1 each)

HC4091 1-1/2" × 16"/21" HC4071 1-1/4" × 16"/21" HC4022 5/8" × 16"/21" HC4060 1-1/8" × 8"/13" HC4050 1" × 8"/13" HC4040 7/8" × 8"/13" HC4031 3/4" × 8"/13" HC4021 5/8" × 8"/13" HC4511 1/2" × 8"/13"







Spline Rotary Hammer Core Bits with Wave Design (1 Pc.)

	Bit	Usable	Overall		
Item No.	Dia.	Length	Length	Retail	Wholesale
HC8070	5"	7"	12"		Please Login
HC8026	2-5/8"	17"	22"		Please Login
HC8017	2-1/4"	12"	22"		Please Login
HC8021	2-5/8"	7"	12"		Please Login
HC8006	1-3/4"	17"	22"		Please Login
HC8015	2"	17"	22"		Please Login
HC8040	3-9/16"	7"	12"		Please Login
HC8010	2"	7"	12"		Please Login
HC8055	4"	17"	22"		Please Login
HC8075	5"	17"	22"		Please Login
HC8036	3-1/4"	12"	22"		Please Login
HC8085	6"	17"	22"		Please Login
HC8045	3-9/16"	17"	22"		Please Login
HC8050	4"	7"	12"		Please Login
HCRR001	Rubber ring	g & pin			Please Login
HC88	Pilot Bit		5-5/16		Please Login



Round Hex / Spline **Hammer Steel**



Bosch offers a full assortment of round hex/spline hammer steel points and chisels.

Item No.	Description	Retail	Wholesale
HS1810	3" × 12" Scaling chisel		Please Login
HS1811	1" × 12" Flat chisel		Please Login
HS1812	1" × 18" Flat chisel		Please Login
HS1813	12" Bull point		Please Login
HS1814	18" Bull point		Please Login
HS1817	2" × 12" Scaling chisel		Please Login
HS1824	Ground rod driver (5/8",3/4")		Please Login
	*, *, *, *		ŭ



eaker hammer

Bosch Brute Breaker Hammer - Basic Kit

- Active Vibration Control™: Vibration reduction in the hammer mechanism and the grip area provides maximum user comfort
- Ergonomic Handles New ergonomic shock absorbing handles provide additional user comfort in all day applications
- Total portability Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer Does not need a compressor

Specifications

Amperage 15.0 Tool Shank 1-1/8" Impact Energy (ft. lbs.): 35 Rating 120V No Load BPM 1000 Length 30.75" Weight (lbs.) 65



<u>includes free</u>

- Basic Cart-T1657
- •1 Points-HS2161
- 1 Chisels-HS2164



Tent Stake Driver #HS2126

The tent stake driver and tamper shank must be used together to work.







Item No.	Description	Retail	Wholesale
BH2760VCB	Hammer		Please Login
T1657	Hammer havler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login
HS2161	1-1/8" shank point		Please Login
HS2164	1-1/8" shank chisel		Please Login

Bosch Brute Turbo Breaker Hammer

- Best in class impact energy 47.0 ft. lbs.
- · Best in class anti-vibration system in the hammer mechanism
- · Anti-slip rubber cover-Helps prevent tool from accidental fall over
- · Ergonomic shock absorbing handles
- Hammer Tube Design-Hammer Tube Flutes help dissipate heat,
- Reinforced Hammer Tube Collar / Springs-Maximizes tool holder lifetime by reducing the hammer's impact from blank beats
- Total portability Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer Does not need a compressor

Specifications

Amperage 15.0 Tool Shank 1-1/8" Impact Energy (ft. lbs.): 43 Rating 120V No Load BPM 1000 Length 30.5" Weight (lbs.) 65



INCLUDES FREE Basic Cart-T1757

2 Points-HS2161

2 Chisels-HS2164






The tent stake driver and tamper shank must be used together to work.







Item No.	Description	Retail	Wholesale
BH2770VCD	Hammer		Please Login
T1757	Hammer hauler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login
1617014113	Brush set		Please Login
HS2161	1-1/8" shank point		Please Login
HS2164	1-1/8" shank chisel		Please Login



1-1/8" Jackhammer Steel

Some items are special order only; non-stock item

P10318 18" Moil point C10318 18" Narrow chisel CC11318 3" x 18" Wide chisel	Please Login Please Login
	Plagga Lagin
(C11318 3" x 18" Wide chisel	i ieuse Logiii
cerioro o x io mao cinsor	Please Login
AC103-10 4-1/2" x 20" Asphalt cutter	Please Login
CS103-10 5-1/2" x 20" Clay spade	Please Login



EAKER HAMMERS

Bosch Breaker Hammer

- Unmatched power to weight ratio; 34-feet-perpound of impact force; fastest removal rate in its class by far
- · Active vibration control handle--a unique flexible 2-handed design that reduces vibration
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- · Total comfort and control--articulating auxiliary handle to maintain the best working posture possible
- Rugged durability--metal tube and case design handles tough jobsite use and abuse

Item No.	Retail	Wholesale
11335K		Please Login

Specifications

Amperage 15.0 Certifications cULus Impact Energy (ft. lbs.) 34 Length 30" No Load BPM 1.300 120V Rating Weight (lbs.) 38

- **INCLUDES** Pointed Chisel
- Articulating Auxiliary Handle
- Carrying Case with Wheels
 - Grease tube
 - Cleaning rag



Rip-R-Stripper Cart

- · Removes ceramic tile, hardwood floor and other tough coverings
- · Acts as a tool carrier for electricpowered breakers with ratings between 30 and 45 ft.-lbs.
- · Quick adjustment provides 5 breaker tool angles relative to floor

Item No.	Breaker Model	Availability	Retail	Wholesale
CTS10-1000A	Makita HM1500B	Drop Ship		Please Login
	Makita HM1307C			
CTS10-1100A	Makita HM1317CB	Drop Ship		Please Login
	Makita HM1307C			
CTS10-1200A	Bosch 11335K	Drop Ship		Please Login
	Bosch GSH 16-28			
CTS10-1300A	Hilti TE905-AVR	Drop Ship		Please Login
CTS10-1410A	Hilti TE1000-AVR	Drop Ship		Please Login
CTS10-1600A	Hitachi H65DS2	Drop Ship		Please Login
CTS10-2100A	DeWalt D25941K	Drop Ship		Please Login
	DeWalt D25951K			


(General

*Please Note: The carts listed below come with one mounting kit.



Mounting **Kits**

breaker hammers.



The Rip-R-Stripper Cart comes with one mounting kit at no additional charge.

If you need an additional mounting kit, please specify which one when ordering.

Breaker Model	Retail	Wholesale
Makita HM1500B		Please Login
Makita HM1307C		
Makita HM1317CB		Please Login
Makita HM1307C		
Bosch 11335K		Please Logir
Bosch GSH 16-28		
Hilti TE905-AVR		Please Logir
Hitachi H65DS2		Please Logir
DeWalt D25941		Please Login
	Makita HM1500B Makita HM1307C Makita HM1317CB Makita HM1307C Bosch 11335K Bosch GSH 16-28 Hilti TE905-AVR Hitachi H65DS2	Makita HM1500B Makita HM1307C Makita HM1317CB Makita HM1307C Bosch 11335K Bosch GSH 16-28 Hilti TE905-AVR Hitachi H65DS2

Floor Scrapers





Heavy-duty Scraper

Item No.	Description	Retail	Wholesale
FSHD-103B-100S	Scraper		
	1-1/8" Shank		Please Login
FSHD-905-100S	Scraper		
	Hilti 805/905/1000 Shank		Please Login
FSHDB-2MM	Repl. Blade		Please Login
FSHDRKIT-L	Repl. Hardware		Please Login



Sure Lock Scraper

Item No.	Description	Retail	Wholesale
FSA-MAX-100	Scraper		
	SDS Max Shank		Please Login
FSA-ROTARY-100	Scraper		
	Spline/Rotary Shank		Please Login
FSAB-2MM	Repl. Blade		Please Login
FSARKIT-L	Repl. Hardware		Please Login



FSP Scraper System

	Item No.	Description	Retail	Wholesale
	FSP-2MM-4	4" Scraper		
		SDS Plus Shank		Please Login
1	FSP-2MM-8	8" Scraper		
		SDS Plus Shank		Please Login
1	FSPB-2MM-4	4" Repl. Blade		Please Login
1	FSPB-2MM-8	8" Repl. Blade		Please Login
_	FSPRKIT-L	Repl. Hardware		Please Login






Pneumatic Breaker Hammers

Pneumatic breaker hammers are the demolition tool of choice when power and durability are necessary for a variety of construction and plant maintenance applications such as breaking heavy concrete, reinforced concrete, frozen ground, asphalt, boulders and pavement.

- Alloy steel forgings excellent durability
- · Four-bolt backhead for rugged use
- Integral oiler continuous lubrication
- · Heavy-duty front head springs
- Reversible piston reduces maintenance cost

Item No.	Model	Description	Retail	Wholesale
8900003029	CP1260	60 lb., 1-1/8" chuck		Please Login
8900003028	CP1260	60 lb., 1-1/4" chuck		Please Login
8900003031	CP1260S	60 lb., 1-1/8" chuck, w/silencer		Please Login
8900003030	CP1260S	60 lb., 1-1/4" chuck, w/silencer		Please Login
8900003038	CP1290	90 lb., 1-1/8" chuck		Please Login
8900003037	CP1290	90 lb., 1-1/4" chuck		Please Login
8900003040	CP1290S	90 lb., 1-1/8" chuck, w/silencer		Please Login
8900003039	CP1290S	90 lb., 1-1/4" chuck, w/silencer		Please Login





1-1/8" Jackhammer Steel


· Some items are special order only; non-stock item

Item No.	Description	Retail	Wholesale
P10318	18" Moil point		Please Login
C10318	18" Narrow chisel		Please Login
CC11318	3" x 18" Wide chisel		Please Login
AC103-10	4-1/2" x 20" Asphalt cutter		Please Login
CS103-10	5-1/2" x 20" Clay spade		Please Login

Jackhammer Steel (Shank 7/8"x4-1/4")

 Some items are special order only; non-stock item

Item No.	Description	Length	Retail	Wholesale
30833241	Ground rod driver	7-3/4"		Please Login
30833235	Clay spade	14"		Please Login
30833236	Wedge chisel	15"		Please Login
30833238	Shank for pad	7-1/4"		Please Login
30833252	Tamping pad, round	7"		Please Login
30833239	Tamping pad, square	6"		Please Login
30833240	Tamper sq., compl.	7-1/2"		Please Login
92452817	Driver pad, round	4"		Please Login
92460201	Shank for stake driver			Please Login
92460211	Stake driver 2-1/2" head			Please Login
92382814	Carrying harness			Please Login
7140833	Drill steel	31"		Please Login
7140434	Drill steel	16"		Please Login
5753108	Pilot drill rod	31"		Please Login
30833229	Moil point	19"		Please Login
30833231	Wide chisel	9-1/2"		Please Login
30833230	Wide chisel	13-1/2"		Please Login
30833232	Wide chisel	15"		Please Login
30834071	Wide chisel	18"		Please Login
92452812	Asphalt cutter	14"		Please Login
30833233	Digging chisel	15"		Please Login
30833234	Digging spade	12"		Please Login



















- Cut depth: 5" • Blade diameter: 14"
- RPM: 5.300
- Blade arbor: 20mm/1" adaptor
- Delivers the power of a 75.6cc Gas Saw
- Compatible with Makita® 40V max XGT® Lithium-Ion Batteries
- Adjustable blade guard
- Cuts up to 15 ft. in concrete and makes 115 cuts in #5 rebar on a single charge
- Active Feedback-sensing Technology (AFT®) turns off the motor if wheel is suddenly forced to stop
- · Electric brake allows the tool to be repositioned faster
- · Integrated water delivery system continuously feeds water
- Built-in L.E.D. light with an independent on/off switch illuminates the cutting area
- · XGT battery power allows for immediate start-up
- · Large spindle lock button for easier wheel changes while wearing gloves



- (1) 14" Power Cutter (GEC01Z)
- (1) Charger (DC40RB)
- (4) Battery (BL4080F)

Kit 2786-22HD

- (1) Water Hose Coupling (123120-4)
- (1) 14" Cut-Off Wheel (E-12809)
- (1) Adapter Ring (20mm to 1") (191W53-9)
- (1) Universal Wrench 13-19 (782037-6)

Item No.	Description	Retail	Wholesale
GEC01Z	Tool Only		Please Login
GEC01PL4	Tool + Kit		Please Login



M18 FUEL ONE-KEY 18-Volt Lithium-lon Brushless Cordless 9" Cut Off Saw

- Runs on our MILWAUKEE M18 REDLITHIUM batteries (sold separately)
- · Power to cut reinforced concrete
- Up To 50% lighter than gas
- Cut depth: 3.4" • Blade diameter: 9"
- RPM: 6,600
- Blade arbor: 7/8"
- · Onboard water connection: quick connect
- Load indicator light
- Weight (Bare Tool): 10.6lbs
- RAPIDSTOP blade brake
- · ONE-KEY tool tracking and management
- Fully adjustable guard



Milwaukee



Item No.	Description	Retail	Wholesale
2786-20	Tool Only		Please Login
2786-22HD	Tool + Kit		Please Login





POWDER ACTUATED TOOL

Cobra+ 0.27 Caliber **Semi-Automatic Tool with Silencer**

- · Power adjust drives pins flush
- Silencer reduces noise by 30%
- · Rubber cushion on grip

· Fires 10 shot strip loads, 1 strip of loads drives 10 pins (up to 3")











- · Silencing feature
- · Fastens up to 3" standard drive pins with washer
- · For light and medium duty applications
- · Cushioned speed-eject grip
- Weight: 4.4 pounds, length: 13-1/4"

Item No.	Retail	Wholesale
R40088		Please Login



Single Shot Tool

- · Barrel design allows for easy horizontal and overhead fastening
- Fastens up to 2-1/2" standard Ramset drive pins
- Weight: 2.1 pounds, length: 14"



Item N	o. Retail	Wholesale
R0002	2	Please Login



TS22 - .22 Caliber **Trigger Shot Tool**




(A) Ramset

- · Easy grip handle
- Fastens up to 3" standard Ramset drive pins
- · Weight: 3.8 pounds
- Length: 17.8"

Item No.	Retail	Wholesale
R40066		Please Login

Ramset Drive Pins



Ramset Track Pins




Item No.	Description	Retail	Wholesale
R00747	.300x3/4 dr pin 1506, 100 pk		Please Login

Ramset Drive Pins w/Washers

Item No.	Description	Retail	Wholesale
R00797	.300x1 Pin w/washer, 100 pk		Please Login
R00803	.300x1-1/2 Pin w/washer, 100 pk		Please Login
R00809	.300x2-1/2 Pin w/washer,1516SD, 100 pk		Please Login
R09173	Ramguard .300x2-1/2 Pin w/washer, 100 pk		Please Login

Ramset .22 cal Powder Loads









Grinding Wheels (1/4" Thick)

Trakita

- · For metal polishing & general flat grinding
- Aluminum oxide abrasive grains are evenly distirbuted to give a smooth surface

	Item No.	Diameter	Arbor	Grit	Pack Qty.	Model	Retail	Wholesale
ľ	741423-B-25	4-1/2"	7/8"	24	25	GA4534, 9527NB, 9527PB		Please Login
		-	-			9554NB, 9557NB/PB, 9564CV		
ľ	741414-B-10	7"	5/8"-11	24	10	GA7001L, GA7011C, GA7020,		Please Login
				G	A7021, GA704	20		



Super Thin Cut-Off Wheel (3/64" Thick)

- Cuts up to 50% faster
- · Lasts up to 20% longer
- Pack of 25



Item No.	Diameter	Arbor	Grit	Pack Qty.	Model	Retail	Wholesale
724115-A-25	4-1/2"	7/8"	A46	25	GA4534, 9527NB, 9527PB		Please Login



Cut-off Wheels







•	Reinforced Type	1
	Sold individually	

•	Sold	individu	ially
	Julu	IIIuiviu	aany

Item No.	Size	Application	Max RPM	Pkg. Qty.	Retail	Wholesale
Portable Saws						
424-10814	14" x 1/8" x 20mm High-Speed	Concrete	5400	10		Please Login
424-15714	14" x 1/8" x 20mm High-Speed	Metal	5400	10		Please Login
424-11214	14" x 1/8" x 1" High-Speed	Concrete	5400	10		Please Login
424-16114	14" x 1/8" x 1" High-Speed	Metal	5400	10		Please Login
Road Construction	Saws					
424-20414	14" x 3/16" x 1"	Concrete	4365	10		Please Login
424-21214	14" x 3/16" x 1"	Green Concrete/Asphalt	4365	10		Please Login



VIRGINIA



Diamond Turbo Cup Wheel - Premium


Professional grade

Item No.	Size	Application	Max RPM	Retail	Wholesale
425-04087	7" x 5/8"-11 - 12 Segments	GP Concrete Finishing	8600		Please Login










- Wheels are backward compatible with standard 7/8" arbor mounts
- Multiple layers of stranded fiberglass and Aluminum Oxide grit for speed and durability
- · Optimized wheels for less vibration and improved working speed



Works on any Bosch 7/8' arbor angle grinder







EZ Edger Discs

- Fits all 7" Edge Sanders & 3 Head Orbital 6-3/4" Sanders, Clark® EZ-Sand
- · Sold individually



Item No.	Size	Pkg. Qty.	Retail	Wholesale
003-67894	6-7/8" x NH 100	50		Please Login
003-67880	6-7/8" x NH 80	50		Please Login
003-67860	6-7/8" x NH 60	50		Please Login
003-67836	6-7/8" x NH 36	50		Please Login
003-67820	6-7/8" x NH 20	50		Please Login
003-27820	6" Conversion Disc	10		Please Login

Orbital Floor Sanding Sheets

- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- · Sold individually



Virg. Abr.	Abmast				
Item No.	Part#	Size	Pkg. Qty.	Retail	Wholesale
PSA Abrasive S	Sheets - "Stic	ky-Back" Backing			
206-34100	B1810	12" x 18" 100	20		Please Login
206-34080	B1880	12" x 18" 80	20		Please Login
206-34060	B1860	12" x 18" 60	20		Please Login
206-34036	B1836	12" x 18" 36	20		Please Login
206-34020	B1820C	12" x 18" 20	20		Please Login
20 per carton					
		•	5 1 6		
Item No.		Size	Pkg. Qty.		
Quicksand Abra	sive Sheets -	"Non-Stick" Backin	g		
202-34100		12" x 18" 100	20		Please Login
202-34080		12" x 18" 80	20		Please Login
202-34060		12" x 18" 60	20		Please Login
202-34036		12" x 18" 36	20		Please Login
202-34020		12" x 18" 20	20		Please Login

Floor Sanding Sheets

- Fits Clarke® DU-8 or EZ-8 with Notches and Rentlink® and HT8
- 8" X 19-1/2" VA8
- Sold individually



Virg. Abr.	Abmast				
Item No.	Part#	Description	Pkg. Qty.	Retail	Wholesale
002-08100	B5210	100 Grit	50		Please Login
002-08080	B5280	80 Grit	50		Please Login
002-08060	B5260	60 Grit	50		Please Login
002-08050		50 Grit	50		Please Login
002-08040		40 Grit	50		Please Login
002-08036	B5236	36 Grit	50		Please Login
002-08024	B5224C	24 Grit	50		Please Login
002-08020	B5220C	20 Grit	50		Please Login
002-08016	B5216C	16 Grit	50		Please Login
002-08012		12 Grit	50		Please Login

Floor Sanding **Edger Discs**

- Fits Clark® Super 7
- Sold individually

Size	Pkg. Qty.	Retail	Wholesale
7" x 7/8" 100			Please Login
7" x 7/8" 80	50		Please Login
7" x 7/8" 60	50		Please Login
7" v 7 /8" //0	50		Planca Lonin

Virg. Abr.	Abmast				
Item No.	Part#	Size	Pkg. Qty.	Retail	Wholesale
006-70894	B0710	7" x 7/8" 100	50		Please Login
006-70880	B0780	7" x 7/8" 80	50		Please Login
006-70860	B0760	7" x 7/8" 60	50		Please Login
006-70840	B0740	7" x 7/8" 40	50		Please Login
006-70836	B0736	7" x 7/8" 36	50		Please Login
006-70824		7" x 7/8" 24	50		Please Login
006-70820	B0720C	7" x 7/8" 20	50		Please Login
006-70816		7" x 7/8" 16	25		Please Login

Orbital Floor Maintenance Thick Pads

- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually



Virg. Abr.	Abmast				
Item No.	Part#	Size	Pkg. Qty.	Retail	Wholesale
416-54187	J182W	12" x 18"x1" White	5		Please Login
416-54186	J182T	12" x 18"x1" Tan	5		Please Login
416-54185	J182G	12" x 18"x1" Green	5		Please Login
416-54184	J182B	12" x 18"x1" Black	5		Please Login
416-54180	J182R	12" x 18"x1" Red	5		Please Login



Expanding Drum Belts - Cloth

- Fits Clarke® EZ-8 Expandable Drum
- 8" x 19" VAEZ8
- · Sold individually



Virg. Abr.	Abmast				
Item No.	Part#	Description	Pkg. Qty.	Retail	Wholesale
018-81996	C8912	120 Grit	10		Please Login
018-81994	C8910	100 Grit	10		Please Login
018-81980	C8980	80 Grit	10		Please Login
018-81960	C8960	60 Grit	10		Please Login
018-81940	C8940	40 Grit	10		Please Login
018-81936	C8936	36 Grit	10		Please Login
018-81924	C8924	24 Grit	10		Please Login







for Concrete

· Professional grade

Item No.	Size	Application	Max RPM	Retail	Wholesale
425-04252	10" x 5/8", 10 Segments	Hard Concrete	6100		Please Login
425-04253	10" x 5/8", 20 Segments	Hard Concrete	6100		Please Login
425-04254	10" x 5/8", 10 Segments	Soft Concrete	6100		Please Login
425-04255	10" x 5/8", 20 Segments	Soft Concrete	6100		Please Login

Premium Segmented Grinding Diamond Head





Masonry Diamond Blade - Dry Cutting

 Designed for general purpose rental fleets

Item No.	Size	Max RPM	Retail	Wholesale
425-03031	14" x .110" x 1" DP	5500		Please Login



7" Contractor **Diamond Blade**

- Turbo rim for fast, smooth cuts
- · Ideal for cutting concrete, bricks, sandstone, stucco and roof tiles
- 8,700 maximum RPM
- DM 7/8" to 5/8" arbor

Item No.	Retail	Wholesale
167022		Please Login






Item No.	Size	Pkg. Qty.	Retail	Wholesale
421-80016	16" x 2"	1		Please Login
421-80017	17" x 2"	1		Please Login

Floor Grinding **Blocks**

- Wooden wedges included
- Sold individually

Item No.	Size	Application	Grit	Pkg. Qty.	Retail	Wholesale
426-38002	2" x 2" x 4"	Concrete	80	6		Please Login
426-32402	2" x 2" x 4"	Concrete	24	6		Please Login
426-31202	2" x 2" x 4"	Concrete	10	6		Please Login
426-30802	2" x 2" x 4"	Concrete	8	6		Please Login



High Speed Diamond Blade





Item No.	Size	Application	Max RPM	Retail	Wholesale
Ultra Value					
425-04177	14"x.125"x1"/20mm DP	Concrete	5500		Please Login
Supreme					
425-06321	14"x.125"x1"/20mm DP	Con./Asph.	5500		Please Login

VIRGINIA

Floor Maintenance **Thick Pads**



Item No.	Size	Pkg. Qty.	Retail	Wholesale
416-50170	17" x 1" Red Buffer	5		Please Login
416-50174	17" x 1" Black Stripper	5		Please Login
416-50175	17" x 1" Green Scrubber	5		Please Login
416-50176	17" x 1" Tan Scrubber	5		Please Login
416-50177	17" x 1" White Polish	5		Please Login
416-50178	17" x 1" White Gold	5		Please Login

VIRGINIA ABRASIVES

Standard Diamond Grinding Blocks

- Holder included
- · Segments are premounted



Item No.	Size	Application	Retail	Wholesale
425-05234	2"x2"x4" grinding heads	General Purpose		Please Login
425-05235	2"x2"x4" grinding heads	Soft Concrete		Please Login
999-00007		Wooden Wedges		Please Login







Adjustable Suspension

- Comfortable pin lock adjustment suspension
- 4-Point nylon suspension
- · Sleek & attractive design high density polyethylene shell
- · Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Item No.	Color	Retail	Wholesale
SWX00344	White		Please Login
SWX00345	Yellow		Please Loain



- Comfortable 4-point nylon suspension
- High-density polyethylene (HDPE) shell designed for strength
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Item No.	Retail	Wholesale
SWX00348		Please Login

Full Brim

- Full brim provides protection from UV rays on ears and back of neck
- · Shorter in the front, allowing the wearer to look upward
- · Ratchet suspension
- Meets ANSI Z89.1-2003
- Meets OSHA Type I, Class G & E

Item No.	Color	Retail	Wholesale
SWX00358	White		Please Login
SWX00359	Yellow		Please Login





Sentry III Ratchet Hard Hats

- Squared-off nape strap
- · 6 point nylon web suspension system
- · Hearing, welding and face shield accessories can be snapped into universal slots
- · Meets ANSI Z89.1 and CSA Z94.1
- Meets OSHA Type I, Class C,G, & E
- SEI certified

Item No.	Color	Retail	Wholesale
14024	White		Please Login
14011	Yellow		Please Login



DON'T FORGET


Kazbek Polarized

- · Flexible and durable frame
- · Soft TPR nose pads and temple arms for comfort
- · Polarized lenses increase clarity by reducing glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards




Item No.	Frame	Lens	Retail	Wholesale
TSKAP218	Black	Polarized Blue Mirror		Please Login
TSK236	Black	Polarized Smoke		Please Login
TSK-XL215	XL Black	Polarized Copper	-	Please Login





- · Gladiator® six point ratchet hard hat
- Earmuffs with cushions
- · Molded steel mesh face screen





TASCO

DUSTMASKS & HEARING











Nuisance Dust Masks

- · Soft, flexible nosepiece
- · Compact design easily worn with glasses and goggles
- · One size fits all
- Pack of 5

Item No.	Retail	Wholesale
2986		Please Loain

N95 Particulate Respirators

- Inner foam provides a custom seal
- · Dual head strap for optimum fit
- NIOSH Approved
- Box of 20

Item No.	Retail	Wholesale
8610P		Please Login

N95 Valved Particulate Respirators

- Exhalation valve for extra comfort
- Inner foam provides a custom seal
- · Dual head strap for optimum fit
- NIOSH Approved
- Box of 10

Item No.	Retail	Wholesale
8611P		Please Login

Hearing Protectors





- Ultra-light & comfortable
- · Contoured headband with "No-Snag" design
- Extra-wide, soft cushions

Item No.	Retail	Wholesale
Item No. 2408		Please Login




- · Dielectric, three-position earmuff
- Soft-Seal™ ear cushions provide exceptional comfort
- · Special foam head pad

Item No.	Retail	Wholesale
S2700		Please Login



*NRR=29



· Ultra-soft head pad

Item No.	Retail	Wholesale
2950		Please Login

provide exceptional comfort

*NRR-Noise Reduction Rating

Toxic Dust Respirator

- Flexible facepiece
- · Long-life cartridges are approved NIOSH P100 Class
- Included P100 low-profile cartridges
- · Headband swivels on hinges
- Two-piece neck strap
- · Latex free

Item No.	Retail	Wholesale
SWX00319		Please Login





Electronic Earmuff

- · Amplifies low level sounds but compresses noises that exceed safe levels
- Dual microphones
- Independent volume controls
- NRR 20 dB

Item No.	Retail	Wholesale
TV0700CS		Please Login





9004



Reusable molded plug

Item No.	Description	Ctn Qty	Retail	Wholesale
9004	Reusable w/cord, NRR 24	100		Please Login
9300	Foam w/o cord, NRR 32	200		Please Login
SP31C	Foam w/cord, NRR 32	100		Please Login

Sold by carton



trappic sapety





Traffic Cones with Reflective Collar

- Extra-wide body
- · Rugged base keeps cone upright
- 4" & 6" collars



Item No.	Description	Retail	Wholesale
19930	28" - Lime green		Please Login
16519	28" - Orange		Please Login

Orange Safety Fence

- Heavy-duty
- · Strong, but lightweight
- Flat safety edge on top and bottom
- Rectangular hole size is 2" x 3-3/4"

Item No.	Description	Retail	Wholesale
FE50N	4' x 50', 8 lbs.		Please Login
FE100N	4' x 100', 16 lbs.		Please Login





Sand Bags (Woven Polypropylene)


- · Comes complete with heavy poly-twine ties
- Bright orange (100 hr. UV protection) for increased visibility
- 14" x 26" weigh 50 lbs. when filled
- Sold by carton of 1,000
- · Quick Fill Stand folds flat for easy storage

Item No.	Description	Retail	Wholesale
14981	Sand bags-orange		Please Login
14981-W	Sand bags-white		Please Login

Traffic Cones

- · Rugged base keeps cone upright
- · Dayglow orange or lime PVC





DisposaCone®

- Equip vehicles for roadside emergencies, maintenance, or leave on the job-site
- · Stands 18" high
- · Folds flat for easy storage
- · Sticks to almost anything concrete, asphalt, glass, metal
- · Stands up to 4 days of heavy wind & rain
- 3 cones per package

Item No.	Retail	Wholesale
1836R		Please Login





Contractors Grade Silt Fence

- · Economical 36" tall silt fabric
- 1-1/2" x 1-1/2" (Nominal) hardwood stakes
- · Stakes spaced every 10' (10' centers)
- 11 stakes per 100' fabric

Item No.	Retail	Wholesale
14987		Please Login






Red/Silver 2" x 10' **High Visibility Reflective Safety Tape**

- For automotive, recreational vehicles, trailers, farm machinery, marine or sign
- Minimum of 700 candle power brightness
- · Alternating 6" red and 6" silver segments
- · Withstands brushing, dirt, grime, and high-pressure steam sprayers

Item No.	Retail	Wholesale
RE2110		Please Login







Plastic Type I and Type II Barricades

- NCHRP-350 Certified with and without lights
- Meets MUTCD standards
- · Weighs only 15 lbs
- Low profile -- Folded dimensions are 2.5"H x 24"W x 45.5"L
- 24" x 12" top panels and 24" x 8" bottom panels
- · Built-in bracket accommodates barricade light
- · Optional plastic Sand Ballast Bar for additional weight
- 2 per carton

Item No.	Description	Retail	Wholesale
Type I			
3001783	24" x 8" x 8"		Please Login
3007829	24" x 12" x 8"		Please Login
Type II			
3007832	24" x 8" x 8"		Please Login
3007834	24" x 12" x 8"		Please Login

Stop/Slow Paddles

- Meets all MUTCD requirements
- · Letter Size: 8" for 24", 6" for 18" paddle
- · Engineer grade sheeting
- 24" meets DOT Standards





Item No.		Retail	Wholesale
03-822P	24" w/ 81" plastic handle		Please Login
03-852	18" w/ 9" polygrip handle		Please Login

OSHA Rebar Caps (Impalement Protection)

- Made of space age high density polymer
- These high quality caps are bright orange and fit rebar #4 #8

Item No.	Retail	Wholesale
14640-4		Please Loain



Overall Height 49.8"

Top Diameter: 4" Base Diameter: 7.56"

High-intensity sheeting units have (2) reflective collars

Shown with recycled rubber base (3007532) not included

Grip & Go Channelizer Cone

- Meets MUTCD and NCHRP-350 requirements
- Large grip on the handle allows workers to easily pick up
- Large channelizer cone handle accommodates one or two

Type A or C lights

- Recycled rubber bases provide stability and support
- · 42" tiered cone design allows for easy stackability
- · Low density polyethylene with UV inhibitors
- Available with or without sheeting (stripes)

Item No.	Description	Retail	Wholesale
3014081	Channelizer-no sheeting		Please Login
3014082	Channelizer w/hi-intensity sheeting		Please Login
3007532	16 lb. base		Please Login
3009066	10 lb. base		Please Login



LED Flashing Barricade Light

- MUTCD & ITE compliant
- 7" polycarbonate lens with advanced optics
- Available in standard yellow case only
- Uses four D-Cell Ray-O-Vac batteries



Includes
Wrench and Wire Key

Item No.	Description	Retail	Wholesale
03-10-WAYDC	Light		Please Login
3019498	Wire key		Please Login



03-822P



ANSI Class 2 Vest

Whenever greater visibility is desired!



Description

Lime w/gray stripes

Item No.

SV110

Size

L-4XL

	4 Outside IIOI
	 Size: L-4XL

Retail

Wholesale

Please Login



Surveyor **Breakaway** Class 2 **Safety Vest**

- · Closure: zipper
- 5-point breakaway
- Tape: 2" silver reflective
- 7 pockets
- Mic tab on both shoulders
- 100% polyester solid knit front and mesh back
- · Ideal for extreme work environments around moving machinery

Item No.	Description	Retail	Wholesale
SV46G-L	Lime		Please Login
SV46G-XL	Lime		Please Login
SV46G-XXL	Lime		Please Login
SV460-L	Orange		Please Login
SV460-XL	Orange		Please Login
SV460-XXL	Orange		Please Login







Lime Safety Vest

- · Lightweight, comfortable polyester mesh
- 1-1/2" orange/silver vertical stripes
- · Elastic side straps
- Velcro® front closure
- · One size fits most

Item No.	Retail	Wholesale
1265		Please Login



Yellow Chore Gloves

- · Regular weight
- Straight thumb
- Knit wrist
- 2-layer fleece quilted palm and back
- Clute pattern

Item No.	Size	Retail	Wholesale
3460G	L		Please Login
4203QXL-BG	XL		Please Login



Brown Jersey Gloves

- · Comfortable jersey construction
- Multi-purpose hand protection
- Size L
- 9 oz.
- 12 per package

Item No.	Size	Retail	Wholesale
3401T	L		Please Login





Drywall Lifter

- · Load rating 150 lbs.
- · Loading height 34"
- Requires no tools
- · Adjustable cradle accomodates boards up to 4' x 16'
- · Reaches height of 11'
- · Weighs 115 lbs.
- 6' extension Part# 186-00



Item No.	Description	Retail	Wholesale
138-2	Lifter		Please Login
186-00	6' extension		Please Login
117	Storage stand		Please Login

#117 - Storage Stand





· Chain lift with overload protections

CHOICE For Rental

- Reaches 14' 5"
- Standard loading height: 37"
- · Handles up to 200 lbs
- · Six inch casters makes rolling over clutter easier

Item No.	Height	Retail	Wholesale
439	14′ 5″		Please Login
117	Storage stand		Please Login



PRYWALL LIPTS

Its patented multistage chain lift mechanism combined with the

patented 2-way overload protection system make the Model 439 the safest, longest lasting, most versa-

tile drywall lift

available to the

rental industry and

serious contractor.





Tele-Tower

- · Safer than ladders and far more versatile than common scaffolding
- · Assembles in about 10 minutes
- · Rolls through a standard 32" doorway
- Working height of 18'
- Platform height range 2' to 11'
- 6' L x 19" W deck
- Easy assembly no tools required
- · Heavy-duty 5" casters
- · Max load rating 550 lbs.

Item No.	Retail	Wholesale
1101		Please Login





Overhead Drill Press

- · Chain mechanism for simplicity, long life and low maintenance
- · Includes secondary flat base for use on work plaforms
- · Flex base available for uneven floors (ie; parking garages)
- · Reduces operator fatigue
- · Integrated dust extraction system
- · Drill and vacuum sold separately
- · Reaches: 140"
- Travel: 59"
- · Cradle Height: 81"



Item No.	Retail	Wholesale
350		Please Login



contractor lipts

Model **EL-405**

Stacker Lift

- 4'5" in height
- · 400 lb. lifting capacity
- 53" lifting height
- Two speed winch handle position
- Quick action wheel brake
- · Large lifting surfaces
- Special order only; non-stock item: non-cancelable

Item No.	Retail	Wholesale
EL-405		Please Login







Ideal, adjustable work platform for repair shops!



Great for loading customer vehicles!



Contractor Lift


With the highest reach in the 2200 Series, this double masted lift offers the capability of lifting light fixtures or AC units in low ceiling buildings. Its forks fit between most acoustical ceiling tiles.


- 11' height
- · 300 lb. capacity
- · High speed reversing winch with automatic braking action
- 1" nylon strap no more cable kinks
- 106 lbs.

Item No.	Retail	Wholesale
784310		Please Login



Compact Storage remove forks and reposition legs for space saving storage Reversing handle for convenient. out-of-the-way storage





- Lifts 1,500 lbs.
- 15' height
- · Moves vertically and horizontally
- Separate load and mast winches
- · Infinite load adjustment
- · Mast and base separate quickly for EASY transport
- 780301 311 lbs.


780302 - 337 lbs. • Special order only; non-stock item; non-cancelable

780303 - 381 lbs. • Special order only; non-stock item; non-cancelable

Item No		Retail	Wholesale
780301	15′		Please Login
780302	! 18′		Please Login
780303	25′		Please Login











Built for heavy material such as steel beams and/or continuous work

TRUCK

Material Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- · 15'2" heights
- · 800 lb. capacity
- · Rolls through standard doorways & tail gates
- Loading Bar great for overhead cranes
- · Plunger pins for quick readjustment and compact storage
- · No tools needed no loose parts
- Large 7/32" load cable
- 315 lbs.

Item No.	Max Height/Desc.	Retail	Wholesale
783701	15′ 2″		Please Login
783736	10" Wheel Kit		Please Login
783691	Carriage Fork Ext.		Please Login





TRUCK

Contractor Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- 18'6" or 23'11" heights
- · 650 lb. capacity
- · Rolls through standard doorways & tail gates
- · Loading Bar great for overhead cranes
- · Plunger pins for quick readjustment and compact storage
- · No tools needed no loose parts
- · Large 7/32" load cable
- 783651 360 lbs. 783652 - 399 lbs.

Item No.	Max Height/Desc.	Retail	Wholesale
783651	18′ 6″		Please Login
783652	23′ 11″		Please Login
783691	Carriage Fork Ext.		Please Login



ACTOR LAPTS







Contractor Lift

This super compact lift has handy roller wheels which enable ease of rolling into vehicles for transportation. Features 8" non-marking wheels.

- 12' height
- · 400 lb. capacity
- · Easily portable for one person
- fits most SUVs and vans
- · Forks remove and legs reposition for compact storage
- · No tools needed or loose parts
- 195 lbs.
- Special order only; non-stock item: non-cancelable

Item No.	Description	Retail	Wholesale
784750	Lift		Please Login
783705	Pipe Cradle		Please Login



153

Choosing The Right Machine For The Job



Phone Toll-Free: 1.800.362.6951

154





Hande Drain Cleaner

- HE-1/4E25
- Opens clogged sinks, lavatories, bathtubs, and shower stall drains
- 1/4" or 5/16" music wire cable for maximum flexibility and durability
- · Convenient thumb screw locks cable securely

Item No.	Descripion	Retail	Wholesale
HE1425	Hande Drain Cleaner w/1/4" x 25' cable		Please Login
14E25	1/4" x 25' replacement cable - Hande		Please Login
516E25	5/16" x 25' replacement cable - Hande		Please Login

Elec	ctric E	el Accessories					MOI	DEL					
	Part#	Descripion	HE1425	S	СТ	K	Е	Z5	R	RF	С	Retail	Wholesale
	14E25	1/4" x 25' replacement cable - Hande	Х	Χ	Х								Please Login
	516E25	5/16" x 25' replacement cable - Hande	Х	Χ	Χ								Please Login
	38C25	3/8" x 25' expanded end replacement cable		Χ	Х								Please Login
	516C25	5/16" x 25' expanded end replacement cable		Χ	Х								Please Login
-	CS-10	Carry case S-10		Χ									Please Login
6	EG1A	2 wheel cart w/folding handle					Х						Please Login
-	12C50	1/2" x 50' IC replacement cable					Х						Please Login
	12C75	1/2" x 75' IC replacement cable					Х	Χ					Please Login
411	DNTS	3 piece tool set				Х	Х						Please Login
11100	DNTS5	5 piece tool set						Х					Please Login
	58C100	5/8" x 100' Tri-Max replacement cable							Χ	Х			Please Login
	34C100	3/4" x 100' Tri-Max replacement cable							Χ	Х			Please Login
60A4	RTS	4 piece tool set							Χ	Х			Please Login
cluded	A1DC	Spear head							Χ	Х	Х		Please Login
in) 📝	HDD3S	Root saw							Χ	Х			Please Login
ol Set	U3H	Grease tool							Χ	Х			Please Login
	HDD7	Retriever tool							Χ	Х	Х		Please Login
0	SW18	Spanner wrench for disconnecting tool SC-18							Χ	Х	Х		Please Login
-	FL12	12" Flex leader 1-FLSC1SC2							Χ	Х			Please Login
HALL CHINA	8TRS	8' TRS reg. dual cables									Х		Please Login
	10TRS	10' TRS reg. dual cables									Х		Please Login
_	SC13	Feeding tool									Х		Please Login
160mg	CTSR	5 piece tool set									Х		Please Login
6	A14DC	Root saw									Х		Please Login
mmmmmm	HDD2A	Retriever tool									Х		Please Login
\sim	U4H	Grease tool									Х		Please Login
	SP30	Tool adapter		Χ	Х	Х	Х	Х	Χ	Х	Х		Please Login



View Our Complete Line of Electric Eel Accessories on Page 155



Counter-Top Drain Cleaner - Model CT

- CTK-5/16EIC35-AF
- 1/5 HP, 90 Volt DC motor
- · Heavy-duty housing protects motor and internal wiring
- · Cable guide hose eliminates cable whipping
- · Stainless steel cable drum will not rust
- Built-in GFCI on 20' line cord
- Air operated foot switch and cord assembly for ease of operation
- 5/16" x 35' cable

Item No.	Description	Retail	Wholesale
CT51635	Electric cleaner		Please Login





Manual Powered Drain Cleaner - Model K

- KK-1/2IC50
- Cleans 1-1/4" 3" diameter lines up to 100'
- Lightweight, less expensive alternative to electric powered models
- · Ideal for rooftop work in downspouts
- Runs up to 100' of 1/2" galvanized aircraft wire inner core cable
- · Self-aligning bearings
- Thumbscrew locks cable at front of cage
- · Heavy-duty steel frame is reinforced on both sides with steel braces

Item No.	Description	Retail	Wholesale
KK1250	Manual cleaner w/1/2" x 50' IC cable & tool set		Please Login



Electric Drain Cleaner - Model E

- EK-R-1/2IC50
- Cleans 1-1/4" 3" dia. lines up to 50'
- · Manual feed
- · A common and widely rented machine popular with homeowners
- Rugged 1/3 H.P. Baldor motor
- · Inner drum to eliminate cable buckling in cage
- · Built-in drum shaft slip clutch
- · GFCI with 20' power cord

Item No.	Description	Retail	Wholesale
EKR1250	Electric cleaner w/1/2" x 50' IC cable & tool set		Please Login



Tool Set Included

Electric Drain Cleaner - Model Z5



Tool Set Included

- Cleans 1 1/4" 3" dia. lines up to 100'
- · Unit built on heavy duty steel frame with folding handle for easy storage and transport
- Totally open cable cage for easy inspection and cleaning of cable
- Wheel break stabilizes unit while in operation
- Easy-to-use air operated foot switch allows the use of both hands when working with cable
- Unique inner drum design eliminates cable tangling in cage
- Rugged 1/3 H.P. Baldor motor

Item No.	Description	Retail	Wholesale
Z5K1275	Electric cleaner w/1/2" x 75' IC cable & tool set		Please Login















Electric Drain Cleaner w/Auto Feed Cable - Model RF

• RFK-3/4IC100

View Our Complete Line of Electric Eel Accessories on Page 155

- · Same features as Model R
- · Added Safety cable guide spring keeps hands off rotating cable
- Auto Feed customer does not have to manually pull cable out and push back in cage - 2 way auto feeder does
- Totally Open Cage for guick inspection of cable and easy cleaning
- · Special order only; non-stock item; non-cancelable

Item No.	Description	Retail	Wholesale
RFK100	Cleaner w/auto cable feed		Please Login

Electric Drain Cleaner - Model R

- RK-5/8IC100
- RK-3/4IC100
- Cleans 3" 6" dia. lines up to 100'
- Runs the industries toughest TRI-MAX cable in 5/8" x 3/4" diameter
- · Ideal in situations with limited working space
- Heavy duty 1/3 H.P. Baldor capacitor start motor
- Rugged 1-1/4" steel frame
- · Snap lock tool connectors hold tools firmly in place
- Large 10" wheels for easy maneuvering
- Built-in GFCI w/20' power cord
- RK58 Special order only; non-stock item; non-cancelable

Item No.	Description	Retail	Wholesale
RK58	Cleaner w/5/8" x 100' IC cable & tool set		Please Login
RK34	Cleaner w/3/4" x 100' IC cable & tool set		Please Login





Now with patent pending redesigned snap-lock cable coupling allows cables to connect easier and quicker than ever. Part# 8TRS & 10TRS







Electric Drain Cleaner - Model C

- CK-R-1/2-8TRS
- Cleans 3" 10" dia. lines up to 200'
- · Ideal for tougher blockages such as tree roots and for longer runs in main sewer lines
- Spins the 8' or 10' cables at twice the RPM of that of a continuous cable machine for maximum cleaning power
- · Safety No handling of rotating cables
- Lower Maintenance Sectional cables can be quickly inspected
- Ease of Transport The Model C drive unit weighs only 72 lbs.
- The handle folds down for easy transport and storage

Item No.	Description	Retail	Wholesale
CK128	Cleaner w/(13) 8' TRS reg. dual cables		Please Login
	(5) cleaning tools, feeding tool, spanner wrench		
CDU12	Model C drive unit only, 1/2HP		Please Login
10TRS	10' Cable sections		Please Login



Drill Powered Cleaner - Model S

- SK-R-3/8EIC25
- Cleans 1-1/4" 2-1/2" dia. lines up to 35"
- · Ideal for smaller, inside lines such as sinks, tubs, and showers
- · Stainless steel cable drum won't rust, break or crack
- · Cast aluminum hand guard
- Double insulated drill for shock protection
- · Cables are constructed of certified music wire

Item No.	Description	Retail	Wholesale
SKR3825	Drill cleaner w/3/8" x 25' EIC cable		Please Login
SDU	Drill cleaner unit only		Please Login
S-11A	Toilet guide tube		Please Login



COMMUNICATION



KENWOOD



Includes

- UHF Antenna
- · Battery
- Belt Clip
- Charger



Includes

- UHF Antenna
- · Battery • Belt Clip
- Charger
- AC Charging Adapter

2 Watt, 64 Channels Two-way Radio

- · Analog only transmissions
- 64 channels
- UHF (451-470 MHz) frequency bands
- 2 programmable buttons
- 2 watts max power output
- 7-color LED notification light
- 15 hours of battery life
- IP54/55 weatherproof
- Upgradeable to DMR or NXDN digital operations
- 3 year Kenwood warranty

Item No.	Retail	Wholesale
NX-P1302AUK		Please Login

5 Watt, 64 Channels Two-way Radio

- · Analog only transmissions
- 64 channels
- UHF (451-470 MHz) frequency bands
- 2 programmable buttons
- 5 watts max power output
- 7-color LED notification light
- 11.5 hours of battery life
- IP54/55 weatherproof
- Upgradeable to DMR or NXDN digital operations
- 3 year Kenwood warranty

Item No.	Retail	Wholesale
NX-P1300AUK		Please Login

5 Watt, 64 Channels **Digital & Analog** Two-way Radio

- 64 channels
- UHF (451-470 MHz) frequency bands
- 5 watts max power output
- NXDN® Digital Mode
- Cloning Capable
- · Pre-stored UHF frequencies and Quiet Talk codes (QT and DQT)
- 7-color LED notification light
- 11.5 hours of battery life
- IP54/55 weatherproof
- 3 year Kenwood warranty

Item No.	Retail	Wholesale
NX-P1300NUK		Please Login



KMB-28AK

KBH-10



KHS-31C



KHS-10D-BH



KNB-45L



Accessories

Item No.	Description	Retail	Wholesale
KMB-28AK	6 unit multi-charger		Please Login
KHS-31C	C-ring headset with clip on mic/ptt button		Please Login
KHS-10D-BH	Noise-Reduction Headset		Please Login
	(can be used with hardhats)		
KNB-45L	Replacement 2000mah li-ion battery		Please Login
KBH-10	Replacement belt clip		Please Login
KSC-35SK	Replacement charging dock		Please Login
KRA-42M	2' UHF Stubby Antenna		Please Login



Phone Toll-Free: 1.800.362.6951

WEATHER PROTECTION

Arctic 2 in 1
Sport Liners
Rated at 0° to -20°

- 17-1/2 oz. sport fleece top
- 100% polyester bottom
- · Great coverage with reduced drafting
- Top shell made of polyester fleece with elastic around the face
- Meets the 16 CFR 1610, Class 1

Item No.	Side	Central	Bottom	Retail	Wholesale
22316	Silver	Navy Blue	Blue		Please Login



Winter Hard Hat Liners

Item No.	Description	Retail	Wholesale
165	32° to 45°, 100% cotton, napped flannel interior		Please Login
200	32° to 45°, 100% cotton, red heavyweight fleece lining		Please Login
400	0° to -20°, full head coverage, wrap around collar, sherpa lining		Please Login
440	0 $^{\circ}$ to -20 $^{\circ}$, heavy-duty, extra-long nape, sheepskin-like lining		Please Login



Engineer's Raincoat

- Extra long with detachable hood to keep you dry
- Heavy weight .35 mil PVC, polyester backing and corduroy collar
- Non-conductive
- 24 per carton
- Sold individually

Item No.	Size	Retail	Wholesale
E4800	M-5XL		Please Login

Premium Rugged Series Rainsuit

- 3 piece suit
- 30" jacket with detachable hood
- Heavyweight .35 mil PVC with polyester backing
- Non-conductive
- Medium through 7XL
- 10 per carton
- Sold individually

Item No.	Size	Retail	Wholesale
PHP570-(Size)			Please Login
PHP570-(Size)	5XL - 7XL		Please Login





Yellow Slush Boots

- 100% heavy-duty rubber
- 44 mil
- Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 pair per carton
- · Sold by the pair

Item No.	Size	Retail	Wholesale
S2117	9-18		Please Login



Black 5 Buckle Boots

- Easy-on/easy-off
- 100% heavy-duty rubber
- Sizes 9-16
- 6 pair per carton
- · Sold by the pair

ſ	Item No.	Size	Retail	Wholesale
ľ	B2511	9-16		Please Login





RevolutionXE Aluminum **Multi-Position** Ladders

- · Rated to hold up to 300 lbs. (Type 1A duty rating)
- Convenient Rock Lock push button adjustment
- Limited Lifetime Warranty
- OSHA & ANSI A14.2 standards
- · Use as different configurations, including A-frame, extension

Item No.	Leveler	Height	Weight	Retail	Wholesale
12017	No	15'	32 lbs.		Please Login
13117-801	Yes	15′	38 lbs.		Please Login
12022	No	19′	38 lbs.		Please Login
12022-801	Yes	19′	44 lbs.		Please Login
12026	No	26′	49.5 lbs.		Please Login
12026-801	Yes	26′	53 lbs.		Please Login



·Work safely on uneven terrain ·Hands-free adjustments

Adjustable Safety Cage Fiberglass Ladders

- Rated to hold up to 375 lbs. (Type 1AA duty rating)
- · Adjustable enclosed platform to be a versatile, safe alternative to tying off
- · Protects operators in a fully enclosed working platform
- · Works on uneven surfaces, stairs, and upper floors
- · Includes a one year warranty
- · Tip & glide wheels

Safety Step Stepladder

· Rugged, corrosion-resistant

Ultra-slim 5" folded depth

· Lightweight and portable

Integrated work tray

· 300 lbs. capacity

aluminum alloy construction

· Wide, slip-resistant step treads

· Fold-up safety bar for extra security

Type 1A

Item No.	Height	Weight	Retail	Wholesale
18503-240	3'-5'	98 lbs.		Please Login
18509-240	5′-9′	126 lbs.		Please Login



Wholesale

Please Login

Please Login

Please Login

Defender Ladder Type 1A


- · Built in tipping, gliding wheels
- Wide-flared extension ladder
- Capable of dozens of configurations. including A-frame, extension, & 90°
- Exceeds all OSHA & ANSI standards

Ship Factory Direct

· Rated to 300 lbs

Item No.	Model	Height	Weight	Retail	Wholesale
15187-882	17	7′-15′	31.5 lbs		Please Login
15182-882	22	19′	46.5 lbs.		Please Login









- Heavy-wall aircraft-grade aluminum construction
- Rated to hold up to 300 lbs. Type 1A
- · Adjustable for use on stairs, curbs, docks and more
- · Complies with OSHA ANSI A14.2 standards
- · Includes a full 5-year Warranty

Item No.	Model	Height	Weight	Retail	Wholesale
10109	M15	8'-15'	60 lbs.		Please Login
10110	M17	9'-17'	79 lbs.		Please Login
10121	M21	11'-21'	103 lbs.		Please Login



- · Designed by firefighters for firefighters
- Ratchet[™] Levelers
- · Roof and rafter hooks
- · Heat sensing technology
- Meets the requirements of NFPA1901-2009, standards for Automotive Fire Apparatus, section 5.7.1.3 for pumpers, section 8.7.5 for ladder trucks, & section 9.7.1.3 for quints
- · Rated to 375 lbs

Item No.	Model	Height	Weight	Retail	Wholesale
15197-303	17	7′-15′	52.3 lbs		Please Login









Rectangular 8 quart 18/8 stainless steel Chafer features a 90° roll-top and a satin finish frame and body. Polished brass handles create an elegant look. Complete with standard water pan, food pan, and two fuel holders.

Item No.	Description	Retail	Wholesale
MACD3	8 quart chafer		Please Login
CDFP55	Food pan for ECON22/MACD3		Please Loain



Rectangular 9 quart stainless steel chafer features a hydraulic hinge that enables lid to open at any angle. Complete with food pan, water pan, and two fuel holders.

Item No.	Description	Retail	Wholesale
ADAGIORD26	9 quart chafer		Please Login
CDFP88	Food pan for ALLEGRT10		Please Login



Round Adagio

Round 7 quart stainless steel chafer features a hydraulic hinge that enables lid to open at any angle. Includes a food pan, water pan, and one fuel holder. 18'' L x 18-1/2'' W x 18'' H.

Item No.	Description	Retail	Wholesale
ADAGIORD18	7 quart chafer		Please Login
RFP18RD	Food pan for ADAGIORD18		Please Login





Full Size Food Pan

• Outside length 20.75", inside length 19.5", outside width 12.875", inside width 11.625", depth 2.5"

Item No.	Retail	Wholesale
CDFP88		Please Login



Rent-A-Pop 8 Ounce Popcorn Machine

Sturdy cabinet construction



Presentation lamp



Old maid drawer







Heavy duty, padded "comfort-grip" handles snap flat when not in use



Polycarbonate front and side panels in place of glass to prevent breakage during transport



Cord wrap holder

Popcorn Supplies



ProStyle Warmer w/pump-PC2018

- · Butter, cheese, chocolate or caramel
- Attractive stainless steel body
- · Includes unheated spout domed pump easily dismantled for cleaning
- 120 Volts, 200 Watts



Butter 1 gallon-2016 No Refrigeration

required, even after opening



Popcorn Portion pack PC10064 PC10063

- · Pre-measured corn, oil & seasoning
 • 2-year shelf life



Scoop Boxes PC11086 & PC11091

- 100 per case
- Can be used to scoop popcorn out for fast serving
 • Holds 2 oz. of popped corn



Paper bags

• 100 per bag • PC11011 - 8" PC11024 - 10"



Butter bags-PC11320

- 100 per case Special-coated bags will not leak when butter is applied

Item No.	Description	Cty. Qty.	Retail	Wholesale
PC10064	Portion pack for 8 oz.	24		Please Login
PC10063	Portion pack for 6 oz.	36		Please Login
PC1042	Speed scoop	1		Please Login
PC1040	Plastic scoop	1		Please Login
PC11086	Scoop boxes .75 oz.	100		Please Login
PC11091	Scoop boxes 1.25 oz.	100		Please Login
PC11011	Paper bags 1 oz.	100		Please Login
PC11011C	Paper bags 1 oz.	1,000		Please Login
PC11024	Paper bags 1.5 oz.	100		Please Login
PC11024C	Paper bags 1.5 oz.	1,000		Please Login
PC11320	Butter bags 2 oz.	100		Please Login
PC2018	Butter warmer w/pump	1		Please Login
2016NT	Butter 1 gallon	1		Please Login

Phone Toll-Free: 1.800.362.6951





PACAGON

1911 Originals

Nostalgic styling with state-ofthe-art technology! By combining attractive styling and the latest technology the 1911 Original has become the #1 commercial seller.

• 8 oz. - 68 lbs.



Theater Pop

Styled just like the poppers you see at the local movie house, these machines have a bright cabinet and classic graphics. The 4 oz. popper has become the #1 consumer seller.

• 8 oz. - 64 lbs.



Item No

Description

Thrifty Pop

Introducing an economy line of popcorn machines.

• 8 oz. - 68 lbs.



Rent-A-Pop

Created with rental stores in mind:

- Retractable handles
- Cord wrap
- Destriction proof glass (polycarbonate panels)
- · High value ROI!
- 8 oz. 58 lbs.

MOST POPULAR

Helli No.	Describitori	Keiuii	Wildiesule
8 oz. Machi			
1108910	1911 Original popper		Please Login
1108110	Theater popper		Please Login
1108510	Thrifty popper		Please Login
1108150	Rent-A-Pop		Please Login
Carts & Sta	nds		
3070010	8 oz. & 6 oz. poppers only		Please Login
	1911 cart		
3070510	8 oz. Thrifty popper only		Please Login
3070150	8 oz. Rent-A-Pop cart		Please Login
3070910	Premium popcorn stand		Please Loain

Fax Toll-Free: 1.800.255.7985

Retnil

Wholesale

Ounces popped Warranty Anodized Alum. Stainless Steel Old Maid Warming per hour (Years) Kettle Foodzone Drawer Deck

8 oz. Specs & Comparison

Thrifty Pop 1108510	147	1	•	Aluminum		
1911 Originals 1108910	147	1	•	•	•	•
Theater Pop 1108110	147	1	•	•	•	•
Rent-A-Pop 1108150	147	1	•	•	•	•

PAIAGON



"Arctic Blast" Sno-Cone Machine

A hard-working, economical option, The Arctic Blast has Tinted High-Impact Polycarbonate side panels.

- Sturdy stainless steel and aluminum construction -- durable and easy to clean
- Chip resistant finish
- Slanted drain deck removable, food grade plastic tray drains moisture away from the ice and extends shelf life
- 1/3 HP, 1725 RPM motor with safety rest
- 120 volt
- 50 lbs.
- 3050010 Special order only; non-stock item





Item No.	Description	Retail	Wholesale
6133310	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login





"The Cooler" Sno-Cone Machine

Unique, playful design is compact but comes equipped with the same heavy-duty motor as the larger model. Made from rugged roto-cast polyethylene, The Cooler is both lighter weight and less expensive. Rear wheels give The Cooler added portability.

- 1/3 HP, 1725 RPM motor with safety rest
- 120 volt
- · Chip resistant finish
- 24"W x 16"D x 24"H
- 50 lbs.
- 3050010 Special order only; non-stock item



Same Heavy-duty Motor & Blade As Bigger Units

Item No.	Description	Retail	Wholesale
6133410	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login









1 Quart Syrup w/flip top cap

Item No.	Description	Retail	Wholesale
15041	Blue Raspberry Syrup		Please Login
15051	Cherry Syrup		Please Login
15052	Strawberry Syrup		Please Login
15088	Grape Syrup		Please Login
15102	Lemon Lime Syrup		Please Login
15230	Blue Bubble Gum Syrup		Please Login
Syrup=12 per c	carton		



1 Gallon Syrup

Item No.	Description	Retail	Wholesale
15030	Banana 1 gal.		Please Login
15031	Green Apple Syrup		Please Login
15037	Bubble Gum Blue 1 gal.		Please Login
15044	Blue Raspberry Syrup 1 gal.		Please Login
15058	Cherry Syrup 1 gal.		Please Login
15065	Coconut 1 gal.		Please Login
15089	Grape Syrup 1 gal.		Please Login
15098	Lime 1 gal.		Please Login
15109	Orange Syrup 1 gal.		Please Login
15114	Pina Colada 1 gal.		Please Login
15120	Pineapple 1 gal.		Please Login
15123	Root Beer Syrup 1 gal.		Please Login
15151	Strawberry Syrup 1 gal.		Please Login
15155	Tigers Blood Syrup 1 gal.		Please Login
15173	Watermelon 1 gal.		Please Login
Syrup=4 per carton	_		



Holder

- Stainless steel
- Holds 8 cones



Spoon Straws

• Only red availble- 200/pkg



Nylon Ladle

• 6 oz.



Syrup Pump

- One ounce per pump
- · For easy dispensing
- Use with 1 gal.



Ice Scoop

- 5 oz.
- Aluminum



Pour Spouts



Sno-cone Cups

- 6 oz.
- 200/sleeve



Quart Bottles

 Pour gallon of syrup into easy to handle bottles

Accessories

Item No.	Description	Retail	Wholesale
61225	Sno-cone holder		Please Login
SC6510	Spoon straws (Case 200)		Please Login
61220	Pump for syrup		Please Login
15003	6 oz. cups (Sleeve 200)-design		Please Login
61203	Aluminum ice scoop		Please Login
60251	Quart bottle		Please Login
60253	Pour spout		Please Login
61214	Nylon Ladle		Please Login



HOTDOGS & NACHOS



15 - 45 minute cook time depending on number of hotdogs

Item No.	Description	Retail	Wholesale
8020	200 Hot Dog Steamer		Please Login
12119	Foil bags (100)		Please Login

PAIAGON



Hot Dog Steamer

- 20 gauge stainless steel construction
- Holds up to 200 hot dogs and 42 buns
- 13.5" W x 16" D x 20" H 120 Volts
- · Removable product trays and sliding doors
- · Oversized eight quart water reservoir is the largest available for extended holding times
- Quick turn water release valve eliminates burned fingers and spilled water
- · Low water Indicator light and illuminated ON/ OFF switch
- · Top loading design for easy access
- Front drain for easy cleaning



Foil Bags •3.5"x1.5"x8.5" • 1000/case

Nacho, Popcorn & **Peanut Warmer**

- · Warming deck to keep nachos hot and fresh
- Easy cleanup
- Comes with popcorn, nachos and peanuts decals (2 of each)
- · Huge 100 quart capacity
- 120V
- 29"H x 15"W x 15"D
- Special order only; non-stock item; non-cancelable

Item No.	Retail	Wholesale
2190110		Please Login









- Order online from a secure site
- ✓ Check account status
- ✓ Look up individual parts









- · New high-performance head will not cloa
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- Voltage meter indicates the optimum settings for producing the best product
- 120V, 1636 Watts, 13.6 Amps
- 19"W x 12"D x 21"H
- 1 year warranty



- · New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- · Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- 120V, 1636 Watts, 13.6 Amps
- 19"W x 12"D x 21"H, 49 lbs.
- 1 year warranty





- · Revolutionary, patented, new head design that requires NO tools to remove the head for easy cleaning. Allows the operator the ability to easily spin different flavors of floss with no downtime in production
- · New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- · Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- Voltage meter indicates the optimum settings for producing the best product
- 120V. 1370 Watts
- 19"W x 12"D x 21"H, 54 lbs.
- 1 year warranty

Spoke-Wheel Cart - 3060010

Antique-style cart includes a display area and a storage area for supplies

Item No. 7105200 Description Retail Wholesale Spin Magic machine w/metal bowl Please Login 7150300 Spin Magic machine w/plastic bowl Please Login 7105100 Classic Floss 5 machine w/metal bowl Please Login 7105200QR Spin Magic Quick Release 5 Please Login 7901 Roll-top bubble Please Login 3060010 Cotton candy cart Please Login 3060030 Cotton candy stand Please Login CC7903 Replacement aluminum bowl Please Login

• 3060010 and 3060030 are special order only; non-stock items



Roll-Top Bubble - 7901 Shields customers from floss and



Cotton Candy Stand - 3060030 Compact metal cart has casters and storage area for supplies 20"W x 20"D x 20"H

Great Western Sugar Floss

- 1/2 gallon carton (3.25 lbs.)
- 6 cartons in a case

One carton makes up to 60-70 cones!

Item No.	Description	Retail	Wholesale
16005	Blue raspberry sugar floss		Please Login
16015	Pink bubblegum sugar floss		Please Login
16024	Red cherry sugar floss		Please Login
16035	Purple grape sugar floss		Please Login
16085	Pink vanilla sugar floss		Please Login
16094	Strawberry sugar floss		Please Login





CC7851

CC7850

Plain plastic bags 1,000/case

Printed plastic bags 1,000/case

Please Login

Please Loain





Ice Hawk Cooler Merchandiser

- · Comes complete with casters and dome lid
- Dimensions: 22"D x 36"H
- Can capacity 106


Item No.	Retail	Wholesale
3801077		Please Login





Super Keg Cooler

- · Can be used as a can/bottle or keg cooler
- 25.25"D x 30"H
- Efficiently cools an 8 or 16 gallon keg with only three bags of ice
- Can cool 168-12 oz. cans or bottles
- Pump not included





Optional Casters & Pump Sold Separately





Igloo Coolers

Takes the abuse of the toughest job site and the most punishing work crews. HDPE hide won't chip, peel, buckle or rust. Ultratherm insulation for maximum cold retention. White FDA Grade inner liner is easy to clean and resists stains and odors. 5-year warranty. All parts are replaceable for extended life.

Item No.	Description Retail	Wholesale
431	3 gallon cooler	Please Login
451	5 gallon cooler	Please Login
4101	10 gallon cooler	Please Login
42051	5 gallon cooler-Green	Please Login
42052	10 gallon cooler-Green	Please Login
Accessories		
24009	Spigot - 1-10 gallon	Please Login
8242	Cup dispenser 4 & 4.5 oz	Please Login
25041	Wire rack for 431, 451	Please Login
25042	Truck rack for 431, 451	Please Login
25043	Wire rack for 4101	Please Login
18208201	4.25 oz Rolled cups (200/sleeve) (25 sleeves/case)-priced per sleeve	Please Login







Frozen Drink Machine

- · Compact Size
- 1 gallon cylinder 2 gallon hopper
- Up to 64 cups per hour
- Stand-by Switch refrigerates mix overnight
- Air Cooled
- 21-1/2"H x 11"W x 19"D
- · Weight: 90 lbs.
- 115V, 10 amp





BUNN

2 Hopper High Performance Ultra Gourmet Ice® System

- · White/Stainless steel finish
- Patented reversing auger design quickens freeze time
- Two 3 gallon hoppers for optimum cooling
- 31.9"H x 16"W x 24.5"D, 120V, 12 amps
- · Sanitation listed by NSF
- Special order only; non-stock item; non-cancelable

Item No.	Retail	Wholesale
ULTRA2-HP		Please Login



Frozen Drink Machine

- Compact Size
- 1 gallon cylinder 3 gallon hopper
- High Production Up to 115 cups per hour
- Lighted Flavor Sign draws attention
- Stand-by Switch refrigerates mix overnight
- Air Cooled
- 24"H x 10-1/2"W x 20-1/2"D
- · Weight: 110 lbs. (uncrated) 120 lbs. (crated)
- 115V, 11 amp




Ships Direct

From Factory



From Factory





Frozen Drink Machine

- · Compact Size
- 2 gallon cylinder 4 gallon hopper
- High Production Up to 160 cups per hour
- · Lighted Flavor Sign draws attention
- · Stand-by Switch refrigerates mix overnight
- Air Cooled
- 28"H x 12"W x 24"D
- Weight: 140 lbs. (uncrated), 150 lbs. (crated)
- 115V, 11 amp

Item No.	Retail	Wholesale
127A		Please Login



Ships Direct





Heavy-duty Pedal Karts



RACER

The perfect pedal go-kart for ages 2 to 8. It rides like the "big kid" models with the same look and feel.

- For ages 2-8 with a 100 lb. weight limit
- Steel frame with powder coated paint
- Air filled all-terrain tires with inner tubes
- · Coaster brake with reverse
- 3 position adjustable seat

Any combination of 1 to 3 Racers ships UPS. Item No. Wholesale Retail **RACER**





TRACKER

The ultimate pedal kart for couples and families! The Tracker is a heavy duty side-by-side tandem with two independent sets of drives and seat adjustments. So short and tall riders can both be comfortable. Rumble seats can be added so younger kids (1-4 years) can ride along.

- TWO independent drives
- Dual independent transmissions
- For ages 7-adult with a 500 lb. weight limit
- · Hand brake/parking brake
- · Heavy wall steel tubing with durable powder coating
- 6 position adjustable seats
- · Sealed ball bearing for easy pedaling
- Air filled tires with innertubes
- Usable spare tire included

Item No.	Retail	Wholesale
TRACKER		Please Loain



XL-4

Take on the toughest terrain with confidence in this versatile cart. Four all-terrain tires, articulated front-end design, and a patented transmission with reverse will have you tearing up the trails in record time.

- For ages 7 adult with a 350 lb. weight limit
- · Greaseable fittings on front axles
- Sealed ball bearings for easy pedaling
- · Air filled all-terrain tires with inner tubes
- · Coaster brake with reverse
- Hand brake/parking brake
- 6 position adjustable seat

Item No.	Frame	Retail	Wholesale
XL-4-CHARGERBLUE	Black		Please Login
XL-4-CHARGERGREEN	Black		Please Login
XL-4-CHARGERRED	Black		Please Login
XL-4-CHARGERYELLOW	Black		Please Login

Nitro, Baja and Ranger decals can be special ordered. See website for details.









Outdoor Weatherproof Lights

- 10 sockets (3 feet apart)
- Outdoor weatherproof
- Includes 15 bulbs (5 extra)
- Heavy-duty 16/3 SJTW cord
- · Connect up to 13 string light sets
- Perfect lighting for gazebos, patios, pergolas & restaurants

Item No.	Retail	Wholesale
72041		Please Login







LED Color Changing Cafe Lights

- Commercial grade for year-round, permanent outdoor installations
- White cord
- · Durable, impact resistant acrylic bulbs
- Perfect for patios, pergolas, gazebos, home accents, parties, and camping
- · Linkable up to 750 feet
- Enbrighten LEDs reduce energy usage by over 95%
- 16 colors to create over 120 possible color combinations
- · Includes remote to select color
- · No bulbs to replace ever
- UL-153 listed

	Item No.	Length	Retail	Wholesale
	39511	24′		Please Login
	39092	48′		Please Login
•				





Gear Tie Reusable Rubber Twist Ties

Gear Tie Reusable Rubber Twist Ties have a tough rubber shell that provides excellent grip and a strong wire inside that holds its shape. (3", 6", 12", 18", 24" or 32")

- Waterproof, UV resistant
- Tough rubber shell provides excellent grip
- · Won't scratch or mark
- Twist it, tie it, reuse it

Item No.	Length	Color	Qty.	Retail Wholesale
GT3-4PK-A1	3"	Assort.	4 pk.	Please Login
GT3-4PK-01	3″	Black	4 pk.	Please Login
GT6-2PK-31	6"	Orange	2 pk.	Please Login
GT6-2PK-01	6"	Black	2 pk.	Please Login
GT12-2PK-38	12"	Blue	2 pk.	Please Login
GT12-2PK-31	12"	Orange	2 pk.	Please Login
GT18-2PK-31	18"	Orange	2 pk.	Please Login
GT18-2PK-01	18"	Black	2 pk.	Please Login
GT18-2PK-38	18"	Blue	2 pk.	Please Login
GT32-2PK-31	32"	Orange	2 pk.	Please Login
GT32-2PK-01	32"	Black	2 pk.	Please Login
GLL24-33-2R6	24"	Neon Yellow	2 pk.	Please Login
		Loopable		

EVENT SUPPLIES

Custom Fit Tablecovers


- Saves time
- Won't blow off in the wind
- No need for tape, tacks or staples
- Not biodegradeable check local recycling laws

6'x 30" 8'x 30" **Banquet** Tables

Boxes of 100 or Individually Packaged



Item No.	Description	Retail	Wholesale
3096-W	8' table (100/box)		Please Login
60-W	60" table (100/box)		Please Login
30-W	30" table (25/pack)		Please Login
3072PK-W	Individual 6'		Please Login
3096PK-W	Individual 8'		Please Login
48PK-W	Individual 48"		Please Login
60PK-W	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
60PK-W	Individual 60"		Please Login
48PK-W	Individual 48"		Please Login
3096PK-W	Individual 8'		Please Login
3072PK-W	Individual 6'		Please Login
30-W	30" table (25/pack)		Please Login
60-W	60" table (100/box)		Please Login
3096-W	8' table (100/box)		Please Login

Item No.	Description	Retail	Wholesale
3096-B	8' table (100/box)		Please Login
60-B	60" table (100/box)		Please Login
30-B	30" table (25/pack)		Please Login
3072PK-B	Individual 6'		Please Login
3096PK-B	Individual 8'		Please Login
48PK-B	Individual 48"		Please Login
60PK-B	Individual 60"		Please Login

	Item No.	Description	Retail	Wholesale
	30-GR	30" table (25/pack)		Please Login
Ī	3072PK-GR	Individual 6'		Please Login
	3096PK-GR	Individual 8'		Please Login
	48PK-GR	Individual 48"		Please Login
	60PK-GR	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3096-GOLD	8' table (100/box)		Please Login
3072PK-GOLD	Individual 6'		Please Login
3096PK-GOLD	Individual 8'		Please Login
48PK-GOLD	Individual 48"		Please Login
60PK-GOLD	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
30-BLK	30" table (25/pack)		Please Login
3072PK-BLK	Individual 6'		Please Login
3096PK-BLK	Individual 8'		Please Login
48PK-BLK	Individual 48"		Please Login
60PK-BLK	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-M	Individual 6'		Please Login
3096PK-M	Individual 8'		Please Login
48PK-M	Individual 48"		Please Login
60PK-M	Individual 60"		Please Login

	Item No.	Description	Retail	Wholesale
	3072PK-P	Individual 6'		Please Login
_	3096PK-P	Individual 8'		Please Login
	48PK-P	Individual 48"		Please Login
	60PK-P	Individual 60"		Please Login

	Item No.	Description	Retail	Wholesale
	3072PK-0	Individual 6'		Please Login
1	3096PK-0	Individual 8'		Please Login
	48PK-0	Individual 48"		Please Login
	60PK-0	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-LB	Individual 6'		Please Login
3096PK-LB	Individual 8'		Please Login
60PK-LB	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3096-R	8' table (100/box)		Please Login
60-R	60" table (100/box)		Please Login
30-R	30" table (25/pack)		Please Login
3072PK-R	Individual 6'		Please Login
3096PK-R	Individual 8'		Please Login
48PK-R	Individual 48"		Please Login
60PK-R	Individual 60"		Please Login

30"

Round

Tables



Item No.	Description	Retail	Wholesale
3072PK-PINK	Individual 6'		Please Login
3096PK-PINK	Individual 8'		Please Login
60PK-PINK	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3096-RW	8' table (100/box)		Please Login
60-RW	60" table (100/box)		Please Login
30-RW	30" table (25/pack)		Please Login
3072PK-RW	Individual 6'		Please Login
3096PK-RW	Individual 8'		Please Login
48PK-RW	Individual 48"		Please Login
60PK-RW	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-BW	Individual 6'		Please Login
3096PK-BW	Individual 8'		Please Login
48PK-BW	Individual 48"		Please Login
60PK-BW	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-BLKW	Individual 6'		Please Login
3096PK-BLKW	Ind. Pack. 8' cover		Please Login
48PK-BLKW	Individual 48"		Please Login
60PK-BLKW	Ind. Pack. 60" cover		Please Login



Item No.	Description	Retail	Wholesale
3072PK-CELEBRATION	Individual 6'		Please Login
3096PK-CELEBRATION	Individual 8'		Please Login
60PK-CELEBRATION	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-PATRIOTIC	Individual 6'		Please Login
3096PK-PATRIOTIC	Individual 8'		Please Login
60PK-PATRIOTIC	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-Z	Individual 6'		Please Login
3096PK-Z	Individual 8'		Please Login
60PK-Z	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-L	Individual 6'		Please Login
3096PK-L	Individual 8'		Please Login
60PK-L	Individual 60"		Please Login










Washington Redskins running back and Oklahoma University alumni Adrian Peterson







Collegiate Tablecovers

Item No.	Description Ret	ail Wholesale
6'x30"		
C3072PK-AL	Alabama-Individual 6'	Please Login
C3072PK-ARS	Arizona 6'	Please Login
C3072PK-ARZ	Arizona State 6'	Please Login
C3072PK-ARK	Arkansas 6'	Please Login
C3072PK-AUB	Auburn 6'	Please Login
C3072PK-CL	Clemson 6'	Please Login
C3072PK-C0	Colorado-Individual 6'	Please Login
C3072PK-FLA	Florida 6'	Please Login
C3072PK-FSU	Florida State 6'	Please Login
C3072PK-IL	Illinois-Individual 6'	Please Login
C3072PK-IU	Indiana-Individual 6'	Please Login
C3072PK-IA	lowa-Individual 6'	Please Login
C3072PK-KSU	Kansas State 6'	Please Login
C3072PK-LOU	Louisville 6'	Please Login
C3072PK-LSU	LSU 6'	Please Login
C3072PK-MI	Michigan-Individual 6'	Please Login
C3072PK-MCS	Michigan State 6'	Please Login
C3072PK-MST	Mississippi State 6'	Please Login
C3072PK-M0	Missouri-Individual 6'	Please Login
C3072PK-UNC	North Carolina-Individual 6'	Please Login
C3072PK-NCS	NC State-Individual 6'	Please Login
C3072PK-OKS	OK State-Individual 6'	Please Login
C3072PK-OK	Oklahoma-Individual 6'	Please Login
C3072PK-PST	Penn State 6'	Please Login
C3072PK-SC	South Carolina 6'	Please Login
C3072PK-SYR	Syracuse-Individual 6'	Please Login
C3072PK-TEN	Tennessee 6'	Please Login
C3072PK-TT	Texas Tech-Individual 6'	Please Login
C3072PK-VAT	Virginia Tech-Individual 6'	Please Login
C3072PK-WV	West Virginia 6'	Please Login

3′x30′	,
C309	6PK-ΔI

8'X30"		
C3096PK-AL	Alabama-Individual 8'	Please Login
C3096PK-ARS	Arizona 8'	Please Login
C3096PK-ARZ	Arizona State 8'	Please Login
C3096PK-ARK	Arkansas 8'	Please Login
C3096PK-AUB	Auburn 8'	Please Login
C3072PK-CL	Clemson 8'	Please Login
C3096PK-C0	Colorado-Individual 8'	Please Login
C3096PK-FLA	Florida 8'	Please Login
C3096PK-FSU	Florida State 8'	Please Login
C3096PK-IL	Illinois-Individual 8'	Please Login
C3096PK-IU	Indiana-Individual 8'	Please Login
C3096PK-IA	Iowa-Individual 8'	Please Login
C3096PK-KSU	Kansas State 8'	Please Login
C3096PK-LOU	Louisville 8′	Please Login
C3096PK-LSU	LSU 8'	Please Login
C3096PK-MI	Michigan-Individual 8'	Please Login
C3096PK-MCS	Michigan State 8'	Please Login
C3096PK-MST	Mississippi State 8'	Please Login
C3096PK-M0	Missouri-Individual 8'	Please Login
C3096PK-UNC	North Carolina-Individual 8'	Please Login
C3096PK-NCS	NC State-Individual 8'	Please Login
C3096PK-OKS	OK State-Individual 8'	Please Login
C3096PK-OK	Oklahoma-Individual 8'	Please Login
C3096PK-PST	Penn State 8'	Please Login
C3096PK-SC	South Carolina 8'	Please Login
C3096PK-SYR	Syracuse-Individual 8'	Please Login
C3096PK-TEN	Tennessee 8'	Please Login
C3096PK-TT	Texas Tech-Individual 8'	Please Login
C3096PK-VAT	Virginia Tech-Individual 8'	Please Login
C3096PK-WV	West Virginia 8'	Please Login



White **Extension Cords**

Jacket type SJTW-A



White 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login

Asphalt Tent Stake Hole Plugs

- A permanent solution
- · Goes in quickly, looks natural
- · Cold weather won't crack it
- · Hot weather won't melt it
- · No extra fill needed
- · Saves money and time





Item No.	Stake Size	Top Diam.	No. Per Case	Retail	Wholesale
106100	1"	1-1/4"	320		Please Login
106150	1-1/4"	1-1/2"	176		Please Login

Protective White Chair Bags

- Durable poly bags
- · Designed to individually cover your wooden chairs before you place them in their canvas bag
- Bag size is 22" x 40"

Item No.	Retail	Wholesale
14971		Please Login





Multi-Outlet Cord-6 outlets

- This 12/3 50' cord has an extreme duty 600 volt iacket
- The outlets are every 10'
- -40° Coldweather Jacket
- · Water & flame resistant
- · Lighted ends
- · Individually boxed





1" White Tent Strap Ratchet

- 1" x 14' strap assembly
- 1" x 12' loose strap with snap hook
- Ratchet with 24" sewn strap and forged ring
- 3,000 lb. break strength
- 1,000 lb. working load limit

Item No.	Retail	Wholesale
ST400		Please Login



Tent Caps (Rebar - White)

- · Designed for the party and rental industries
- Prevents potential injury from protruding rebar
- Made of a tough ABS plastic and are white to provide visible yet unobtrusive protection
- 100 per carton

Item No.	Retail	Wholesale
14610L		Please Login



- 2" x 60 yards
- Polyethylene coated cloth
- Use for indoor/outdoor carpet or vinyl tent sidewall repair
- 24 per carton
- 9 mil

Item No.	Retail	Wholesale
20CW2		Please Login











B.A.S.H. Sledge Hammers

- Unbreakable technology
- · Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- · No-slip textured handle for secure grip
- · Lanyard hole
- •Tested for 25,000 overstrikes
- · Meets ANSI standards



Item No.	Head Size	Handle	Retail	Wholesale
20212	2-1/2 lb.	12"		Please Login
20412	4 lb.	12"		Please Login
20416	4 lb.	16"		Please Login
20630	6 lb.	30"		Please Login
20816	8 lb.	16"		Please Login
20824	8 lb.	24"		Please Login
20830	8 lb.	30"		Please Login
20836	8 lb.	36"		Please Login
21016	10 lb.	16"		Please Login
21036	10 lb.	36"		Please Login
21236	12 lb.	36"		Please Login
21430	14 lb.	30"		Please Login
21436	14 lb.	36"		Please Login
22036	20 lb.	36"		Please Login





- Unbreakable technology
- · Steel core eliminates breaking during overstrikes
- · Drop forged 46 HRC head
- · Safety plate locks head firmly to handle, elimnating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Tested for 25,000 overstrikes
- Meets ANSI standards

Item No.	Retail	Wholesale
11111		Please Login

Includes:

- (1) 4 lb. Head 12 in. Sledge Hammer
- (1) 32 oz. Head 14 in. Ball Pein Hammer
- (1) 2 lb. Head 16 in. Cross Pein Hammer



Disguise those rusty metal trash barrels and unsightly plastic drums with a Kwik-Can Cover.

Kwik-Can Covers feature tough elastic at both ends holds this durable, all-weather plastic trash can sleeve snugly in place, leaving you with a clean, pleated look. Sold as case of 50.

Item No.	Description	Retail	Wholesale
CANCVR-33GAL-RECY	33 gal Recycle logo (50/case)		Please Login
CANCVR-33GAL-W	33 gal White (50/case)		Please Login
CANCVR-55GAL-RECY	55 gal Recycle logo (50/case)		Please Login
CANCVR-55GAI-W	55 and - White (50/case)		Please Loain



Kwik-Block Covers

BLOCK202022

The Kwik Cover Tent Ballast Block Cover is the ideal solution to conceal ballast blocks during events.

- Significantly improve the appearance of the tent area
- One-size-fits-all
- · White only
- Fits: 20" x 20" x 12" (350lb.) 20" x 20" x 16" (500lb.)
 - 20" x 20" x 22" (750lb.)
- · Sold as case of 100.

Item No.	Retail	Wholesale
BLOCK202022		Please Login











Rhino Series

Plastic Folding Chairs

- "Rhino Tough, Rhino Strong"
- Injection-molded plastic seat and back
- · Seat plate attached to frame by 8 rivets
- 18-gauge, 3/4" tubular steel frame
- Baked on powder enamel, tested to be lead-free
- Ultraviolet additives for super protection
- Triple rivet brackets at the seat for better strength
- SGS Laboratory tested to 300 lbs. live load
- SGS Laboratory tested to 800 lbs. static load
- · Non-marring replaceable feet
- Chairs interstack with many other brands
- Color: White
- Dimensions:

Overall Height: 31.5" Overall Width: 17.5" Weight: 7.5 lb each

Sold 10 per box

Item No.	Description	Retail	Wholesale
2180	White - 10/Box		Please Login
2185	Black - 10/Box		Please Login
2190	Brown - 10/Box		Please Login
2167	Bone - 10/Box		Please Loain



Resin Folding Chairs

- Made from 100% polypropylene resin
- · Zinc coated, never-rust screws
- · Load rests on two seat bars, not on screws
- · Load tested by SGS Laboratories
- Heavy duty construction supports up to 1,000 lbs
- Comfortable, flexible, padded foam seat
- · Seat snaps in/out for easy cleaning
- · Simple interlocking features for stacking
- Stain resistant surface just wipe clean
- * Weatherproof and UV Protected to prevent fading
- Stack up to 30 chairs on dolly
- Dimensions:

Overall height: 30.75" Overall width: 17.5" Weight: 11 lbs. each

Sold 4 per box

Item No.	Description	Retail	Wholesale
2302	White - 4/Box		Please Login
2305	Black - 4/Box		Please Login



- · Lightweight, strong & durable
- Poly top impervious to spills & scratches
- · Easy to clean
- Auto-locking steel wishbone legs
- Weather Resistant Great for indoor/outdoor use
- · 400 lb. capacity

Item No.	Description	Retail	Wholesale
3712	6'x30" Rectangular		Please Login
3713	8'x30" Rectangular		Please Login
3716	60" Round		Please Login



- Weather Resistant and Maintenance Free
- · Never Needs Sanding or Refinishing
- 3/4" Lip for Skirting
- · Independently Tested and Approved
- · Lightweight Easy to Grip and Carry
- Auto-Locking Steel Wishbone Legs and Steel Frame
- Stain-Resistant Surface Won't Crack or Splinter
- Legs 15" from Ends for Extra Dining Comfort

Item No.	Description	Retail	Wholesale
3630	6'x30" Rectangular		Please Login
3635	8'x30" Rectangular		Please Login
3640	60" Round		Please Login







Sold In Multiples of 4

Premium Stackable Folding Chair

- Sold 4 per box
- Strengths of a metal folding chair with the benefits of a plastic folding chair
- Color-impregnated polypropylene plastic
- · Powdercoated steel frame
- 29-3/4"H x 18-3/4"W x 20-3/4"D.
- · Ships factory direct.

Item No.	Plastic/Frame Color	Retail	Wholesale
NPS802	Gray/Gray		Please Login
NPS805	Blue/Gray		Please Login
NPS810	Black/Black		Please Login
NPS818	Burgundy/Black		Please Login
NPS821	White/White		Please Login



Lightweight Folding Chair

- Sold 4 per box
- · High-quality blow-molded resin
- · Contoured seat and back for comfort
- Stain resistant
- Textured powder coated frame has two crossbraces
- · Ships factory direct.

Part#	Overall HxWxD	Retail	Wholesale
NPS602	32"x18-3/4"x21-1/2"		Please Login



Chair Dolly

- · Use with 800 Series chairs
- 36 chair stack capacity
- 11-gauge steel
- 4" casters 2 swivel & 2 fixed

Item No. Retail Whole:		Wholesale
DY800		Please Login

Lightweight Folding Tables

These lightweight blow-molded plastic folding tables are perfect for indoor or outdoor, or any other application that calls for affordable, lightweight, weather-proof, and highly durable folding tables. **Ships factory direct.**

- Sold 2 per box
- Can withstand heat up to 212° Farenheit.
- Lightly speckled gray with matching gray textured powder coated legs 17-gauge strength

Holds

300 lbs.

Item No.	Description	Size (WxLxD)	Capacity	Weight lbs.	Retail	Wholesale
BT3060	5' Rectangular	30"x60"x1-3/4"	1,500 lbs.	41		Please Login
BT3072	6' Rectangular	30"x72"x1-3/4"	1,500 lbs.	48		Please Login
BT3096	8' Rectangular	30"x96"x2"	1,000 lbs.	64		Please Login
BT60R	5' Round	60"dia. x 2"	1,000 lbs.	55		Please Login
BT71R	5′11″ Round	71"dia. x 2"	800 lbs.	82		Please Login

Tent Cleaner



Vista[™] Instant Shelter

- 10' x 10'
- Sets up in seconds!™
- · White powder-coated steel frame
- Polyester top
- CPAI-84 fire resistant fabric top

Item No.	Retail	Wholesale
VS2910BL		Please Login

Vantage[™]Instant Shelter

- 10' x 10'
- Sets up in seconds!™
- Pull pin leg for E-Z quick lock
- IMPROVED! E-Z glide truss washers allow for increased stability
- CPAI-84 and NFPA-701 fire resistant

ltem No.	Item No. Retail Wholesa	
VANTAGE		Please Login



Tent Cleaners

1 Gallon

- Removes mildew stains and penetrates dirt film
- Use with the pressure washer





Miracle Tent Mildew Proof Treatment

- One gallon covers 2,650 sq. ft.
- · Once treated, it lasts for over one year
- · Can fold up tents wet and store them

Item No.	Retail	Wholesal	
TMP123		Please Login	



Blitz Mildew Remover

 Mildew remover penetrates and kills the spore

Item No.	Retail Wholesale	
B456		Please Login







Dual Fuel or Propane Direct-Fired Heaters

B.WHITE

40,000 BTU

- 330 CFM
- 1.86 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 2.6 starting amps, 1 amps continuous operation
- 24.8"L x 14.5"W x 16.2"H
- Includes 15' gas hose, regulator





Item No.	Description	Retail	Wholesale
TS040	40,000 BTU - Propane Only		Please Login
09454	Thermostat with 20' cord		Please Login
07891	Replacement thermostat 20' cord		Please Login
132544	Distribution duct kit, white 8"dia. x 12"L		Please Login
132540	Diffuser w/quick connect		Please Login
132541	End diffuser (fits end of 8" dia. ducting)		Please Login

Diffuser and duct sold seperately



Compact and quiet, Premier heaters in their neutral white color are perfect for tent applications. The Advanced Service Saver self-diagnostic feature makes them easy to maintain. All models are certified to CSA standards.



80,000 BTU

- 450 CFM
- 3.7 lbs. per hour consumption
- Direct spark ignition115 volts, 5 starting amps, 2 amps continuous operation • 30"L x 14"W x 20"H
- · Includes 15' gas hose, regulator & thermostat w/ 1.4' cord



Item No.	Description	Retail	Wholesale
TS080 2.0	80,000 BTU - Propane Only		Please Login
CS080DF 2.0	80,000 BTU - Dual Fuel		Please Login
Accessories for 2	.O Heaters (Current Model)		
132902	Unit diffuser -TS080 2.0		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login
Accessories for 1	O Heaters (Past Model)		
26349	Unit diffuser w/quick connect		Please Login
09454	Thermostat w/inline plug, 20' cord		Please Login
Accessories for a	Premier 80 Heaters		
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26346	Duct kit, gray, 12" dia. x 12'L		Please Login
26350	Diffuser for end of duct includes ring		Please Login
09054	Clamp to hold #26617		Please Login
26617	12" duct adapter ring (flange)		Please Login



170,000 BTU

- 1200 CFM
- 7.9 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 8 starting amps, 3 amps continuous operation
- 31"L x 18"W x 28"H
- Includes 15' gas hose, regulator & thermostat w/1.4' cord



Item No.	Description	Retail	Wholesale
TS170 2.0	170,000 BTU - Propane Only		Please Login
CS170DF 2.0	170,000 BTU - Dual Fuel		Please Login
	O Heaters (Current Model)		
30125	Thermostat w/female plug, 25' cord		Please Login
	O Heaters (Past Model)		
09454	Thermostat w/inline plug, 20' cord		Please Login
	Premier 170 Heaters		
26351	Unit diffuser w/quick connect		Please Login
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26346	Duct kit, gray, 12" dia. x 12'L		Please Login
26350	Diffuser for end of duct includes ring		Please Login
09054	Clamp to hold #26617		Please Login
26617	12" duct adapter ring (flange)		Please Login

350,000 BTU • 2400 CFM

- 16.2 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 30 starting amps, 14 amps continuous operation
- 48"L x 22"W x 41"H LINK™ subscription ready
- · Includes 15' gas hose, regulator & thermostat w/1.4' cord



			1
Item No.	Description	Retail	Wholesale
CS350DF 2.0	350,000 BTU - Dual Fuel		Please Login
	2.0 Heaters (Current Model)		
22835	Duct kit, white, 18" dia. x 12'L		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login
Accessories for 1	.0 Heaters (Past Model)		
22920	Thermostat w/inline plug, 20' cord		Please Login
Accessories for a	ıll Premier 350 Heaters		
23189	Diffuser for end of duct includes ring		Please Login
23050	18" duct adapter ring (flange)		Please Login
573761	Clamp to hold #23050		Please Login







Dual Fuel or Propane Direct-Fired Heaters

HS115 - 115,000 BTU

- 650 CFM high-output fan
- · High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V

F109108

• 30"L x 15"W x 23-3/4"H





Big heat with big features. The new Nomad tent and construction heaters from HeatStar, have all the quality and durability you have come to trust from the HeatStar brand. Whether you are looking for a heater to put a lot of heat on to a job site or for a unit to quietly sit out of sight at an outdoor event, the HeatStar Nomad heaters are an ideal solution for either. Generously equipped with features to make it easy to use and cheap to operate.

- 6 Output rates on 3 separate units
- 15 ft. hose and regulator included
- Dual fuel standard (LP/NG)
- Multi-rate (High & Low Settings)
- · High CFM for greater circulation
- · Easy reset high limit switch
- · 4 tie down connections (HS190TC, HS250TC)
- · Fan-Only option for air circulation
- · Remote thermostat with 20' cord
- Spark ignition
- ETL Certified



10' duct for HS115TC

Includes 15' Gas Hose, Regulator, and Thermostat



Please Loain

Item No.	Description	Retail	Wholesale
HS190SF	190,000 BTU - Propane Only		Please Login
HS190TC	190,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login



Item No.	Description	Retail	Wholesale
HS250SF	250,000 BTU - Propane Only		Please Login
HS250TC	250,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login



F109105 F109115

Electronic spark ignition

TRUCK

Requires 115V



F109107 F109117



F109108 F109118



F109106 F109116



F109119





Portable Oil Indirect-Fired Heaters

- 100% clean, dry heat
- · High pressure operation
- Four-loop exhaust gas system[™] for higher efficiency
- Temperature rise 160°F
- Runs on #1 & #2 diesel, kerosene, JP-8 or Jet A
- Low power consumption-runs on 15 amp circuit
- · Thermostat sold separately
- Fuel gauge
- · Extra large capacity tanks





HVF110 - 110,000 BTU

- 22 hour run time
- 120v, 6amp
- 1,020 cfm
- Temperature rise = 160° F
- Ductable up to 25'
- 100 lbs.

Item No.	Description	Retail	Wholesale
HVF110	Heater		Please Login
WD1220	20' Duct		Please Login
AR110	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
EF1	Raincap/Flue stack	(Please Login









HVF210 - 205.000 BTU

- 19 hour run time
- · Preheated fuel filter
- 120v, 9amp
- 1,530 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 180 lbs.

Item No.	Description	Retail	Wholesale
HVF210	Heater		Please Login
WD1425	25' Duct		Please Login
AR210	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR212	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login







HVF310 - 300,000 BTU

- 16 hour run time
- · Preheated fuel filter
- 120v, 12amp
- 2,500 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 270 lbs.

Item No.	Description	Retail	Wholesale
HVF310	Heater		Please Login
WD1825	25' Duct		Please Login
AR310	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR312	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login





Note: A duct adapter ring is

required to connect duct



Flue Kit - EF1

Screw clamp-SCR18



Two-way Duct Adaptor

- Only compatible with HVF210 and HVF310. (12" outlets) PN-AR212, AR312
- Duct-WD1225





Portable Propane Cabinet Heater

- 6,000, 12,000, or 18,000 BTU per hour
- · Ideal for restaurant patio seating
- · Lower cost than heating towers
- Heats up to 450 sq. ft.
- · No electricity required
- · Quiet and odorless
- · Hose and regulator included
- D 14.25" x H 23.50" x W 19.75"

Item No.	Retail	Wholesale
HS18CH		Please Login



🝑 SWEET HEAT

Sweet Heat® Patio Heater Trifold Reflector

- · Redirects heat where you want it
- · Designed to boost efficiency of full-sized patio heaters
- · High-quality aluminum
- Interlocked hinge system between panels ensures minimal gap
- Folds down to just a third of its size
- The amount of propane savings pays for the reflectors!

Item No.	Retail	Wholesale
SH-TF-33X10		Please Login





Zubri Portable Patio Heater

- 40,000 BTU's
- 7'3" tall (Case-56.5" tall x 15" wide)
- Heats approximately 300 sq. ft.
- · No tools are necessary
- · Legs detach for storage and transport
- · Hard-shell carrying case and carrying bag for reflector
- · Tip switch
- · One year warranty

Item No.	Retail	Wholesale
Item No. Z1-12CK		Please Login



Carrying Case Included



Radiant Patio Heaters



- 40,000 BTUs
- · Covers 10' 15' diameter
- · Convenient "Piezo" match free ignition
- · 100% safety control
- · Portable wheel kit included
- · Unit meets or exceed CSA and UL
- Up to 10 hours of use with standard 20 gallon OPD Cylinder

ltem No.	Color	Retail	Wholesale
PC02AB	Antique Bronze		Please Login
PC02JS	Jet Silver		Please Login
PC02SS	Stainless Steel		Please Login
	PCO2AB PCO2JS	PCO2AB Antique Bronze PCO2JS Jet Silver	PCO2AB Antique Bronze PCO2JS Jet Silver





Rhino Collapsible **Patio Heater**

- 41.000 BTU's
- Unique collapsible design for transport & storage
- · Integrated table top
- Easy start electric ignition
- · Commercial grade steel with gold hammered powder coat
- · Heavy-duty wheels and handle
- · 1 Year limited warranty
- · CSA tested and approved
- One year warranty













orders@phpdistribution.com

Pans & Blowers

30" Pedestal Fans



WMPF30OSC

- · Powder coated finish
- · Industrial high velocity motor
- · Adjustable 58" to 74"
- · Heavy-duty all metal construction
- ETL/cETL Listed
- 1-year warranty



30PFR

- · 2-speeds
- · OSHA compliant guards
- Totally enclosed, heavy-duty ball bearing, permanent split capacitor, thermally protected motor
- Two-year limited warranty
- 10' grounded cord

Item No.	Oscillating	Size	Volts	HP	Amps	CFM	Retail	Wholesale
WMPF300SC	Yes	30"	120	2/5		5000 / 4120 / 3531		Please Login
30PFR	No	30"	120	1/2	5.2	9424 / 6996		Please Login
HD30P	No	30"	120	1/2		9850 / 7500		Please Login



HD30P

- Adjustable 52" 82"
- Enclosed permanently lubricated, PSC-type ball bearing 120V single-phase motor
- · Pivot-action fan head
- · 2-speed pull chain operation
- · Meets OSHA standards, UL listed



Drum Fans

- Galvanized steel base
- Large rubber wheels
- OSHA compliant guards
- · High density polyethylene housing
- · Incredibly quiet for its size
- Two year warranty
- Made in the USA



SCHAEFER

Item No.	Color	Volts	HP	CFM	Retail	Wholesale
VKM36-0	White	115	1/2	11,000		Please Login
VKM36-B-0	Black	115	1/2	11,000		Please Login



24" **Direct Drive** Pivot Drum Fan

- Rotary switch
- SJT type cord 3 conductor
- Powder coated black finish
- 20-gauge steel housing
- Steel swivel base with 5" rubber wheels
- Single-phase, ball bearing, open-ventilated, permanently lubricated motor
- Meets OSHA standards

Item No.						Retail	Wholesale
CPBS24DHV	24"	120	1/3	3.6	8,200		Please Login



Belt Drive

Drum Fans

- Powder coated 20 gauge steel housing
- 5" rubber wheels
- 2-Speed
- · Permanently lubricated, ball bearing motor
- SJT type 3 conductor, 8' long cord
- Rocker switch



ı	ltem No.	Size	Volts	HP	Amps	CFM	Retail	Wholesale
ı	CPB36B	36"	120	1/3	3.6	5,400		Please Login
ı	CPB42B	42"	120	1/2	6.5	7,600		Please Login
	CPB48B	48"	120	3/4	9	8,800		Please Login







14" & 18" Outdoor Epoxy Coated **Tent Fans**

- · Completely sealed motor and speed control
- 3M™ Fusion bonded epoxy coating for extreme conditions
- · Outdoor UL 507 rating
- 3-speed
- Fully adjustable wall mount
- 8' cord on both





	1	25	ü	E	3
	j	u	D	8	Š
le	1		5		ļ.
nin					

Standard

Pole Mount

Included!

Item No.	Size	Color	Volts	HP	Amps	CFM	Retail	Wholesale
POW14	14" Wall	White	120	1/8	1.1	4,000/3,300/2,600		Please Login
POW18	18" Wall	White	120	1/8	1.8	6,600/4,800/3,800		Please Login
POW18B	18" Wall	Black	120	1/8	1.8	6,600/4,800/3,800		Please Login
POWTPB	Tent Pole B	racket	Fits 2" to 2.5" to	ent poles				Please Login



12" Air Circulation Tent Fan

- Includes bracket to mount to standard pole
- Great for tent rentals, special events, weddings, sporting events, etc.
- Totally enclosed heavy-duty white motor, thermally protected, pre-lubricated ball bearings **9** SCHAEFER
- · Maintenance free motor with cord and on/off switch
- · Aluminum fan blade

Item No.	Size	Volts	HP	Amps	CFM	Retail	Wholesale
VK12TF-SPM-W	12"	115/230	1/10	1.3/.65	1510		Please Login



Sahara Pro X4 TurboDryer

- Versatile 3-speed. 3-position operation
- VIDEO · GFCI outlets to connect up to 6 units
- · Built-in carpet clamp for under-carpet drying
- · Lightweight, easy-carry design
- · Secure stacking vertically for storage

Item No.	CFM	Volts	Amps	Retail	Wholesale
124315	867	115	1.9		Please Login



Velo Slimline Blower

- · Broad-path airflow
- · Low profile
- · Daisy-chain with GFCI outlet
- · Tough rotomolded housing
- · Cord wrap and easy-carry handle
- Multiple position versatility
- F504

ltem No.	CFM	Volts	Amps	Retail	Wholesale
125470	885	115	1.9		Please Login





Pans & Blowers



Americ Confined Space Ventilator

- Delivers both positive and negative airflow to confined spaces
- Motor rated at 100,000+ continuous-duty hours
- One-speed 115V 8/5.7 Amp 1 HP motor operates at 3,300/2,800 RPM
- · Dual wall design protects internal mechanisms
- · Capable of connecting up to 125-ft. of straight duct
- · Stackable for space-saving storage
- UL and CUL listed
- · Weighs only 32.5 lbs.
- For use in non-explosive environments
- Three year warranty
- · Made in the USA




Quick-Connect Duct Hose


- · 25ft. length reaches areas usually inaccessible
- Made of light-duty vinyl and woven polyester
- Attached carrying bag provides easy carrying and storage
- -20° to 180°F temperature range

Item No.	Size	Volts	HP	Speed	CFM	Retail	Wholesale
VAF3000A	12"	115	1	Single	2796		Please Login
AM-DS1225CB	12″x2	25' Duct					Please Login



- · Multi-vane fan minimizes sound levels
- · Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing is dent-resitant and corrosion proof





Item No.	Size	Volts	HP	Speed	CFM	Retail	Wholesale
EP8ACP	8"	110	1/3	Single	501		Please Login
EP12ACP	12"	115	1	Single	1825		Please Login
EP16ACP	16"	115	1	Single	4450		Please Login



- Complete with 8" x 25' flexible duct and integral storage canister
- · Built-in safety screens
- · Damage protected On/Off switch
- · Multi-vane fan minimizes sound levels
- Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing is dent-resitant and corrosion proof

Item No.	Size	Volts	HP	Speed	CFM	Retail	Wholesale
EP8AC25P	8"	115	1/3	Single	902		Please Login



Ventilation Duct

- Vinyl-coated, synthetic fabric construction
- Nylon ring and securing strap on opposite ends

Item No.	Size	Retail	Wholesale
FD825	8" x 25'		Please Login
FD1225	12" x 25'		Please Login
FD1625	16" x 25'		Please Login



Duct Storage

- Heavy-duty 16 gauge steel
- Lockable cover and carry handle

Item No.	Retail	Wholesale
SC8		Please Login







Phone Toll-Free: 1.800.362.6951



Stealth Axial Fan

- Versatile fan positions for directing airflow
- Variable speed control
- Low-noise Stealth™ fan blades
- · Hour meter
- · Power outlet socket for daisy-chaining – up to four units
- · Circuit breaker and reset switch
- · Secure, nested stacking
- · Rugged carry handle and integrated cord wrap
- F568

Item No.	CFM	Volts	Amps	Retail	Wholesale
113164	2600	115	2.7		Please Login







20" Confined Space Ventilator

- · Ventilate hazardous gases
- · Heavy gauge aluminum housing
- 1 HP, 10 amps, 115 volts, 6500 CFM
- · Powder coat safety guards, cord wrap & 10' cord
- · Duct sold separately
- 75 lbs.
- 74 dB



Item No.	Description	Retail	Wholesale
CS20	Ventilator		Please Login
CS20D	24" x 25' Duct		Please Login



Pans & Blowers


Vortex Axial Fan

- Ventilate work areas during remodels, new construction, or cleaning
- · Powerful enough to drive air through 125 ft. of ducting
- · Built-in handle
- · Stackable for storage
- Powerful 1.0 hp motor
- · Operate stand-alone or with stow & go ducting
- F174

Item No.	CFM	Volts	Amps	Retail	Wholesale
116594	2041	115	7.4		Please Login



8" Confined Space Ventilator



- 1/3 HP, 2.1 amps, 115 volts, 930 CFM
- · Rubber draw latch
- · 25' single ply PVC vinyl coated polyester ducting with a standard fastening cuff at the end
- · Stackable for efficient storage and work space
- Lightweight (15 lb.)
- ETL listed
- One year warranty

Item No.	Retail	Wholesale
MB-P0813-DC25		Please Login





Sto&Go **Ducting on the Go**

- 12" x 25"
- Temperature range: 20° 180°F
- · Built-in bag with sturdy handle contains and protects ducting during transport and storage
- · Semi-rigid ducting constructed with spring steel wire helix
- Black reinforcement strips protect internal wire to ensure long service life

Item No.	Retail	Wholesale
F405		Please Login



20" Air Mover

- · Built-in carrying handles
- · On/Off switch
- 1/2 HP, 7 amps, 115 volts, 5500 CFM
- · Rugged steel housing and screen construction
- · Stand-alone unit or easily stackable
- 14 gauge cord with molded plug
- 74 lbs.

Item No.	Retail	Wholesale
FN20		Please Login







DEHUMIDIPIERS



DrizAir® 1200 Refrigerant Dehumidifier

- · Rugged rotomolded housing
- · Electronic touch-pad controls
- · Semi-pneumatic wheels
- · Built-in duct attachment ring
- If power is interrupted during operation, the unit will automatically restart when power is restored
- 32"H × 20"W × 19.5"D, 80 lbs.
- 115V, 6.4 amps
- 40 ft. drain hose
- F203-A

Item No.	Description	Retail	Wholesale
104677	Dehumidifier		Please Login
F581	HAF Filters (3 pk	i.)	Please Login



DRIEAZ

LGR 7000XLi Dehumidifier

- Self-monitoring system
- Built-in humidistat
- Sealed large-capacity pump basin
- Advanced Crossflow Technology maximizes efficiency even in low grain environments
- Ergonomic design
- Integrated cord and hose storage
- Rotomolded housing practically indestructible
- If power is interrupted during operation, the unit will automatically restart when power is restored. (115V models only)
- 33.5"H × 20"W × 20"D
- 107 lbs.
- 115V, 8.3 amps
- F412

Item No.	Description	Retail	Wholesale
108110	Dehumidifier		Please Login
F581	HAF Filters (3 pk.)		Please Login



6000Li LGR Dehumidifier

- LGR technology boosts effective operating range
- Extreme Dewpoint Technology (EDT) delivers the fastest response to changing conditions
- Easily Ductable using built-in snap-ring mount on air outlet
- Time-saving i-Series control panel displays GPP, inlet and outlet temp and TH plus maintenance prompts.
- Uses all-in-one 4-PRO filter
- Unique spill-proof pump basin
- 32.1"H × 20"W × 19.8"D, 100 lbs.
- 115V, 6.6 amps
- F600

Item No.	Description	Retail	Wholesale
103614	Dehumidifier		Please Login
F579	4-PRO Air Filter (3 pk.)*		Please Login
*8 packs i	n a case		



Revolution™ LGR Dehumidifier

- · Best low-grain performance in its class
- More water removal than other units 2–3 times its size!
- Delivers "Large" dehu performance yet fits where others don't
- Control panel displays inlet and outlet temp and RH in real time
- Secure, compact stacking transport multiple units on a handtruck
- · Fastest access for cleaning and maintenance
- Fit more drying in the truck, make fewer trips make more profit!
- 12.5"H × 17.6"W × 21.5"D
- 65 lbs.
- 115V, 6.2 amps
- F413

Item No.	Description	Retail	Wholesale
111995	Dehumidifier		Please Login
F583	HAF Filters (3 pk.)		Please Login





VIDEO

VIDEO DEMO



ZONE

OdorStor



Ozone Generator with 3 Ozone Plates

Perfect for deodorizing and sanitizing large spaces. It will eliminate severe odor caused by mold, mildew, tobacco, fire and smoke, water and flood damage, animals, decaying matter, body odor, cooking smells, and more.

- · High quality aluminum body
- Functions: 3 Ozone plates + pre-filter + 12-hour timer
- Ozone Output: 150 mg/H up to 1400mg/H
- Fan Output: 110CFM
- 110V, 35W
- Dimensions: 7.5"H x 9.0"W x 12.5"D
- · Weight: 9.75 lbs
- · Area: 3,500 square feet

Item No.	Ozone Output	Retail	Wholesale
0\$3500	1400 milligrams/hr		Please Login



Pre-Filter F271



Filter F321


Carbon


Filter

F397



- 1/3 hp, thermally protected motor
- 250-500 CFM
- · Rotary dial switch
- Extra long 25 foot safety yellow power cord
- · Stackable, roto-molded housing
- · Weighs only 40 pounds
- · GFCI outlet allows daisy-chaining
- 115 volt, low 3 amps
- · Pre-filter and HEPA filter included
- · Filter change Indicator light
- · No tools required for filter change
- ETL/CE/SAA certified





pending corona discharge technology know as "SP-ARC", Silicate Polarized Arc. This allows the generator to produce much higher levels of ozone then any competitive model with little or no maintenance.

- Size: 12.25" x 9" x 6"
- · Weight: 7 lbs. 9 oz.
- Timer: 12-hour with hold function
- Fan: 100 CFM
- Ozone Output: TZ-1 1,500 mg per hour TZ-2 - 3,000 mg per hour
- Treatment Area (Cu.Ft.): 50,000 60,000
- TZ-1 110V, 1 Amp TZ-2 - 110V, 2 Amps

Item No.	Ozone Output	Retail	Wholesale
TZ-1	1500 milligrams/hr		Please Login
TZ-2	3000 milligrams/hr		Please Login




HEPA 700 Air Scrubber

- · Filters out dust, mold, odors and fumes with pre-filter, optional carbon and true HEPA filter media – passes DOP tests with no additional filters
- · Quieter operation for use in any occupied spaces
- · GFCI outlet enables daisy-chaining of up to 8 units
- · Lightweight and stacks securely
- 24/7 remote monitoring and control using Command Center app to ensure continuous air filtration
- 700 CFM, 1.5 3 amps (115v, 60 Hz)
- Includes: 2" MERV 8 Pre-Filter & Primary HEPA Filter
- (HxDxW): 23 X 17 X 26 in.
- 25 ft. power cord

Item No.	Description	Retail	Wholesale
125105	Air scrubber		Please Login
F271	Pre-Filter (1 pk.)		Please Login
F321	Filter (1 pk.)		Please Login
F397	Carbon filter (1 pk.)		Please Login
F415	DOP Pre-filter (1 pk.)		Please Login
DOP-Dispers	ed Oil Particulate		









-A-		Buddy Heaters	12, 61	Coveralls	37, 82
Abrasives	143-145	Bull Floats	118	Crayons	59
ABS Cement	91	Bungee Cords	50	Credit Application	194
Adapters, Electric	98			Cut-off Saw	141
Adhesive Caulk	91			Cut-off Wheels	143
Adhesive, Construction	91	-C-		-[)-
Adhesive Strips Refill		Cable Ties	52, 98	Danger Flags	55
Adjustable Wrenches		Caddy Pump	69	Danger Tape	55
Aerator		Cafe Lights		Degreasers & Cleaners.	
Air Filters		Cam & Groove Couplings		Dehumidifiers	
Air Hose		Camo Items		Demolition Hammer	
Air Hose Couplers		Can Covers		Diamond Blades	
Air Mover		Canopies		Diesel Caddy	
Air Purifiers		CARB Cans		Digger Tamper Bar	
Air Scrubber		Cargo Bar		Discharge Hose	
All Purpose Cleaner		Carpenter Pencil		Disposable Coveralls	
All Terrain Vise		Carpet Blowers		DisposaCone	
Angle Grinder		Carpet Cleaning Chem		Dollies	
_				Drain Cleaners	
Asphalt Dives		Carpet Knee Kieker			
Asphalt Plugs		Carpet Knee Kicker		Drill Bits	
Atlas Digger		Carpet Tools		Drill Press, Overhead	
ATV Vise		Caulk		Drink Machine	
Augers		Caution Tape		Drive Sets	
Automotive		Cement, ABS		Drum Fans	
Aviation Snips		Centrifugal Pump		Drum Sander	
Axes		Chafers/Food Pans		Drywall/Wallpaper Tools	
Axial Blower	184-185	Chains	49	Drywall Lifter	
		Chain Binder	49	Drywall Sander	
		Chain Hoist	67	Duct9, 16, 18, 20-	21, 178-180, 184-185
-B-		Chainsaw	130	Duct Diffusers	20-21, 178-179
Back Supports	55	Chair Bags	174	Duct Ring	20-21, 178-179
Balloon Light Kits	62	Chair Dolly	177	Duct Tape	108
Barley Fork	101	Chairs	176-177	Dust Masks	147
Barricades	149	Chalk/Chalk Lines	59	Dustbuddie	120
Barricade Light	149	Channelizer Cones	149	Dustless Vacuum System	ns120
BASH Hammers	103, 175	Chargers, Battery	65		
Batteries	65	Chisels			
Battery Charger	65	Cigarette Butt Receptacle	82	-1	E-
Beam Clamp		Clamps		Ear Plugs	45. 147
Beanies		Clay Spades		Edger, Floor	
Bench Vise		Cleaners & Degreasers		Elastic Tie Downs	
Beverage Dispensers		Clear Tape		Electric Drain Cleaners .	
Binders		Combination Hammer		Electric Eel	
Blades85, 89, 112, 114, 1		Compost Spreader		Electrical Plugs	
Block Covers		Concession Items		Electrical Safety	
Blowers & Fans		Concrete Floats		Electrical Tape	
Body Harness		Concrete Finishing		Engine Parts	
Bolt Clamps		Concrete Mixers		Epoxy	
Booster Cables		Confined Space Ventilator		Extension Cords	
Boots 56 112 122 123		Contractor Lifts		Extension Ladders	
Bosch56, 113, 122-123,		Coolers		Extractors, Carpet	
Bottle Jack		Cord Adapters		Event Supplies	
Box Strap		Cord End Replacements		Eye Flush Bottles	
Breakaway Safety Vest		Cord Reels		Eyewash Replacement E	
Breaker Hammers1		Core Bits	•	Eyewash Station	107
Brute, Breaker Hammer		Cotton Candy Machine/Supp			
Buckle Boots	37	Couplings	70-73		





-F-	EE	Hand Tools		· ·	K- 17
Fall Protection		Hand Wipes		Karts, Pedal	
ans		Handles	,	Keg Cooler	
ast Orange Cleaner		Hard Hats		Kerosene Additive	
ence		Hard Hat Liners		Knee Kicker, Carpet	
Fill 'n Chill Party Table Access		Harness		Knee Pads	
Filter, HEPA Vac		Head Protection	·	Knife Sharpeners	
Finish Nailer		Hearing Protection		Knives	
First Aid Kits/Refills		Heating Oil Treatment		Knife, Utility	
First Aid Station		Heaters	40.04	Kwik-Covers	1/2-1/3, 1/
ittings		Buddy			
Fix-A-Flat		Construction			
-lagging		Convection		·	L•
lashlights		Cordless		Ladders	
loats		Direct Spark		Landscape Rake	
loor Care		Electric		Lanyard	
Floor Dryer		Garage		Laser Distance Measure	
loor Edger	117	Heatstar5, 8, 10, 1		Laser Levels	56-5
loor Installation	114-115	Heat Wagon	8-9, 16-18, 180	Laser Level Accessories	5
loor Preparation	110-113	Indirect Fired	9	Lever Hoist	6
Floor Sander		Infrared		Lifting Straps	5
loor Scraper		L.B. White	.6, 13-15, 20, 178	Light Tower	
loor Stripper		Natural Gas14-15		Lighting	
olding Chairs		Oil Fired		Linoleum Roller	
olding Tables		Patio		Loads & Pins	
orearm Forklift		Propane10-15	•	Locking/Fasteners	
Forestry Hard Hat		Radiant		Long Tapes	
Fork, Barley		Sureflame		Lubricator	
rozen Drink Machine		Tank Top		Lumber Crayons/Pencils	
uel Containers		Tent			
				Lumber Crayon Holder	
Fuel Sytem Cleaner		HEPA Vacs	,		
unnel		Hitches			
Furniture Dolly	84	Hoist, Chain		•	VI-
		Hoist, Lever		Magnetic Floor Sweeper	
		Hole Diggers		Magnetic Parts Holders	
-G-		Honda Parts		Magnifier Safety Glasses	
Sarden Hose		Hoses & Accessories		Maintenance	
Sas Caddies		Hoses, Air		Makita	128-129, 131, 14
Baskets		Hoses, Discharge		Marking Flags	
Gas Pressure Test Set		Hoses, Propane/Natural Gas	i31	Marking Paint	6
Bauges	26	Hoses, Suction	72	Marking Stick	6
General10	06, 112-113, 139	Hoses, Torches	83	Marking Tools	59-6
Generators		Hoses, Water	70	Mauls	10
Senerator Cords & Adapters.	47, 99	Hose Fittings	70-73	Measuring Tapes	58, 8
FCI/Adapters		Hose Menders		Measuring Tools	
Glass Cleaner		Hot Dog Steamer		Measuring Wheel	
Bloves		Hot Hands		Mechanics Tool Sets	
Goggles		Tiot Harido		Metal Detector	
Grain Shovel				Mica Windows	
Grease Guns		-L		Mirror Adhesive	
		Ino Table Assessaries	102	Mixers, Concrete	
Grinders, Angle		Ice Table, Accessories			
Grinder, Floor		Igloo		Mold/Mildew Remover	
Grinding Wheels12	26, 128, 143, 145	Ignitors		Mop Handle	
		Industrial Sanitation Supplies		Moving Blankets	
		Inline Lubricators	70	Moving Harness	
-Н-				Multi-Outlet Extension C	ord9
Halogen Lights					
Hammer (Combo & Rotary) .	131	-J-			
Hammer (Sledge)		Jackhammer Hose	70		
Hammer Bits/Steel		Jackhammer Steel			
land Cleaner	90	Jacks, Bottle/Screw/Pallet			
Hand Pump	80	Jobsizing	7		



-N-		-R-		Sno Cone Machine/ Supplies	104-100
Nacho Warmer	166	Radios	158	Snow Rake	101
Nail Gun	130	Rainsuits	37	Snow Squeegee	101
No-Spill	68	RainX	95	Socket Sets	86
Non-Slip Tape	55	Rake, Landscaping, Thatchi	ng101	Soil Probe	100
Nozzles	27	Ratchet Hardhats	45, 146	Spanner Wrench	72
		Ratchet Straps	48-49	Spark Plugs	30
		Rebar Bender/Cutter		Spline Chisels	137
		Rebar Caps	149	Spline Shank Drills	
-0-		Receptacles		Splitting Mauls	
Oil Pumps	32	Reciprocating Saws		Sport Knives	53, 61
Oil Treatment		Recovery Strap/Tow Strap		Spot Marker	
Orbital Sander		Reels		Sprayers	
Oscillating Tool		Reflective Tape		Spreader	104
Outdoor Equipment		Reflective Vests		Stain Remover	90
Overhead Drill Press	131. 151	Regulators		Step Ladders	160
Ozone Generator		Rental Extension Cord		Stencil Kit	
		Rep Coverage		Step Stool	160
		Respirators		Stilts	
-P-		Rice Shovel		Stop/Slow Paddles	
Padlock	51	Roof Sealant		Stain Remover	9(
Paint		Rope		Strainers	
Paint Striper		Rope Ratchet		Straps & Chains	
Painters Tape		Rotary Hammers		Stretch Wrap/Dispenser	
Pallet Truck		Roust-A-Bout		Striping Paint	60
Panel Lifter		Rubber Tarp Straps		Striping Tools	
Pans		rabber raip oliaps		Submersible Pumps	75-78
Paragon				Suction Hose	
Parts Tray		-S-		Sugar Floss	
Party Supplies		Safety Cans	68	Sumner	152-153
Patio Heater		Safety Fence		Surveyors Tri-pod	
Pedel Karts		Safety Glasses		Surveyors Vest	
Pedestal Fans		Safety Goggles		Surveyors vest	130
Pencils	59	Safety Harness	55	л.	
PencilsPhotocell Tester	59 26	Safety Harness Safety Vests	55 150	- Ţ-	20
Pencils	59 26 38	Safety Harness Safety Vests Sales Reps	55 150 IBC	T-Block	
Pencils	59 26 38 142	Safety Harness Safety Vests Sales Reps San Angelo Bar	55 150 IBC 102	T-Block Table Covers	172-173
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches	59 26 38 142	Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags		T-Block Table Covers Tables	172-173 176-177
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders		T-Block Table Covers Tables Tags	172-173 176-177 52
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers		Safety Harness		T-Block	172-173 176-177 52
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs		Safety Harness		T-Block	172-173 176-177 52 100
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws 110,		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors	172-173 176-177 52 100 102 38-38
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Saoop Shovel		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape	172-173 176-177 52 100 102 38-38
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Saop Shovel Screw Jack		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures	172-173 176-177 52 100 102 38-39 55, 109
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Saop Shovel Screw Jack Scrub Towels		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Sanes Savs Sarey Jack Scrub Towels Sealant		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarp Straps	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Sanes Savs Screw Jack Scrub Towels Sealant Sealing Tape		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarp Straps Tarp/Visqueen Tape	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Powder Fasteners		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Savs Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps Tarp Straps Tarp/Visqueen Tape Tele-Tower	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Powder Fasteners Power Cutter		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Sare Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Powder Fasteners Power Cutter Power Distribution Center/Cords		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Tools		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Powder Fasteners Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13 Power Trowel Blades		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Towels		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tensioning Tool	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Powder Fasteners Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13 Power Trowel Blades Powercord Adapter		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Tools Shop Towels Shovels		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tensioning Tool Tent Cleaners	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Powder Fasteners Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13 Power Trowel Blades Powercord Adapter Preferred Cust. Program		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Tools Shop Towels Shovel Shovels Silt Fence		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tensioning Tool Tent Cleaners Tent Fans	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels POL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Powder Fasteners Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13 Power Trowel Blades Powercord Adapter Preferred Cust. Program Pressure Washers/Accessories		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Towels Shovel Shovel Shovel Shovel Shop Towels		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tent Cleaners Tent Cleaners Tent Fans Tent Heaters	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels PoL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13 Power Trowel Blades Powercord Adapter Preferred Cust. Program Pressure Washers/Accessories Pressure Washer Cleaners		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws 110, Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Towels Shop Towels Shovels Sit Fence Simple Green Cleaner Siphon Pumps		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tent Cleaners Tent Fans Tent Heaters Tent Stake Caps	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels PoL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Powder Fasteners Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13 Power Trowel Blades Powercord Adapter Preferred Cust. Program Pressure Washer S/Accessories Pressure Washer Wand Belt		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws 110, Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Tools Shoy Towels Shovels Sitt Fence Simple Green Cleaner Siphon Pumps Sledge Hammers		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tent Cleaners Tent Fans Tent Heaters Tent Stake Caps Tent Stake Hole Plugs	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels PoL Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Power Fasteners Power Cutter Power Distribution Center/Cords Power Trowel Blades Powercord Adapter Preferred Cust. Program Pressure Washer Vand Belt Propane Hoses		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws 110, Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Tools Shop Towels Shovels Sitt Fence Simple Green Cleaner Siphon Pumps Sledge Hammers Slidelocks		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tent Cleaners Tent Fans Tent Heaters Tent Stake Caps Tent Stake Hole Plugs Tent Straps Tent Stake Hole Plugs Tent Straps Tent Stake Hole Plugs Tent Strap Ratchets	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels Pol Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13 Power Trowel Blades Powercord Adapter Preferred Cust. Program Pressure Washer Vand Belt Propane Hoses Propane Tanks		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws 110, Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Tools Shop Towels Sitt Fence Simple Green Cleaner Siphon Pumps Sledge Hammers Slidelocks Sling, Web		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tensioning Tool Tent Cleaners Tent Fans Tent Heaters Tent Stake Caps Tent Stake Hole Plugs Tent Strap Ratchets Terms & Conditions	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels Pol Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Power Fasteners Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13 Power Trowel Blades Powercord Adapter Preferred Cust. Program Pressure Washers/Accessories Pressure Washer Wand Belt Propane Hoses Propane Tanks Propane Tanks Propane Tank Accessories		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws 110, Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Tools Shop Towels Sitt Fence Simple Green Cleaner Siphon Pumps Sledge Hammers Slidelocks Sling, Web Slush Boots		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tensioning Tool Tent Cleaners Tent Fans Tent Heaters Tent Stake Caps Tent Stake Hole Plugs Tent Strap Ratchets Terms & Conditions Test Cord	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels Pol Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Power Fasteners Power Cutter Power Distribution Center/Cords Power Trowel Blades Power Trowel Blades Powercord Adapter Preferred Cust. Program Pressure Washer Vand Belt Propane Hoses Propane Tanks Propane Tanks Propane Tank Accessories Pry Bar		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws Sanitation Supplies Saws Scrow Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Tools Shop Towels Shovels Silt Fence Simple Green Cleaner Siphon Pumps Sledge Hammers Slidelocks Sling, Web Slush Boots Small Engine Parts (HONDA		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarps Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tent Accessories Tent Cleaners Tent Fans Tent Heaters Tent Stake Caps Tent Stake Hole Plugs Tent Strap Ratchets Terms & Conditions Test Cord Thatching Rake	
Pencils Photocell Tester Pigtails Pins & Loads Pipe Wrenches Pivot Fan Pliers Plugs Points & Chisels Pol Pigtails Popcorn Popper/Supplies Portable Heater Parts Post Hole Digger Powder Actuated Tools Power Fasteners Power Cutter Power Distribution Center/Cords Power Tools110, 112-113, 126-13 Power Trowel Blades Powercord Adapter Preferred Cust. Program Pressure Washers/Accessories Pressure Washer Wand Belt Propane Hoses Propane Tanks Propane Tanks Propane Tank Accessories		Safety Harness Safety Vests Sales Reps San Angelo Bar Sandbags Sanders Sandpaper/Pads Sanitation Supplies Saws 110, Scoop Shovel Screw Jack Scrub Towels Sealant Sealing Tape Service Tags Shelters Shingle Removers Shop Tools Shop Towels Sitt Fence Simple Green Cleaner Siphon Pumps Sledge Hammers Slidelocks Sling, Web Slush Boots		T-Block Table Covers Tables Tags Tamper Tamper Bar Tank Connectors Tape Tape Measures Tarp Straps Tarp/Visqueen Tape Tele-Tower Telescoping Ladders Tent & Party Supplies Tent Accessories Tensioning Tool Tent Cleaners Tent Fans Tent Heaters Tent Stake Caps Tent Stake Hole Plugs Tent Strap Ratchets Terms & Conditions Test Cord	





Tie Downs	48-50	Wobblelights	63	Justrite
Tile Breaker	112-113	Women's Gear	45	Kenwood
Tile Cutter	110, 115	Woodsman Hat	102	Keson
Tile Saw	110	Work Platform	151	Kimberly-Clark
Tillers	104	Worklights	62-63, 192	Koshin
Tire Repair Kit	95	Wrenches	85	Kwik-Covers
Toilet Auger	155			L.B. White
Tool Sharpener				Little Giant
Tool Sets		-Manufact	urer Index-	Loctite
Torches	83		108	Makita
Torch Hose	83	Abbott	70-73	Marshalltown
Torch Regulator	83	Accusharp	52-53. 61	Maxim
Tow Straps			60, 90, 105	Milwaukee
Towels, Wipes			161	Mr. Heater
Tower Lights			116=117	Nite Ize
Traffic Cones			67	No-Spill
Traffic Safety			62, 98	Norseman
Trailer Hitch			79	OdorStop
Transformers			34-36	P.R.E
Trash Pumps			2-123, 126-127, 130-139	Pac-Kit
The state of the s				
Tree Pruner			79	Paragon
Trench Shovel			169	Paragon Pro
Tripod		•	48-50, 94	Patio Comfort
Trowel Blades			82	Peerless
Trowel Blade Conversion Ch			47, 62, 96-97	Pennzoil
Tune Up Kits			85, 88	Pioneer Eclips
Twine			140	Plug-R
Twist Ties			148-149	Prime Karts
Two-Way Radio	158		114-115	Radians
		Crews	44	RainX
		Crossfire	42-43	Ramset
		DAP	91	Ray-O-Vac
-U-		Dewalt4,11-12,15,	17,43,46,53,86,129-130	Safety Works .
Universal Couplings	70	Dri-Eaz	111, 183, 185-187	SAS Safety Co
Upside Down Paint	60	Dustless Technologies	120	Schaefer
Utility Knife			124	Scotch
•		Edge	40-41, 61	SeeDevil
		_	154-157	Sensible Produ
-V-			177	Seymour/Midw
Vacuums	120-123		81, 90	Shipp
Ventilator			192	Simple Green
Vests, Safety			95	Southwire
Vises			78	Spectra
V1000			54	Stanley Bostic
			168	Stens
-W-			46	Sumner
Wallpaper Steamer Accessories	12/		106, 112-113, 139	Sureflame
Warmer, Nacho, Popcorn, Peanut .			167	Todd
				True
Water Hose			.48, 50, 71, 80, 89, 109	
Water Pumps			109	Tsurumi
WD-40 Lubricant			95	Virginia Abrasi
Weather Protection			114-115	Warner
Web Slings			8-9, 16-18, 180	WD-40
Wet Floor Sign			5, 8, 10, 12-15, 21-22	Wilton
Wet/Dry Vac		Igloo	168	Windsor
Wet Tile Saw		Imer	110, 119	Winmore
Wheel Chock	95		108	Wobblelight
Wheelbarrow	104	Irwin	85, 88-89	Zep
Whip Check Cable	70	J&D Manufacturing	183, 185	
Winter Protection		_	44	
Wipes	81	Jasco		
Mira Tarminala	20	la4	00	

1 4 24	00.	o 4
Justrite		
Kenwood		
Keson	58-59, 8	87
Kimberly-Clark		
Koshin		75
Kwik-Covers	172-173, 17	75
L.B. White	6. 13-15. 20. 1	78
Little Giant		
Loctite		
Makita	100 100 101 1	11
Manala III anno	120-129, 131, 14	4 I
Marshalltown		18
Maxim		
Milwaukee		
Mr. Heater	12, 61, 8	83
Nite Ize	51-	52
No-Spill		68
Norseman		
OdorStop		
P.R.E		
Pac-Kit		
Paragon		
Paragon Pro	131, 1	51
Patio Comfort	18	81
Peerless		49
Pennzoil		
Pioneer Eclipse		
Plug-R		
Prime Karts		
Padiana		/ U
Radians4		
RainX		
Ramset		
Ray-O-Vac		
Safety Works	146-14	47
SAS Safety Corp	37, 82, 107, 14	47
Schaefer	182-18	83
Scotch		
SeeDevil		
Sensible Products		
Course our/Michaelt	400 400 40	0 0
Seymour/Midwest	100-102, 10	04
Shipp	111, 177, 18	87
Simple Green		90
Southwire	47, 96, 98-9	99
Spectra	56-	57
Stanley Bostich	53, 8	87
Stens		
Sumner		
Sureflame		
Todd		
True		
Tsurumi	/b-	//
Virginia Abrasives110		
Warner	12	24
WD-40		
Wilton	84, 103, 17	75
Windsor		
Winmore		
Wobblelight		
Zep		
		JU

LAST CHANCE DEALS






LAST CHANCE!!

Get them while you can . . . the following items listed on our Bargain Buys pages have either been discontinued or been deemed special order items. Hurry, quantities are limited and prices are good for in-stock merchandise only.











LAST CHANCE DEALS













PHP Credit Application

Fax Toll Free: 1-800-255-7985

PHP must have a copy of your Sales Tax Exemption Certificate on file – (the certificate should be returned with the credit application).

Company Name:			Phone:		
Billing Address:			Fax		
			Purchasing Agent		
Shipping Address:			Accounts Payable		
Email Address:			Can we contact you with PHP Specials?		
Ownership Type:CorporationPartnershipSole ProprietorC			Other How long at location?yrs		
(What	OF COMPANY: business are you in?) circle all that apply. 2. Rental Store 3. Ag/Farm Supply 4. Lumber Yard 5. Concrete-Redi Mix 6. Lawn & Garden	9. Eleo 10. H\ 11. ST	all Engine Repair etric Motor	14. LP Dealer15. Electric Wholesaler16. Tent & Party21. Golf Courses23. New ARA Member99. Contractor	
If corporation: Legal Name					
State of Incorporation			Date of Incorporation:		
BANK	REFERENCES:				
Name			Phone No.		
Street Address					
Savings Account No.					
State Sales Tax Exempt #			-		
(1)	LIER REFERENCES: (To help expedite, please include suppli Name Address City, State , Zip		Phone: A/C	number with them.)	
(2)	Name		Phone: A/C	_	
	Address				
	City, State , Zip				
Please sign below, so that we have permission to gather credit information about your company. In support of this application, PHP is hereby authorized to obtain credit and/or financial information from my/our bank(s), other financial institutions or commercial firms with whom I/we have done business. It is understood that any such credit and/or financial information will be held in strict confidence and used only in consideration of this application. Upon approval of this application, it is agreed that all purchases will be paid in full and in accordance with the terms of sale as stated on PHP invoice(s). Should I/we not pay PHP according to terms, it is understood that credit privileges may be withdrawn. Should PHP find it necessary to obtain assistance in collecting any past due balance, I/we agree to pay interest at the rate of 1.5% per month (or such other rate allowable by State law), reasonable attorney fees, collection fees, and/or court costs allowable by law. A copy of this statement and application has been received.					
Company Name			Authorized Signature		
Telephone			Title		
Personal Guaranty of Indebtedness: If you have been in business less than 2 years, please sign this. The undersigned Guarantor(s), in order to induce PHP to extend credit to applicant herein, and in consideration thereof, does hereby unconditionally, personally, and individually guarantee all sums which may be owed by applicant to PHP arising out of sale of products by PHP to said applicant, whether said indebtedness is due now or hereinafter occurred. This Guaranty is continuing, and shall continue to apply to all indebtedness which applicant may hereinafter incur, renew, or extend whole or in part, with PHP, all without notice to the undersigned Guarantor (s). The Guarantor(s) agrees to pay all costs and expenses, including reasonable attorney fees, which PHP incurs in the collection of any indebtedness from the Guarantor(s) covered by this agreement, or in the collection of any liability of the guarantor(s) hereunder. Notice of acceptance of this Guaranty is hereby waived; notice of any and all indebtedness guaranteed hereunder is expressly waived. The Guaranty is delivered and shall be deemed to have been made in and shall be governed and construed pursuant to the laws of the State of Indiana.					
	f County of	S	igned this	day of	
	, 20				
Subscribed and sworn to before me this day of20					
Guarantor Notary Public					
	·				





CT, MA, ME, NH Upstate NY, RI, VT

B & S Sales Bridget Baresel 781-760-4590 bridget@bssalesrep.com



IN, KY, MI, OH

McClees Equipment Sales Jerry McClees 317.840.8355 ilmcclees@tds.net



AL, GA, NC, SC, TN

M&M Sales Kevin Marchin 803-431-7326 kevin@mmsales.biz



NJ, NYC, Long Island NY, E. PA,

Area Codes 570, 272, 717, 223, 610, 484, 215, 267, 445 Seven40Nine Sales



AK, ID, MT, OR, WA

Johnson Co., Inc. Keith Johnson 206.622.9043 info@johnsonrep.com



IA, KS, MN, MO, ND, NE. SD

McClelland Sales Co. Bob McClelland 314.308.1542 toolman.mcclelland@yahoo.com



AR, CO, LA, MS, NM, OK, TX

JS Performance Marketing JMax Quenon jmax@jspmreps.com



DE, MD, W. PA, E. VA, WV Area Codes 814, 724, 878, 412

Thomas Sales Company Ron Thomas 410.804.1200 thomassalescompany@gmail.com



AZ, CA, DC, FL, HI, IL, NM, NV, UP of MI, UT, WI, WY

PHP 800.362.6951 info@phpdistribution.com If any manufacturer reps would like to represent PHP's product line in the states marked with our logo, please send your line card to the email listed above.



342 North 400 East Valparaiso, IN 46383

Phone Toll Free: 800.362.6951 Fax Toll Free: 800.255.7985 phpdistribution.com























































