

WANTED

DEAD OR ALIVE



2024
SUMMER
CATALOG

APRIL 1 - SEPTEMBER 30, 2024

KNOWN ACCOMPLICES



BREEZY
THE KID



DOC
CEMENT




WILD BILL
POPCORN

ARMED AND VERY AFFORDABLE

REWARD
SAME DAY SHIPPING
PAYMENT TERMS
FREIGHT ALLOWED

Phone Toll Free: 800.362.6951
Fax Toll Free: 800.255.7985
www.phpdistribution.com
Hours 8:00 am - 4:30 pm (CST)



FREIGHT

Choose Your Terms

PAYMENTS

A



\$2,500 or greater
Net 30
Freight Allowed

or

B



Up to \$2,499
1 Payment
 Net 30

\$2,500-\$3,499
3 Equal Payments
 30/60/90

\$3,500+
4 Equal Payments
 30/60/90/120

Standard Shipping & Terms: Freight shipped prepaid and added to your invoice. FOB Valparaiso, IN. Net 30 terms for invoices up to \$2,499.99.

Freight Option (A): Shall apply on orders of \$2,500 or more. Freight will be invoiced, but may be deducted if paid within Net 30 terms.

Freight is non-deductible if payment is late. Continental U.S. Only.

Payments Option (B): Payments must be made in 30/60/90/120-day terms, per the above matrix.

No interest (if paid on time). Freight is due with the first payment.

Examples on a \$2,500 Order



OPTION A FREIGHT

Purchase \$2,500 of merchandise and pay using Option A.

The customer pays one lump sum Net 30 days and the freight is free.....

Total Invoice (Including Freight)	\$2,700.00
Freight deductible if paid net 30	—\$200.00
Total Paid	\$2,500.00



OPTION B EQUAL PAYMENTS

Single invoice shows \$2,500 of merchandise and \$200 in freight. The customer can pay in 3 equal payments and includes the freight in the first payment*.

<i>Total Invoice: \$2,700.00</i>	
Payment 1(*Includes \$200 freight)	\$1,033.33
Payment 2	\$833.33
Payment 3	\$833.33
Total Paid	\$2,700.00

Auto-Serve Popcorn Machine

page **13**



PARAGON

Dual Pedal Kart

page **20**



PARAGON

Magnetic Ratchet Tie-Downs

page **46**



PARAGON

Specialty Knives

page **51**



TRUE

Follow Us!



facebook.com/PPHPP46383



twitter.com/PHPDistribution



(search PHP Distribution)

Visit Us!

phpdistribution.com
to place orders

orders@phpdistribution.com

Call Us!


1.800.362.6951

Fax: 1.800.255.7985

LATEST NEWS

Due to unprecedented times, we are facing manufacturer price updates more frequently than usual.

Please check our website at phpdistribution.com for prevailing prices and availability, which are subject to change without notice.



Name Brand Product Selection

We carry thousands of products featuring the names you look for and trust for quality and dependability.



Same Day Shipping

Strategically located in the Midwest...with our ship same day standard means in most cases you will receive your order within 24-48 hours depending on your location.



Superior Customer Service

Staffed with knowledgeable representatives to help in any way they can.



Special Terms for Qualifying Customers


Certain minimum orders receive special terms including payment options and shipping cost.



Top-of-the-Line Technical Service

Our team is always ready to answer any questions you have.

GROUND SHIPPING TIME FROM PHP



Transit Days

- 1 Day
- 2 Days
- 3 Days
- 4 Days
- 5 Days

Rotary Laser Kit

page

54

Marking Stick

page

58

Floor Removal Cart

page

111

Cordless Power Cutter

page

141



BOSCH



AerVOX



BOSCH



Makita

LIMITED QUANTITY



24" **Direct Drive** Pivot Drum Fan

- Rotary switch
- SJT type cord - 3 conductor
- Powder coated black finish
- 20-gauge steel housing
- Steel swivel base with 5" rubber wheels
- Single-phase, ball bearing, open-ventilated, permanently lubricated motor
- Meets OSHA standards

Item No.	Size	Volts	HP	Amps	CFM	Retail	Wholesale
CPBS24DHV	24"	120	1/3	3.6	8,200		Please Login



36" **Direct Drive** Drum Fans

- Galvanized steel base
- Narrow fan profile, and ergonomic handles
- Large rubber wheels
- OSHA compliant guards
- High density polyethylene housing
- Incredibly quiet for its size
- Two year warranty
- Made in the USA

SCHAEFER

Item No.	Color	Volts	HP	CFM	Retail	Wholesale
VKM36-0	White	115	1/2	11,000		Please Login
VKM36-B-0	Black	115	1/2	11,000		Please Login



36" **Direct Drive** Drum Fan

- 3-paddle steel blade
- Powder coated 20 gauge steel housing
- 1/3 HP, 120V, ball bearing, open ventilated motor
- Rocker switch with 2-speed operation
- 10' long, 3-conductor SJT cord
- 5" rubber wheels
- 1-year warranty



Item#	Volts	HP	Amps	CFM	Retail	Wholesale
CPB36-D	120	1/3	3.6	8,200/7,000		Please Login

WINMORE
Cool Heat



Belt Drive Drum Fans

- 2 Speeds
- 4-blade, oversized fan
- Heavy-duty wheels
- Machined, built-in handle
- Powerful, steel construction
- Belt-driven for ultra quiet operation
- ETL /cETL Listed

Item No.	Size	Volts	HP	Amps	CFM	Retail	Wholesale
WMDF36	36"	120	1/2	3.58	12500/10500		Please Login
WMDF42	42"	120	1	5.75	14500/12500		Please Login
WMDF48	48"	120	1-1/2	8.75	18000/16000		Please Login

30" Pedestal Fans



WMPF30OSC

- Powder coated finish
- Industrial high velocity motor
- Balanced blades for optimal airflow
- Adjustable 58" to 74"
- Can be easily assembled
- Heavy-duty all metal construction
- ETL/cETL Listed
- 1-year warranty



30PFR

- 2-speeds
- OSHA compliant guards
- Maximum airflow and fan life due to careful matching of motors and fan blades
- Totally enclosed, heavy-duty ball bearing, permanent split capacitor, thermally protected motor
- Two-year limited warranty
- 10' grounded cord



HD30P

- Adjustable 52" - 82"
- Enclosed permanently lubricated, PSC-type ball bearing 120V single-phase motor
- 4-quiet aluminum blades
- Pivot-action fan head
- 2-speed pull chain operation
- 12'L SJT type, 3-conductor power cord
- Meets OSHA standards, UL listed

Item No.	Oscillating	Size	Volts	HP	Amps	CFM	Retail	Wholesale
WMPF30OSC	Yes	30"	120	2/5		5000 / 4120 / 3531		Please Login
30PFR	No	30"	120	1/2	5.2	9424 / 6996		Please Login
HD30P	No	30"	120	1/2		9850 / 7500		Please Login



14" & 18" Outdoor Epoxy Coated Tent Fans

- Completely sealed motor and speed control
- 3M™ Fusion bonded epoxy coating for extreme conditions
- Outdoor UL 507 rating
- 3-speed
- Fully adjustable wall mount
- 8' cord on both



Item No.	Size	Color	Volts	HP	Amps	CFM	Retail	Wholesale
POW14	14" Wall	White	120	1/8	1.1	4,000/3,300/2,600		Please Login
POW18	18" Wall	White	120	1/8	1.8	6,600/4,800/3,800		Please Login
POW18B	18" Wall	Black	120	1/8	1.8	6,600/4,800/3,800		Please Login
POWTPB	Tent Pole Bracket		Fits 2" to 2.5" tent poles					Please Login



12" Air Circulation Tent Fan

- Includes bracket to mount to standard pole
- Great for tent rentals, special events, weddings, sporting events, etc.
- Totally enclosed heavy-duty white motor, thermally protected, pre-lubricated ball bearings
- Maintenance free motor with cord and on/off switch
- Aluminum fan blade

Standard Pole Mount Included!



Item No.	Size	Volts	HP	Amps	CFM	Retail	Wholesale
VK12TF-SPM-W	12"	115/230	1/10	1.3/.65	1510		Please Login



867 CFM



885 CFM

Sahara Pro X4 TurboDryer

- Versatile 3-speed, 3-position operation
- GFCI outlets to connect up to 6 units
- Built-in carpet clamp for under-carpet drying
- Lightweight, easy-carry design
- Secure stacking vertically for storage



Item No.	CFM	Volts	Amps	Retail	Wholesale
124315	867	115	1.9		Please Login

Velo Slimline Blower

- Broad-path airflow
- Low profile
- Daisy-chain with GFCI outlet
- Tough rotomolded housing
- Cord wrap and easy-carry handle
- Multiple position versatility
- **F504**



Item No.	CFM	Volts	Amps	Retail	Wholesale
125470	885	115	1.9		Please Login

WayCool Portable Evaporative Cooler

SCHAEFER



- Coverage up to 4,700 square feet
- Cools air temperature up to 30°F
- Hood oscillates 110° to deliver cool air to a large area
- 2-speed quiet blower moves air up to 100 ft.
- Automatic low water levels shut-off to prevent pump damage
- Specially treated cellulose evaporative pads for extensive pad life
- Base 33" x 33" x 52" tall; 24 gallon reservoir
- 40 MPH air velocity
- 9in. x 18in. discharge opening
- Two year warranty
- Made in the USA



Item No.	Tank (gal)	Volts	CFM	HP	Retail	Wholesale
WC-1HPMFAOSC	24	115	1,560/1,320	1		Please Login

SCHAEFER

Misting Cooler

- 18" portable three-speed self-contained misting fan mounted on a tank
- Mist pump rated for 1 gallon per minute output; housed in a heavy-duty enclosure with tip switch
- 14 gallon water reservoir tank with 6" rubber wheels
- Includes 25' outdoor-rated power cord with integrated GFCI
- Includes one extra nozzle and two plugs
- 7 hours of operation on one full (14 gallon) tank
- 24" wide x 19" deep x 46" high



Item No.	Size	Volts	HP	Amps	CFM	Retail	Wholesale
PVM18C	18"	120	3/4	11/5.5	6277/4899/4031		Please Login

Fan folds down for easy storage and moving

No Assembly Required!



30" Oscillating Misting Fan

- Rugged 8" tires
- Attached GFCI plug-in with 120 Volts
- Separate fan and pump controls
- 3-speed
- Enclosed 60 psi pump
- Independent swivel shut-off valve on each nozzle
- Folds down for easy transportation and storage
- Fans are UL507 Indoor/Outdoor Certified
- Tank last 5-8 hours
- Tank size - 22 gal.
- CFM - 8,200/7,200/6,200



Item No.	Volts	Amps	Retail	Wholesale
VPC30-POWOSC	120V	2.8/2.4/1.9		Please Login

Portable Evaporative Cooler



- Automatic pump shut-off
- Easy water fill: Fill 10-gal tank from manual door for 3 to 4 hours of runtime or leave connected for continuous fill
- Coverage up to 950 square feet
- Lockable wheels and lightweight design provide ultimate portability while louvers can adjust airflow left-to-right
- Quiet operation: Less than 60 dB
- GFCI connection with low amp draw suitable for most available circuits
- Durable UV protected case
- Unit Dimensions - 38"H x 24"W x 17"D



Item No.	Tank (gal)	Volts	CFM	HP	Retail	Wholesale
PC-31	10.3	115	3,100/2,400/1,850	1/5		Please Login

All motors and fan guards meet or exceed OSHA & UL Standards.

FANS & BLOWERS



Americ Confined Space Ventilator

- Delivers both positive and negative airflow to confined spaces
- Motor rated at 100,000+ continuous-duty hours
- One-speed 115V 8/5.7 Amp 1 HP motor operates at 3,300/2,800 RPM
- Dual wall design protects internal mechanisms
- Capable of connecting up to 125-ft. of straight duct
- Stackable for space-saving storage
- UL and CUL listed
- Weighs only 32.5 lbs.
- For use in non-explosive environments
- Three year warranty
- Made in the USA



Quick-Connect Duct Hose

- 25ft. length reaches areas usually inaccessible
- Made of light-duty vinyl and woven polyester
- Attached carrying bag provides easy carrying and storage
- -20° to 180°F temperature range

Item No.	Size	Volts	HP	Speed	CFM	Retail	Wholesale
VAF3000A	12"	115	1	Single	2796		Please Login
AM-DST225CB	12"x25' Duct						Please Login



Axial Blowers

- Built-in safety screens
- Damage protected On/Off switch
- Multi-vane fan minimizes sound levels
- Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing is dent-resistant and corrosion proof
- Stackable for operation and storage



Item No.	Size	Volts	HP	Speed	CFM	Retail	Wholesale
EP8ACP	8"	110	1/3	Single	501		Please Login
EP12ACP	12"	115	1	Single	1825		Please Login
EP16ACP	16"	115	1	Single	4450		Please Login



Blow-R-Pac® Axial Blower

- Complete with 8" x 25' flexible duct and integral storage canister
- Built-in safety screens
- Damage protected On/Off switch
- Multi-vane fan minimizes sound levels
- Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing is dent-resistant and corrosion proof



Item No.	Size	Volts	HP	Speed	CFM	Retail	Wholesale
EP8AC25P	8"	115	1/3	Single	902		Please Login

Ventilation Duct

- Vinyl-coated, synthetic fabric construction
- Nylon ring and securing strap on opposite ends

Item No.	Size	Retail	Wholesale
FD825	8" x 25'		Please Login
FD1225	12" x 25'		Please Login
FD1625	16" x 25'		Please Login





Stealth Axial Fan

- Versatile fan positions for directing airflow
- Variable speed control
- Low-noise Stealth™ fan blades
- Hour meter
- Power outlet socket for daisy-chaining – up to four units
- Circuit breaker and reset switch
- Secure, nested stacking
- Rugged carry handle and integrated cord wrap

• **F568**

Item No.	CFM	Volts	Amps	Retail	Wholesale
113164	2600	115	2.7		Please Login



20" Confined Space Ventilator

- Ventilates hazardous gases
- Heavy gauge aluminum housing
- 1 HP, 10 amps, 115 volts, 6500 CFM
- Powder coat safety guards, cord wrap & 10' cord
- Duct sold separately
- 75 lbs.
- 74 dB



Item No.	Description	Retail	Wholesale
CS20	Ventilator		Please Login
CS20D	24" x 25' Duct		Please Login



Vortex Axial Fan

- Ventilates work areas during remodels, new construction, or cleaning
- Powerful enough to drive air through 125 ft. of ducting
- Built-in handle
- Stackable for storage
- Powerful 1.0 hp motor
- Operate stand-alone or with stow & go ducting

• **F174**

Item No.	CFM	Volts	Amps	Retail	Wholesale
116594	2041	115	7.4		Please Login



8" Confined Space Ventilator

MASTER

- Comes complete with 25' of ducting in an integrated duct carrier
- 1/3 HP, 2.1 amps, 115 volts, 930 CFM
- Rubber draw latch
- 25' single ply PVC vinyl coated polyester ducting with a standard fastening cuff at the end
- Stackable for efficient storage and work space
- Lightweight (15 lb.)
- ETL listed
- One year warranty

Item No.	Retail	Wholesale
MB-P0813-DC25		Please Login



Sto&Go Ducting on the Go

- 12" x 25'
- Temperature range: 20° - 180°F
- Built-in bag with sturdy handle contains and protects ducting during transport and storage
- Semi-rigid ducting constructed with spring steel wire helix
- Black reinforcement strips protect internal wire to ensure long service life

Item No.	Retail	Wholesale
F405		Please Login



20" Air Mover

- Built-in carrying handles
- On/Off switch
- 1/2 HP, 7 amps, 115 volts, 5500 CFM
- Rugged steel housing and screen construction
- Stand-alone unit or easily stackable
- 14 gauge cord with molded plug
- 74 lbs.

Item No.	Retail	Wholesale
FN20		Please Login



DEHUMIDIFIERS



DrizAir® 1200 Refrigerant Dehumidifier

- Rugged rotomolded housing
- Electronic touch-pad controls
- Semi-pneumatic wheels
- Built-in duct attachment ring
- If power is interrupted during operation, the unit will automatically restart when power is restored
- 32"H x 20"W x 19.5"D, 80 lbs.
- 115V, 6.4 amps
- 40 ft. drain hose
- **F203-A**

Item No.	Description	Retail	Wholesale
104677	Dehumidifier		Please Login
F581	HAF Filters (3 pk.)		Please Login



6000Li LGR Dehumidifier

- LGR technology boosts effective operating range
- Extreme Dewpoint Technology (EDT) delivers the fastest response to changing conditions
- Easily Ductable using built-in snap-ring mount on air outlet
- Time-saving i-Series control panel displays GPP, inlet and outlet temp and TH plus maintenance prompts.
- Uses all-in-one 4-PRO filter
- Unique spill-proof pump basin
- 32.1"H x 20"W x 19.8"D, 100 lbs.
- 115V, 6.6 amps
- **F600**

Item No.	Description	Retail	Wholesale
103614	Dehumidifier		Please Login
F579	4-PRO Air Filter (3 pk.)*		Please Login

*8 packs in a case



LGR 7000XLI Dehumidifier

- Self-monitoring system
- Built-in humidistat
- Sealed large-capacity pump basin
- Advanced Crossflow Technology maximizes efficiency even in low grain environments
- Ergonomic design
- Integrated cord and hose storage
- Rotomolded housing – practically indestructible
- If power is interrupted during operation, the unit will automatically restart when power is restored. (115V models only)
- 33.5"H x 20"W x 20"D
- 107 lbs.
- 115V, 8.3 amps
- **F412**



Item No.	Description	Retail	Wholesale
108110	Dehumidifier		Please Login
F581	HAF Filters (3 pk.)		Please Login



Revolution™ LGR Dehumidifier

- Best low-grain performance in its class
- More water removal than other units 2–3 times its size!
- Delivers “Large” dehu performance yet fits where others don't
- Control panel displays inlet and outlet temp and RH in real time
- Secure, compact stacking – transport multiple units on a handtruck
- Fastest access for cleaning and maintenance
- Fit more drying in the truck, make fewer trips – make more profit!
- 12.5"H x 17.6"W x 21.5"D
- 65 lbs.
- 115V, 6.2 amps
- **F413**



Item No.	Description	Retail	Wholesale
111995	Dehumidifier		Please Login
F583	HAF Filters (3 pk.)		Please Login



Ozone Generator with 3 Ozone Plates

Perfect for deodorizing and sanitizing large spaces. It will eliminate severe odor caused by mold, mildew, tobacco, fire and smoke, water and flood damage, animals, decaying matter, body odor, cooking smells, and more.

- High quality aluminum body
- Functions: 3 Ozone plates + pre-filter + 12-hour timer
- Ozone Output: 150 mg/H up to 1400mg/H
- Fan Output: 110CFM
- 110V, 35W
- Dimensions: 7.5"H x 9.0"W x 12.5"D
- Weight: 9.75 lbs
- Area: 3,500 square feet

Item No.	Ozone Output	Retail	Wholesale
OS3500	1400 milligrams/hr		Please Login



Total Zone Ozone Generator



The most modern, technically advanced systems on the market today. Uses a patent pending corona discharge technology know as "SP-ARC", Silicate Polarized Arc. This allows the generator to produce much higher levels of ozone then any competitive model with little or no maintenance.

- Size: 12.25" x 9" x 6"
- Weight: 7 lbs. 9 oz.
- Timer: 12-hour with hold function
- Fan: 100 CFM
- Ozone Output: TZ-1 - 1,500 mg per hour
TZ-2 - 3,000 mg per hour
- Treatment Area (Cu.Ft.): 50,000 – 60,000
- TZ-1 - 110V, 1 Amp
TZ-2 - 110V, 2 Amps



Item No.	Ozone Output	Retail	Wholesale
TZ-1	1500 milligrams/hr		Please Login
TZ-2	3000 milligrams/hr		Please Login



HEPA 700 Air Scrubber

- Filters out dust, mold, odors and fumes with pre-filter, optional carbon and true HEPA filter media – passes DOP tests with no additional filters
- Quieter operation for use in any occupied spaces
- GFCI outlet enables daisy-chaining of up to 8 units
- Lightweight and stacks securely
- 24/7 remote monitoring and control using Command Center app to ensure continuous air filtration
- 700 CFM, 1.5 - 3 amps (115v, 60 Hz)
- Includes: 2" MERV 8 Pre-Filter & Primary HEPA Filter
- 42 lbs.
- (HxDxW): 23 X 17 X 26 in.
- 25 ft. power cord

Item No.	Description	Retail	Wholesale
T25105	Air scrubber		Please Login
F271	Pre-Filter (1 pk.)		Please Login
F321	Filter (1 pk.)		Please Login
F397	Carbon filter (1 pk.)		Please Login
F415	DOP Pre-filter (1 pk.)		Please Login

DOP-Dispersed Oil Particulate



Pre-Filter
F271



Filter
F321



Carbon
Filter
F397



DOP
Pre-Filter
F415



HEPA Air Scrubber

- 1/3 hp, thermally protected motor
- 250-500 CFM
- Rotary dial switch
- Extra long 25 foot safety yellow power cord
- Stackable, roto-molded housing
- Weighs only 40 pounds
- GFCI outlet allows daisy-chaining
- 115 volt, low 3 amps
- Pre-filter and HEPA filter included
- Filter change Indicator light
- No tools required for filter change
- ETL/CE/SAA certified

Item No.	Description	Retail	Wholesale
OS500	Air scrubber		Please Login
F271	Pre-Filter (1 pk.)		Please Login
F321	Filter (1 pk.)		Please Login
F397	Carbon filter (1 pk.)		Please Login
F415	DOP Pre-filter (1 pk.)		Please Login

DOP-Dispersed Oil Particulate

POPCORN MACHINES

MOST POPULAR

Rent-A-Pop 8 Ounce Popcorn Machine



Sturdy cabinet construction



Presentation lamp



Old maid drawer



Heavy duty, padded "comfort-grip" handles snap flat when not in use



Polycarbonate front and side panels in place of glass to prevent breakage during transport



Cord wrap holder

Popcorn Supplies



ProStyle Warmer w/pump-PC2018
 • Butter, cheese, chocolate or caramel
 • Attractive stainless steel body
 • Includes unheated spout domed pump easily dismantled for cleaning
 • 120 Volts, 200 Watts



Butter 1 gallon-2016
 • No Refrigeration required, even after opening



Popcorn Portion pack
PC10064
PC10063
 • Pre-measured corn, oil & seasoning
 • 2-year shelf life



Scoop Boxes
PC11086 & PC11091
 • 100 per case
 • Can be used to scoop popcorn out for fast serving
 • Holds 2 oz. of popped corn



Paper bags
 • 100 per bag
 • PC11011 - 8"
 PC11024 - 10"



Butter bags-PC11320
 • 100 per case
 • Special-coated bags will not leak when butter is applied

Item No.	Description	Cty.	Qty.	Retail	Wholesale
PC10064	Portion pack for 8 oz.	24			Please Login
PC10063	Portion pack for 6 oz.	36			Please Login
PC1042	Speed scoop	1			Please Login
PC1040	Plastic scoop	1			Please Login
PC11086	Scoop boxes .75 oz.	100			Please Login
PC11091	Scoop boxes 1.25 oz.	100			Please Login
PC11011	Paper bags 1 oz.	100			Please Login
PC11011C	Paper bags 1 oz.	1,000			Please Login
PC11024	Paper bags 1.5 oz.	100			Please Login
PC11024C	Paper bags 1.5 oz.	1,000			Please Login
PC11320	Butter bags 2 oz.	100			Please Login
PC2018	Butter warmer w/pump	1			Please Login
2016NT	Butter 1 gallon	1			Please Login

NEW!



Butter Warmer & Stand Sold Separately

Auto-Serve Popcorn Machine

Paragon's Auto-Serve Popcorn Machine provides a new innovation for popcorn lovers to conveniently dispense their own popcorn in a touchless environment. Available in a front-serve and back-serve. Integration stand (sold separately) is designed specifically for the self-serve popper incorporation both form and function. The popper and stand can be paired with a butter warmer to further expand the self-service offering.

PARAGON

- 8 oz kettle
- 1420 W, 120 V
- 147 one ounce servings per hour
- Stainless steel locking cabinet, glass windows, plexiglass doors
- 20"W x 16"D
- 75 lbs.

Item No.	Description	Retail	Wholesale
1108180	Front Front Door Machine		Please Login
3070180	Stand		Please Login
20288	Butter Warming Pump		Please Login



1911 Originals

Nostalgic styling with state-of-the-art technology! By combining attractive styling and the latest technology the 1911 Original has become the #1 commercial seller.

- 8 oz. - 68 lbs.



Theater Pop

Styled just like the poppers you see at the local movie house, these machines have a bright cabinet and classic graphics. The 4 oz. popper has become the #1 consumer seller.

- 8 oz. - 64 lbs.



Thrifty Pop

Introducing an economy line of popcorn machines.

- 8 oz. - 68 lbs.



Rent-A-Pop

Created with rental stores in mind:

- Retractable handles
- Cord wrap
- Destruction proof glass (polycarbonate panels)
- High value ROI!
- 8 oz. - 58 lbs.

MOST POPULAR

Item No.	Description	Retail	Wholesale
8 oz. Machines			
1108910	1911 Original popper		Please Login
1108110	Theater popper		Please Login
1108510	Thrifty popper		Please Login
1108150	Rent-A-Pop		Please Login
Carts & Stands			
3070010	8 oz. & 6 oz. poppers only 1911 cart		Please Login
3070510	8 oz. Thrifty popper only		Please Login
3070150	8 oz. Rent-A-Pop cart		Please Login
3070910	Premium popcorn stand		Please Login

Ounces popped per hour Warranty (Years) Anodized Alum. Kettle Stainless Steel Foodzone Old Maid Drawer Warming Deck

8 oz. Specs & Comparison

Thrifty Pop 1108510	147	1	•	Aluminum			
1911 Originals 1108910	147	1	•		•	•	•
Theater Pop 1108110	147	1	•		•	•	•
Rent-A-Pop 1108150	147	1	•		•	•	•

SNO CONE MACHINES

P A R A G O N



Best Buy!

“Arctic Blast” Sno-Cone Machine

A hard-working, economical option, The Arctic Blast has Tinted High-Impact Polycarbonate side panels.

- Sturdy stainless steel and aluminum construction -- durable and easy to clean
- Chip resistant finish
- Slanted drain deck — removable, food grade plastic tray drains moisture away from the ice and extends shelf life
- 1/3 HP, 1725 RPM motor with safety rest
- 120 volt
- 50 lbs.
- **3050010 Special order only; non-stock item**

**1
Year
Warranty**



Item No.	Description	Retail	Wholesale
6133310	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login



“The Cooler” Sno-Cone Machine

Unique, playful design is compact but comes equipped with the same heavy-duty motor as the larger model. Made from rugged roto-cast polyethylene, The Cooler is both lighter weight and less expensive. Rear wheels give The Cooler added portability.

- 1/3 HP, 1725 RPM motor with safety rest
- 120 volt
- Chip resistant finish
- 24"W x 16"D x 24"H
- 50 lbs.
- **3050010 Special order only; non-stock item**

**1
Year
Warranty**

**Same
Heavy-duty Motor
& Blade As
Bigger Units**

Item No.	Description	Retail	Wholesale
6133410	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login



SNO CONE MACHINES



1 Quart Syrup w/flip top cap

Item No.	Description	Retail	Wholesale
15041	Blue Raspberry Syrup		Please Login
15051	Cherry Syrup		Please Login
15052	Strawberry Syrup		Please Login
15088	Grape Syrup		Please Login
15102	Lemon Lime Syrup		Please Login
15230	Blue Bubble Gum Syrup		Please Login

Syrup=12 per carton



1 Gallon Syrup

Item No.	Description	Retail	Wholesale
15030	Banana 1 gal.		Please Login
15031	Green Apple Syrup		Please Login
15037	Bubble Gum Blue 1 gal.		Please Login
15044	Blue Raspberry Syrup 1 gal.		Please Login
15058	Cherry Syrup 1 gal.		Please Login
15065	Coconut 1 gal.		Please Login
15089	Grape Syrup 1 gal.		Please Login
15098	Lime 1 gal.		Please Login
15109	Orange Syrup 1 gal.		Please Login
15114	Pina Colada 1 gal.		Please Login
15120	Pineapple 1 gal.		Please Login
15123	Root Beer Syrup 1 gal.		Please Login
15151	Strawberry Syrup 1 gal.		Please Login
15155	Tigers Blood Syrup 1 gal.		Please Login
15173	Watermelon 1 gal.		Please Login

Syrup=4 per carton



Holder

- Stainless steel
- Holds 8 cones



Spoon Straws

- Only red available- 200/pkg



Nylon Ladle

- 6 oz.



Syrup Pump

- One ounce per pump
- For easy dispensing
- Use with 1 gal.



Ice Scoop

- 5 oz.
- Aluminum



Pour Spouts



Sno-cone Cups

- 6 oz.
- 200/sleeve



Quart Bottles

- Pour gallon of syrup into easy to handle bottles

Accessories

Item No.	Description	Retail	Wholesale
61225	Sno-cone holder		Please Login
SC6510	Spoon straws (Case 200)		Please Login
61220	Pump for syrup		Please Login
15003	6 oz. cups (Sleeve 200)-design		Please Login
61203	Aluminum ice scoop		Please Login
60251	Quart bottle		Please Login
60253	Pour spout		Please Login
61214	Nylon Ladle		Please Login

HOT DOGS & NACHOS



Front View

15 - 45 minute
cook time depending on
number of hotdogs

PARAGON



Back View

Hot Dog Steamer

- 20 gauge stainless steel construction
- Holds up to 200 hot dogs and 42 buns
- 13.5" W x 16" D x 20" H - 120 Volts
- Removable product trays and sliding doors
- Oversized eight quart water reservoir is the largest available for extended holding times
- Quick turn water release valve eliminates burned fingers and spilled water
- Low water Indicator light and illuminated ON/ OFF switch
- Top loading design for easy access
- Front drain for easy cleaning

Item No.	Description	Retail	Wholesale
8020	200 Hot Dog Steamer		Please Login
12119	Foil bags (100)		Please Login



Foil Bags

- 3.5"x1.5"x8.5"
- 1000/case

Nacho, Popcorn & Peanut Warmer

- Warming deck to keep nachos hot and fresh
- Easy cleanup
- Comes with popcorn, nachos and peanuts decals (2 of each)
- Huge 100 quart capacity
- 120V
- 29"H x 15"W x 15"D
- 47 lbs.
- **Special order only; non-stock item; non-cancelable**



Item No.	Retail	Wholesale
2190110		Please Login

PARAGON

Order Online

- Order online from a secure site
- Check account status
- Look up individual parts

Cotton Candy Machines



Spin Magic 5

- New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- Voltage meter indicates the optimum settings for producing the best product
- 120V, 1636 Watts, 13.6 Amps
- 19"W x 12"D x 21"H
- 1 year warranty



Classic Floss 5

- New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- 120V, 1636 Watts, 13.6 Amps
- 19"W x 12"D x 21"H, 49 lbs.
- 1 year warranty



Spin Magic Quick Release 5

- Revolutionary, patented, new head design that requires NO tools to remove the head for easy cleaning. Allows the operator the ability to easily spin different flavors of floss with no downtime in production
- New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- Voltage meter indicates the optimum settings for producing the best product
- 120V, 1370 Watts
- 19"W x 12"D x 21"H, 54 lbs.
- 1 year warranty



Item No.	Description	Retail	Wholesale
7105200	Spin Magic machine w/metal bowl		Please Login
7150300	Spin Magic machine w/plastic bowl		Please Login
7105100	Classic Floss 5 machine w/metal bowl		Please Login
7105200QR	Spin Magic Quick Release 5		Please Login
7901	Roll-top bubble		Please Login
3060010	Cotton candy cart		Please Login
3060030	Cotton candy stand		Please Login
CC7903	Replacement aluminum bowl		Please Login

- 3060010 and 3060030 are special order only; non-stock items



Spoke-Wheel Cart - 3060010
Antique-style cart includes a display area and a storage area for supplies
33"W x 20"D x 56"H



Cotton Candy Stand - 3060030
Compact metal cart has casters and storage area for supplies
20"W x 20"D x 20"H



Roll-Top Bubble - 7901
Shields customers from floss and protects the machine



Great Western Sugar Floss

- 1/2 gallon carton (3.25 lbs.)
- 6 cartons in a case

One carton makes up to 60-70 cones!

Item No.	Description	Retail	Wholesale
16005	Blue raspberry sugar floss		Please Login
16015	Pink bubblegum sugar floss		Please Login
16024	Red cherry sugar floss		Please Login
16035	Purple grape sugar floss		Please Login
16085	Pink vanilla sugar floss		Please Login
16094	Strawberry sugar floss		Please Login



Plastic Bags/Cones

- 12"x18"
- Choose from plain or printed
- 1000/case

Item No.	Description	Retail	Wholesale
16190	Cotton candy cones 1,000/case		Please Login
3321	Cotton candy cones 300/case		Please Login
CC7851	Plain plastic bags 1,000/case		Please Login
CC7850	Printed plastic bags 1,000/case		Please Login





Ice Hawk Cooler Merchandiser

- Comes complete with casters and dome lid
- Dimensions: 22"D x 36"H
- Can capacity - 106

Item No.	Retail	Wholesale
3801077		Please Login



Super Keg Cooler

- Can be used as a can/bottle or keg cooler
- 25.25"D x 30"H
- Efficiently cools an 8 or 16 gallon keg with only three bags of ice
- Can cool 168-12 oz. cans or bottles
- Pump not included

Item No.	Description	Retail	Wholesale
3001003	Cooler		Please Login
2750109	Wheel kit		Please Login
2151135	Keg Tap		Please Login



**Optional
Casters & Pump
Sold Separately**

igloo.



8242
cup dispenser



25041
25043
Wire rack



25042
Truck rack

Igloo Coolers

Takes the abuse of the toughest job site and the most punishing work crews. HDPE hide won't chip, peel, buckle or rust. Ultratherm insulation for maximum cold retention. White FDA Grade inner liner is easy to clean and resists stains and odors. 5-year warranty. All parts are replaceable for extended life.

Item No.	Description	Retail	Wholesale
431	3 gallon cooler		Please Login
451	5 gallon cooler		Please Login
4101	10 gallon cooler		Please Login

42051	5 gallon cooler-Green		Please Login
42052	10 gallon cooler-Green		Please Login

Accessories

24009	Spigot - 1-10 gallon		Please Login
8242	Cup dispenser 4 & 4.5 oz		Please Login
25041	Wire rack for 431, 451		Please Login
25042	Truck rack for 431, 451		Please Login
25043	Wire rack for 4101		Please Login
18208201	4.25 oz Rolled cups (200/sleeve) (25 sleeves/case)-priced per sleeve		Please Login



**64
Cups
Every
Hour**



Frozen Drink Machine

- Compact Size
- 1 gallon cylinder - 2 gallon hopper
- Up to 64 cups per hour
- Stand-by Switch - refrigerates mix overnight
- Air Cooled
- 21-1/2"H x 11"W x 19"D
- Weight: 90 lbs.
- 115V, 10 amp



**Ships Direct
From Factory**

Item No.	Retail	Wholesale
113A		Please Login



BUNN

2 Hopper High Performance Ultra Gourmet Ice® System

- White/Stainless steel finish
- Patented reversing auger design quickens freeze time
- Two 3 gallon hoppers for optimum cooling
- 31.9"H x 16"W x 24.5"D, 120V, 12 amps
- Sanitation listed by NSF
- **Special order only; non-stock item; non-cancelable**

Item No.	Retail	Wholesale
ULTRA2-HP		Please Login



**115
Cups
Every
Hour**



Frozen Drink Machine

- Compact Size
- 1 gallon cylinder - 3 gallon hopper
- High Production - Up to 115 cups per hour
- Lighted Flavor Sign - draws attention
- Stand-by Switch - refrigerates mix overnight
- Air Cooled
- 24"H x 10-1/2"W x 20-1/2"D
- Weight: 110 lbs. (uncrated) 120 lbs. (crated)
- 115V, 11 amp



**Ships Direct
From Factory**



Item No.	Retail	Wholesale
117A		Please Login



**160
Cups
Every
Hour**



Frozen Drink Machine

- Compact Size
- 2 gallon cylinder - 4 gallon hopper
- High Production - Up to 160 cups per hour
- Lighted Flavor Sign - draws attention
- Stand-by Switch - refrigerates mix overnight
- Air Cooled
- 28"H x 12"W x 24"D
- Weight: 140 lbs. (uncrated), 150 lbs. (crated)
- 115V, 11 amp



**Ships Direct
From Factory**



Item No.	Retail	Wholesale
127A		Please Login

Heavy-duty Pedal Karts

PRIME KARTS

NEW!



RACER

The perfect pedal go-kart for ages 2 to 8. It rides like the "big kid" models with the same look and feel.

- For ages 2-8 with a 100 lb. weight limit
- Steel frame with powder coated paint
- Air filled all-terrain tires with inner tubes
- Coaster brake with reverse
- 3 position adjustable seat

Any combination of 1 to 3 Racers ships UPS.

Item No.	Retail	Wholesale
RACER		Please Login



TRACKER

The ultimate pedal kart for couples and families! The Tracker is a heavy duty side-by-side tandem with two independent sets of drives and seat adjustments. So short and tall riders can both be comfortable. Rumble seats can be added so younger kids (1-4 years) can ride along.

- TWO independent drives
- Dual independent transmissions
- For ages 7-adult with a 500 lb. weight limit
- Hand brake/parking brake
- Heavy wall steel tubing with durable powder coating
- 6 position adjustable seats
- Sealed ball bearing for easy pedaling
- Air filled tires with innertubes
- Usable spare tire included

Item No.	Retail	Wholesale
TRACKER		Please Login



XL-4


Take on the toughest terrain with confidence in this versatile cart. Four all-terrain tires, articulated front-end design, and a patented transmission with reverse will have you tearing up the trails in record time.

- For ages 7 - adult with a 350 lb. weight limit
- Greaseable fittings on front axles
- Sealed ball bearings for easy pedaling
- Air filled all-terrain tires with inner tubes
- Coaster brake with reverse
- Hand brake/parking brake
- 6 position adjustable seat



Item No.	Frame	Retail	Wholesale
XL-4-CHARGERBLUE	Black		Please Login
XL-4-CHARGERGREEN	Black		Please Login
XL-4-CHARGERRED	Black		Please Login
XL-4-CHARGERYELLOW	Black		Please Login

Nitro, Baja and Ranger decals can be special ordered. See website for details.



Outdoor Weatherproof Lights

- 10 sockets (3 feet apart)
- Outdoor - weatherproof
- Includes 15 bulbs (5 extra)
- Heavy-duty 16/3 SJTW cord
- Connect up to 13 string light sets
- Perfect lighting for gazebos, patios, pergolas & restaurants

Item No.	Retail	Wholesale
72041		Please Login



LED Color Changing Cafe Lights

- Commercial grade for year-round, permanent outdoor installations
- White cord
- Durable, impact resistant acrylic bulbs
- Perfect for patios, pergolas, gazebos, home accents, parties, and camping
- Linkable up to 750 feet
- Enbrighten LEDs reduce energy usage by over 95%
- 16 colors to create over 120 possible color combinations
- Includes remote to select color
- No bulbs to replace - ever
- UL-153 listed

JASCO

Item No.	Length	Retail	Wholesale
39511	24'		Please Login
39092	48'		Please Login



Gear Tie Reusable Rubber Twist Ties

Gear Tie Reusable Rubber Twist Ties have a tough rubber shell that provides excellent grip and a strong wire inside that holds its shape. (3", 6", 12", 18", 24" or 32")

- Waterproof, UV resistant
- Tough rubber shell provides excellent grip
- Won't scratch or mark
- Twist it, tie it, reuse it



Item No.	Length	Color	Qty.	Retail	Wholesale
GT3-4PK-A1	3"	Assort.	4 pk.		Please Login
GT3-4PK-01	3"	Black	4 pk.		Please Login
GT6-2PK-31	6"	Orange	2 pk.		Please Login
GT6-2PK-01	6"	Black	2 pk.		Please Login
GT12-2PK-38	12"	Blue	2 pk.		Please Login
GT12-2PK-31	12"	Orange	2 pk.		Please Login
GT18-2PK-31	18"	Orange	2 pk.		Please Login
GT18-2PK-01	18"	Black	2 pk.		Please Login
GT18-2PK-38	18"	Blue	2 pk.		Please Login
GT32-2PK-31	32"	Orange	2 pk.		Please Login
GT32-2PK-01	32"	Black	2 pk.		Please Login
GLL24-33-2R6	24"	Neon Yellow Loopable	2 pk.		Please Login

EVENT SUPPLIES

Kwik-Covers



Boxes of 100 or Individually Packaged

Custom Fit Tablecovers

- Saves time
- Won't blow off in the wind
- No need for tape, tacks or staples
- Not biodegradable - check local recycling laws



**6' x 30"
8' x 30"
Banquet
Tables**



**60"
30"
Round
Tables**

Item No.	Description	Retail	Wholesale
3096-W	8' table (100/box)		Please Login
60-W	60" table (100/box)		Please Login
30-W	30" table (25/pack)		Please Login
3072PK-W	Individual 6'		Please Login
3096PK-W	Individual 8'		Please Login
48PK-W	Individual 48"		Please Login
60PK-W	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3096-B	8' table (100/box)		Please Login
60-B	60" table (100/box)		Please Login
30-B	30" table (25/pack)		Please Login
3072PK-B	Individual 6'		Please Login
3096PK-B	Individual 8'		Please Login
48PK-B	Individual 48"		Please Login
60PK-B	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
30-GR	30" table (25/pack)		Please Login
3072PK-GR	Individual 6'		Please Login
3096PK-GR	Individual 8'		Please Login
48PK-GR	Individual 48"		Please Login
60PK-GR	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3096-GOLD	8' table (100/box)		Please Login
3072PK-GOLD	Individual 6'		Please Login
3096PK-GOLD	Individual 8'		Please Login
48PK-GOLD	Individual 48"		Please Login
60PK-GOLD	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
30-BLK	30" table (25/pack)		Please Login
3072PK-BLK	Individual 6'		Please Login
3096PK-BLK	Individual 8'		Please Login
48PK-BLK	Individual 48"		Please Login
60PK-BLK	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-M	Individual 6'		Please Login
3096PK-M	Individual 8'		Please Login
48PK-M	Individual 48"		Please Login
60PK-M	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-P	Individual 6'		Please Login
3096PK-P	Individual 8'		Please Login
48PK-P	Individual 48"		Please Login
60PK-P	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-O	Individual 6'		Please Login
3096PK-O	Individual 8'		Please Login
48PK-O	Individual 48"		Please Login
60PK-O	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-LB	Individual 6'		Please Login
3096PK-LB	Individual 8'		Please Login
60PK-LB	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3096-R	8' table (100/box)		Please Login
60-R	60" table (100/box)		Please Login
30-R	30" table (25/pack)		Please Login
3072PK-R	Individual 6'		Please Login
3096PK-R	Individual 8'		Please Login
48PK-R	Individual 48"		Please Login
60PK-R	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-PINK	Individual 6'		Please Login
3096PK-PINK	Individual 8'		Please Login
60PK-PINK	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3096-RW	8' table (100/box)		Please Login
60-RW	60" table (100/box)		Please Login
30-RW	30" table (25/pack)		Please Login
3072PK-RW	Individual 6'		Please Login
3096PK-RW	Individual 8'		Please Login
48PK-RW	Individual 48"		Please Login
60PK-RW	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-BW	Individual 6'		Please Login
3096PK-BW	Individual 8'		Please Login
48PK-BW	Individual 48"		Please Login
60PK-BW	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-BLKW	Individual 6'		Please Login
3096PK-BLKW	Ind. Pack. 8' cover		Please Login
48PK-BLKW	Individual 48"		Please Login
60PK-BLKW	Ind. Pack. 60" cover		Please Login

Item No.	Description	Retail	Wholesale
3072PK-CELEBRATION	Individual 6'		Please Login
3096PK-CELEBRATION	Individual 8'		Please Login
60PK-CELEBRATION	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-PATRIOTIC	Individual 6'		Please Login
3096PK-PATRIOTIC	Individual 8'		Please Login
60PK-PATRIOTIC	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-Z	Individual 6'		Please Login
3096PK-Z	Individual 8'		Please Login
60PK-Z	Individual 60"		Please Login

Item No.	Description	Retail	Wholesale
3072PK-L	Individual 6'		Please Login
3096PK-L	Individual 8'		Please Login
60PK-L	Individual 60"		Please Login





**16
Teams
Added**



Washington Redskins running back and Oklahoma University alumni Adrian Peterson

Kwik-Covers

Packaged and Sold Individually
25 per case



Collegiate Tablecovers

Item No.	Description	Retail	Wholesale
6'x30"			
C3072PK-AL	Alabama-Individual 6'		Please Login
C3072PK-ARS	Arizona 6'		Please Login
C3072PK-ARZ	Arizona State 6'		Please Login
C3072PK-ARK	Arkansas 6'		Please Login
C3072PK-AUB	Auburn 6'		Please Login
C3072PK-CL	Clemson 6'		Please Login
C3072PK-CO	Colorado-Individual 6'		Please Login
C3072PK-FLA	Florida 6'		Please Login
C3072PK-FSU	Florida State 6'		Please Login
C3072PK-IL	Illinois-Individual 6'		Please Login
C3072PK-IU	Indiana-Individual 6'		Please Login
C3072PK-IA	Iowa-Individual 6'		Please Login
C3072PK-KSU	Kansas State 6'		Please Login
C3072PK-LOU	Louisville 6'		Please Login
C3072PK-LSU	LSU 6'		Please Login
C3072PK-MI	Michigan-Individual 6'		Please Login
C3072PK-MCS	Michigan State 6'		Please Login
C3072PK-MST	Mississippi State 6'		Please Login
C3072PK-MO	Missouri-Individual 6'		Please Login
C3072PK-UNC	North Carolina-Individual 6'		Please Login
C3072PK-NCS	NC State-Individual 6'		Please Login
C3072PK-OKS	OK State-Individual 6'		Please Login
C3072PK-OK	Oklahoma-Individual 6'		Please Login
C3072PK-PST	Penn State 6'		Please Login
C3072PK-SC	South Carolina 6'		Please Login
C3072PK-SYR	Syracuse-Individual 6'		Please Login
C3072PK-TEN	Tennessee 6'		Please Login
C3072PK-TT	Texas Tech-Individual 6'		Please Login
C3072PK-VAT	Virginia Tech-Individual 6'		Please Login
C3072PK-WV	West Virginia 6'		Please Login
8'x30"			
C3096PK-AL	Alabama-Individual 8'		Please Login
C3096PK-ARS	Arizona 8'		Please Login
C3096PK-ARZ	Arizona State 8'		Please Login
C3096PK-ARK	Arkansas 8'		Please Login
C3096PK-AUB	Auburn 8'		Please Login
C3072PK-CL	Clemson 8'		Please Login
C3096PK-CO	Colorado-Individual 8'		Please Login
C3096PK-FLA	Florida 8'		Please Login
C3096PK-FSU	Florida State 8'		Please Login
C3096PK-IL	Illinois-Individual 8'		Please Login
C3096PK-IU	Indiana-Individual 8'		Please Login
C3096PK-IA	Iowa-Individual 8'		Please Login
C3096PK-KSU	Kansas State 8'		Please Login
C3096PK-LOU	Louisville 8'		Please Login
C3096PK-LSU	LSU 8'		Please Login
C3096PK-MI	Michigan-Individual 8'		Please Login
C3096PK-MCS	Michigan State 8'		Please Login
C3096PK-MST	Mississippi State 8'		Please Login
C3096PK-MO	Missouri-Individual 8'		Please Login
C3096PK-UNC	North Carolina-Individual 8'		Please Login
C3096PK-NCS	NC State-Individual 8'		Please Login
C3096PK-OKS	OK State-Individual 8'		Please Login
C3096PK-OK	Oklahoma-Individual 8'		Please Login
C3096PK-PST	Penn State 8'		Please Login
C3096PK-SC	South Carolina 8'		Please Login
C3096PK-SYR	Syracuse-Individual 8'		Please Login
C3096PK-TEN	Tennessee 8'		Please Login
C3096PK-TT	Texas Tech-Individual 8'		Please Login
C3096PK-VAT	Virginia Tech-Individual 8'		Please Login
C3096PK-WV	West Virginia 8'		Please Login

CENTURY
WIRE AND CABLE

White Extension Cords

- Jacket type SJTW-A



White 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login



Heavy-duty White Multi-Outlet Cord-6 outlets

- This 12/3 50' cord has an extreme duty 600 volt jacket
- The outlets are every 10'
- -40° Coldweather Jacket
- Water & flame resistant
- Lighted ends
- Individually boxed

CENTURY
WIRE AND CABLE

Item No.	Retail	Wholesale
D1242		Please Login

Asphalt Tent Stake Hole Plugs

- A permanent solution
- Goes in quickly, looks natural
- Cold weather won't crack it
- Hot weather won't melt it
- No extra fill needed
- Saves money and time



PLUG-R

Item No.	Stake Size	Top Diam.	No. Per Case	Retail	Wholesale
106100	1"	1-1/4"	320		Please Login
106150	1-1/4"	1-1/2"	176		Please Login

Protective White Chair Bags

- Durable poly bags
- Designed to individually cover your wooden chairs before you place them in their canvas bag
- Bag size is 22" x 40"



Item No.	Retail	Wholesale
14971		Please Login



1" White Tent Strap Ratchet

- 1" x 14' strap assembly
- 1" x 12' loose strap with snap hook
- Ratchet with 24" sewn strap and forged ring
- 3,000 lb. break strength
- 1,000 lb. working load limit

Item No.	Retail	Wholesale
ST400		Please Login



Tent Caps (Rebar - White)

- Designed for the party and rental industries
- Prevents potential injury from protruding rebar
- Made of a tough ABS plastic and are white to provide visible yet unobtrusive protection
- 100 per carton

Item No.	Retail	Wholesale
14610L		Please Login

White Duct Tape

- 2" x 60 yards
- Polyethylene coated cloth
- Use for indoor/outdoor carpet or vinyl tent sidewall repair
- 24 per carton
- 9 mil



Item No.	Retail	Wholesale
20CW2		Please Login



B.A.S.H. Sledge Hammers

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes
- Meets ANSI standards

Item No.	Head Size	Handle	Retail	Wholesale
20212	2-1/2 lb.	12"		Please Login
20412	4 lb.	12"		Please Login
20416	4 lb.	16"		Please Login
20630	6 lb.	30"		Please Login
20816	8 lb.	16"		Please Login
20824	8 lb.	24"		Please Login
20830	8 lb.	30"		Please Login
20836	8 lb.	36"		Please Login
21016	10 lb.	16"		Please Login
21036	10 lb.	36"		Please Login
21236	12 lb.	36"		Please Login
21430	14 lb.	30"		Please Login
21436	14 lb.	36"		Please Login
22036	20 lb.	36"		Please Login



B.A.S.H. Mechanics Hammer Kit

- Unbreakable technology
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Tested for 25,000 overstrikes
- Meets ANSI standards

Includes:

- (1) 4 lb. Head 12 in. Sledge Hammer
- (1) 32 oz. Head 14 in. Ball Pein Hammer
- (1) 2 lb. Head 16 in. Cross Pein Hammer

Item No.	Retail	Wholesale
11111		Please Login



Kwik-Can Covers

Disguise those rusty metal trash barrels and unsightly plastic drums with a Kwik-Can Cover. Kwik-Can Covers feature tough elastic at both ends holds this durable, all-weather plastic trash can sleeve snugly in place, leaving you with a clean, pleated look. Sold as case of 50.

Item No.	Description	Retail	Wholesale
CANCVR-33GAL-RECY	33 gal. - Recycle logo (50/case)		Please Login
CANCVR-33GAL-W	33 gal. - White (50/case)		Please Login
CANCVR-55GAL-RECY	55 gal. - Recycle logo (50/case)		Please Login
CANCVR-55GAL-W	55 gal. - White (50/case)		Please Login

Kwik-Block Covers

BLOCK202022

The Kwik Cover Tent Ballast Block Cover is the ideal solution to conceal ballast blocks during events.

- Significantly improve the appearance of the tent area
- One-size-fits-all
- White only
- Fits: 20" x 20" x 12" (350lb.)
20" x 20" x 16" (500lb.)
20" x 20" x 22" (750lb.)
- Sold as case of 100.

Item No.	Retail	Wholesale
BLOCK202022		Please Login





Rhino Series

Plastic Folding Chairs

- "Rhino Tough, Rhino Strong"
- Injection-molded plastic seat and back
- Seat plate attached to frame by 8 rivets
- 18-gauge, 3/4" tubular steel frame
- Baked on powder enamel, tested to be lead-free
- Ultraviolet additives for super protection
- Triple rivet brackets at the seat for better strength
- SGS Laboratory tested to 300 lbs. live load
- SGS Laboratory tested to 800 lbs. static load
- Non-marring replaceable feet
- Chairs interstack with many other brands
- Color: White
- Dimensions:
Overall Height: 31.5"
Overall Width: 17.5"
Weight: 7.5 lb each
- **Sold 10 per box**

Item No.	Description	Retail	Wholesale
2180	White - 10/Box		Please Login
2185	Black - 10/Box		Please Login
2190	Brown - 10/Box		Please Login
2167	Bone - 10/Box		Please Login



Resin Folding Chairs

- Made from 100% polypropylene resin
- Zinc coated, never-rust screws
- Load rests on two seat bars, not on screws
- Load tested by SGS Laboratories
- Heavy duty construction - supports up to 1,000 lbs
- Comfortable, flexible, padded foam seat
- Seat snaps in/out for easy cleaning
- Simple interlocking features for stacking
- Stain resistant surface - just wipe clean
- * Weatherproof and UV Protected to prevent fading
- Stack up to 30 chairs on dolly
- Dimensions:
Overall height: 30.75"
Overall width: 17.5"
Weight: 11 lbs. each
- **Sold 4 per box**

Item No.	Description	Retail	Wholesale
2302	White - 4/Box		Please Login
2305	Black - 4/Box		Please Login



Banquet Plastic Blow Mold Folding Tables

- Easy, safe storage and transport
- Lightweight, strong & durable
- Poly top impervious to spills & scratches
- Easy to clean
- Auto-locking steel wishbone legs
- Weather Resistant — Great for indoor/outdoor use
- 400 lb. capacity

Item No.	Description	Retail	Wholesale
3712	6'x30" Rectangular		Please Login
3713	8'x30" Rectangular		Please Login
3716	60" Round		Please Login



Rhino Series

Banquet Resin Folding Tables

- Rhino Tough. Rhino Strong.
- Weather Resistant and Maintenance Free
- Never Needs Sanding or Refinishing
- 3/4" Lip for Skirting
- Independently Tested and Approved
- Lightweight - Easy to Grip and Carry
- Auto-Locking Steel Wishbone Legs and Steel Frame
- Stain-Resistant Surface Won't Crack or Splinter
- Legs 15" from Ends for Extra Dining Comfort

Item No.	Description	Retail	Wholesale
3630	6'x30" Rectangular		Please Login
3635	8'x30" Rectangular		Please Login
3640	60" Round		Please Login



**Sold In
Multiples
of 4**

Premium Stackable Folding Chair

- Sold 4 per box
- Strengths of a metal folding chair with the benefits of a plastic folding chair
- Color-impregnated polypropylene plastic
- Powdercoated steel frame
- 29-3/4"H x 18-3/4"W x 20-3/4"D.
- **Ships factory direct.**

Item No.	Plastic/Frame Color	Retail	Wholesale
NPS802	Gray/Gray		Please Login
NPS805	Blue/Gray		Please Login
NPS810	Black/Black		Please Login
NPS818	Burgundy/Black		Please Login
NPS821	White/White		Please Login



**Sold In
Multiples
of 4**

Lightweight Folding Chair

- Sold 4 per box
- High-quality blow-molded resin
- Contoured seat and back for comfort
- Stain resistant
- Textured powder coated frame
- **Holds 300 lbs.**
- has two crossbraces
- **Ships factory direct.**

Part#	Overall HxWxD	Retail	Wholesale
NPS602	32"x18-3/4"x21-1/2"		Please Login



Chair Dolly

- Use with 800 Series chairs
- 36 chair stack capacity
- 11-gauge steel
- 4" casters - 2 swivel & 2 fixed

Item No.	Retail	Wholesale
DY800		Please Login



Lightweight Folding Tables

These lightweight blow-molded plastic folding tables are perfect for indoor or outdoor, or any other application that calls for affordable, lightweight, weather-proof, and highly durable folding tables. **Ships factory direct.**

- Sold 2 per box
- Can withstand heat up to 212° Fahrenheit.
- Lightly speckled gray with matching gray textured powder coated legs
- 17-gauge strength

Item No.	Description	Size (WxLxD)	Capacity	Weight lbs.	Retail	Wholesale
BT3060	5' Rectangular	30"x60"x1-3/4"	1,500 lbs.	41		Please Login
BT3072	6' Rectangular	30"x72"x1-3/4"	1,500 lbs.	48		Please Login
BT3096	8' Rectangular	30"x96"x2"	1,000 lbs.	64		Please Login
BT60R	5' Round	60" dia. x 2"	1,000 lbs.	55		Please Login
BT71R	5'11" Round	71" dia. x 2"	800 lbs.	82		Please Login



Vista™ Instant Shelter

- 10' x 10'
- Sets up in seconds!™
- White powder-coated steel frame
- Polyester top
- CPAI-84 fire resistant fabric top

Item No.	Retail	Wholesale
VS2910BL		Please Login



Vantage™ Instant Shelter

- 10' x 10'
- Sets up in seconds!™
- Pull pin leg for E-Z quick lock
- IMPROVED! E-Z glide truss washers allow for increased stability
- CPAI-84 and NFPA-701 fire resistant

Item No.	Retail	Wholesale
VANTAGE		Please Login



Tent Cleaner

- Removes mildew stains and penetrates dirt film
- Use with the pressure washer

Item No.	Retail	Wholesale
TC789		Please Login



Miracle Tent Mildew Proof Treatment

- One gallon covers 2,650 sq. ft.
- Once treated, it lasts for over one year
- Can fold up tents wet and store them

Item No.	Retail	Wholesale
TMP123		Please Login



Blitz Mildew Remover

- Mildew remover penetrates and kills the spore

Item No.	Retail	Wholesale
B456		Please Login



TENT HEATERS

Dual Fuel or Propane Direct-Fired Heaters



40,000 BTU

- 330 CFM
- 1.86 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 2.6 starting amps, 1 amps continuous operation
- 24.8" L x 14.5" W x 16.2" H
- Includes 15' gas hose, regulator & thermostat



Item No.	Description	Retail	Wholesale
TS040	40,000 BTU - Propane Only		Please Login
09454	Thermostat with 20' cord		Please Login
07891	Replacement thermostat 20' cord		Please Login
132544	Distribution duct kit, white 8" dia. x 12'L		Please Login
132540	Diffuser w/quick connect		Please Login
132541	End diffuser (fits end of 8" dia. ducting)		Please Login

Diffuser and duct sold separately



Compact and quiet, Premier heaters in their neutral white color are perfect for tent applications. The Advanced Service Saver self-diagnostic feature makes them easy to maintain. All models are certified to CSA standards.

80,000 BTU

- 450 CFM
- 3.7 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 5 starting amps, 2 amps continuous operation
- 30"L x 14"W x 20"H
- Includes 15' gas hose, regulator & thermostat w/ 1.4' cord



Item No.	Description	Retail	Wholesale
TS080 2.0	80,000 BTU - Propane Only		Please Login
CS080DF 2.0	80,000 BTU - Dual Fuel		Please Login

Accessories for 2.0 Heaters (Current Model)

132902	Unit diffuser -TS080 2.0		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login

Accessories for 1.0 Heaters (Past Model)

26349	Unit diffuser w/quick connect		Please Login
09454	Thermostat w/inline plug, 20' cord		Please Login

Accessories for all Premier 80 Heaters

26347	Duct kit, white, 12" dia. x 12'L		Please Login
26346	Duct kit, gray, 12" dia. x 12'L		Please Login
26350	Diffuser for end of duct includes ring		Please Login
09054	Clamp to hold #26617		Please Login
26617	12" duct adapter ring (flange)		Please Login

No Open Flame!



170,000 BTU

- 1200 CFM
- 7.9 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 8 starting amps, 3 amps continuous operation
- 31"L x 18"W x 28"H
- Includes 15' gas hose, regulator & thermostat w/1.4' cord



Item No.	Description	Retail	Wholesale
TS170 2.0	170,000 BTU - Propane Only		Please Login
CS170DF 2.0	170,000 BTU - Dual Fuel		Please Login

Accessories for 2.0 Heaters (Current Model)

30125	Thermostat w/female plug, 25' cord		Please Login
-------	------------------------------------	--	--------------

Accessories for 1.0 Heaters (Past Model)

09454	Thermostat w/inline plug, 20' cord		Please Login
-------	------------------------------------	--	--------------

Accessories for all Premier 170 Heaters

26351	Unit diffuser w/quick connect		Please Login
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26346	Duct kit, gray, 12" dia. x 12'L		Please Login
26350	Diffuser for end of duct includes ring		Please Login
09054	Clamp to hold #26617		Please Login
26617	12" duct adapter ring (flange)		Please Login

350,000 BTU

- 2400 CFM
- 16.2 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 30 starting amps, 14 amps continuous operation
- 48"L x 22"W x 41"H
- LINK™ subscription ready
- Includes 15' gas hose, regulator & thermostat w/1.4' cord



Item No.	Description	Retail	Wholesale
CS350DF 2.0	350,000 BTU - Dual Fuel		Please Login

Accessories for 2.0 Heaters (Current Model)

22835	Duct kit, white, 18" dia. x 12'L		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login

Accessories for 1.0 Heaters (Past Model)

22920	Thermostat w/inline plug, 20' cord		Please Login
-------	------------------------------------	--	--------------

Accessories for all Premier 350 Heaters

23189	Diffuser for end of duct includes ring		Please Login
23050	18" duct adapter ring (flange)		Please Login
573761	Clamp to hold #23050		Please Login

Qualifies For
FREIGHT ALLOWED



Dual Fuel or Propane Direct-Fired Heaters



NOMAD



Big heat with big features. The new Nomad tent and construction heaters from HeatStar, have all the quality and durability you have come to trust from the HeatStar brand. Whether you are looking for a heater to put a lot of heat on to a job site or for a unit to quietly sit out of sight at an outdoor event, the HeatStar Nomad heaters are an ideal solution for either. Generously equipped with features to make it easy to use and cheap to operate.

HS115 - 115,000 BTU

- 650 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 30"L x 15"W x 23-3/4"H



Item No.	Description	Retail	Wholesale
HS115SF	115,000 BTU - Propane Only		Please Login
HS115TC	115,000 BTU - Dual Fuel		Please Login
F109105	Diffuser for HS115TC		Please Login
F109106	Duct adapter for HS115TC		Please Login
F109107	30" Short duct for HS115TC		Please Login
F109108	10' duct for HS115TC		Please Login

- 6 Output rates on 3 separate units
- 15 ft. hose and regulator included
- Dual fuel standard (LP/NG)
- Multi-rate (High & Low Settings)
- High CFM for greater circulation
- Easy reset high limit switch
- 4 tie down connections (HS190TC, HS250TC)
- Fan-Only option for air circulation
- Remote thermostat with 20' cord
- Spark ignition
- ETL Certified

Includes 15' Gas Hose, Regulator, and Thermostat

HS190 - 190,000 BTU

- 1600 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H



Item No.	Description	Retail	Wholesale
HS190SF	190,000 BTU - Propane Only		Please Login
HS190TC	190,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login

HS250 - 250,000 BTU

- 2100 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H



Item No.	Description	Retail	Wholesale
HS250SF	250,000 BTU - Propane Only		Please Login
HS250TC	250,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login



F109105
F109115



F109107
F109117



F109108
F109118



F109106
F109116



F109119

TENT HEATERS

Portable Oil Indirect-Fired Heaters

- 100% clean, dry heat
- High pressure operation
- Four-loop exhaust gas system™ for higher efficiency
- Temperature rise 160°F
- Runs on #1 & #2 diesel, kerosene, JP-8 or Jet A
- Low power consumption-runs on 15 amp circuit
- Thermostat sold separately
- Fuel gauge
- Extra large capacity tanks



HVF110 - 110,000 BTU

- 22 hour run time
- 120v, 6amp
- 1,020 cfm
- Temperature rise = 160° F
- Ductable up to 25'
- 100 lbs.

Item No.	Description	Retail	Wholesale
HVF110	Heater		Please Login
WD1220	20' Duct		Please Login
AR110	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
EF1	Raincap/Flue stack		Please Login



HVF210 - 205,000 BTU

- 19 hour run time
- Preheated fuel filter
- 120v, 9amp
- 1,530 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 180 lbs.

Item No.	Description	Retail	Wholesale
HVF210	Heater		Please Login
WD1425	25' Duct		Please Login
AR210	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR212	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login



HVF310 - 300,000 BTU

- 16 hour run time
- Preheated fuel filter
- 120v, 12amp
- 2,500 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 270 lbs.

Item No.	Description	Retail	Wholesale
HVF310	Heater		Please Login
WD1825	25' Duct		Please Login
AR310	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR312	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login



Can Use
L.B. White
Diffusers



Flue Kit - EF1

Screw clamp-
SCR18



Two-way Duct Adaptor

- Only compatible with HVF210 and HVF310. (12" outlets) PN-AR212, AR312
- Duct-WD1225

Note: A duct adapter ring is required to connect duct



Portable Propane Cabinet Heater

- 6,000, 12,000, or 18,000 BTU per hour
- Ideal for restaurant patio seating
- Lower cost than heating towers
- Heats up to 450 sq. ft.
- No electricity required
- Quiet and odorless
- Hose and regulator included
- D 14.25" x H 23.50" x W 19.75"

Item No.	Retail	Wholesale
HS18CH		Please Login



Sweet Heat® Patio Heater Trifold Reflector

- Redirects heat where you want it
- Designed to boost efficiency of full-sized patio heaters
- High-quality aluminum
- Interlocked hinge system between panels ensures minimal gap
- Folds down to just a third of its size
- The amount of propane savings pays for the reflectors!



Item No.	Retail	Wholesale
SH-TF-33X10		Please Login

Great Add-On For Rentals!



Zubri Portable Patio Heater

- 40,000 BTU's
- 7'3" tall (Case-56.5" tall x 15" wide)
- Heats approximately 300 sq. ft.
- No tools are necessary
- Legs detach for storage and transport
- Hard-shell carrying case and carrying bag for reflector
- Tip switch
- One year warranty



Carrying Case Included

Item No.	Retail	Wholesale
Z1-12CK		Please Login



Radiant Patio Heaters

- 40,000 BTUs
- Covers 10' - 15' diameter
- Convenient "Piezo" match free ignition
- 100% safety control
- Portable wheel kit included
- Unit meets or exceed CSA and UL
- Up to 10 hours of use with standard 20 gallon OPD Cylinder



Item No.	Color	Retail	Wholesale
PC02AB	Antique Bronze		Please Login
PC02JS	Jet Silver		Please Login
PC02SS	Stainless Steel		Please Login



Rhino Collapsible Patio Heater

- 41,000 BTU's
- Unique **collapsible** design for transport & storage
- Integrated table top
- Easy start electric ignition
- Commercial grade steel with gold hammered powder coat
- Heavy-duty wheels and handle
- 1 Year limited warranty
- CSA tested and approved
- One year warranty



Item No.	Color	Retail	Wholesale
4070	Bronze		Please Login
4075	Black		Please Login



GLOVES



Tagged for Hanging

Deerskin

- Supple deerskin leather palm
- ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Item No.	Size	Retail	Wholesale
R99D	M-XL		Please Login



Tagged for Hanging

Goatskin

- Goatskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Item No.	Size	Retail	Wholesale
R99G	S-XL		Please Login



Tagged for Hanging

Pigskin

- Durable pigskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Item No.	Size	Retail	Wholesale
R99A	M-XL		Please Login



Performance Driver Hybrid Glove



- Provides the protection and durability of a driver, with the fit and dexterity of a performance glove
- Rugged cowhide finger & palm overlays
- Premium grade cowhide leather
- Short slip-on cuff for easy on and off
- Lightweight, breathable spandex back
- Neoprene straps

Item No.	Size	Retail	Wholesale
DPG212	L-XL		Please Login



AngelFire® Women's Synthetic Leather Mechanic's Gloves

- Synthetic leather palm
- Spandex back
- Silicone grips on palm

Item No.	Size	Retail	Wholesale
GX103-S	S		Please Login



Tagged for Hanging

Tool Handz Plus



- Convenient elastic cuff
- Comfortable action spandex for snug fit
- Sold by individual pair

Item No.	Size	Retail	Wholesale
R99P	S-2XL		Please Login
12 pair per package			



Tagged for Hanging

Quality Grain Pigskin Driving Gloves

- Pigskin toughness in a classic construction
- Multi-purpose use and versatility
- Ergonomic keystone thumb design
- Shirred elastic back for a snug fit

Item No.	Size	Retail	Wholesale
R9P	L		Please Login



Anti-Impact Gloves with BumpPatch

- Padded vibration-dampening palm
- ShokBloX™ 2 rubber guards for light impact protection
- Exclusive padded BumpPatch™ for side-hand comfort

Item No.	Size	Retail	Wholesale
GX100	L		Please Login



Nitrile Coated Work Gloves

- 13 gauge, 100% Nylon Shell, Nitrile Palm Coated
- Pound for pound tougher than leather
- Form-fitting enough to pick up a dime
- Sold by individual pair

Tagged for Hanging

Item No.	Size	Color	Retail	Wholesale
4631Q	M-XL	Black on black		Please Login
4631QRD	M-XL	Red on black		Please Login



Textured Latex Concrete/Brick Gloves

- Textured blue latex palm coated
- Gray string knit shell
- 10 Gauge
- Elastic knit wrist
- Seamless knitted

Item No.	Size	Retail	Wholesale
4729G	L-XL		Please Login

Tagged for Hanging



Latex Palm Coated Gloves

- Blue latex palm coated
- Standard weight string knit shell
- 10 Gauge cotton/polyester knit shell
- Elastic knit wrist
- Seamless knitted

Item No.	Size	Retail	Wholesale
2300EE	L-XL		Please Login
2300EET	Tagged-L		Please Login



Tagged for Hanging

Black PVC Gloves

- 10" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Knit wrist
- Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
3361G	L		Please Login



Black PVC Gloves

- 14" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
3365G	L		Please Login

GLOVES



Tagged for Hanging

Economy Leather Palm Gloves

- Shoulder split cowhide leather
- Gunn pattern
- Cotton palm lining
- 2 1/2" rubberized cuff
- Knuckle strap
- Wing thumb construction

Item No.	Size	Retail	Wholesale
R5B	L		Please Login



Tagged for Hanging

Yellow Chore Gloves

- Regular weight
- Straight thumb
- Knit wrist
- 2-layer fleece quilted palm and back
- Clute pattern

Item No.	Size	Retail	Wholesale
3460G	L		Please Login
4203QXL-BG	XL		Please Login



Tagged for Hanging

Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Size L
- 9 oz.
- 12 per package

Item No.	Size	Retail	Wholesale
3401T	L		Please Login



Tagged for Hanging

Fleece Lined Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Easy slip-on construction
- Size L - 12 pair per package
- Sold by individual pair

Item No.	Size	Retail	Wholesale
3421G	L		Please Login



Cotton / Polyester Knit Gloves

- Regular weight
- 7 Gauge
- Elastic knit wrist
- Seamless knitted
- Reversible

Item No.	Size	Retail	Wholesale
3403G	L		Please Login



Cotton String Knit Gloves with PVC Dots

- Two-sided black PVC dots
- 7 Gauge
- Elastic knit wrist
- Seamless knitted
- Reversible

Item No.	Size	Retail	Wholesale
3405G	L		Please Login



Engineer's Raincoat

- Extra long with detachable hood to keep you dry
- Heavy weight .35 mil PVC, polyester backing and corduroy collar
- Non-conductive
- 24 per carton
- Sold individually

Item No.	Size	Retail	Wholesale
E4800	M-5XL		Please Login



#1 BEST SELLER

Premium Rugged Series Rainsuit

- 3 piece suit
- 30" jacket with detachable hood
- Heavyweight .35 mil PVC with polyester backing
- Non-conductive
- Medium through 7XL
- 10 per carton
- Sold individually

Item No.	Size	Retail	Wholesale
PHP570-(Size)	M - 4XL		Please Login
PHP570-(Size)	5XL - 7XL		Please Login



Stay Clean While Working On Equipment

Polypropylene Disposable Coverall



- Lightweight polypropylene
- Full zipper front
- Elastic wrist and ankle closures
- Sold individually

Item No.	Size	Retail	Wholesale
S6843	L		Please Login
S6844	XL		Please Login
S6845	3XL		Please Login

#1 BEST SELLER



Yellow Slush Boots

- 100% heavy-duty rubber
- 44 mil
- Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 pair per carton
- Sold by the pair

Item No.	Size	Retail	Wholesale
S2117	9-18		Please Login



Black 5 Buckle Boots

- Easy-on/easy-off
- 100% heavy-duty rubber
- Sizes 9-16
- 6 pair per carton
- Sold by the pair

Item No.	Size	Retail	Wholesale
B2511	9-16		Please Login

PROPANE ACCESSORIES

First Stage High Pressure Regulator

- Reduces LP tank pressure to 10 P.S.I.
- Connections: 1/2" Female NPT Inlet & Outlet
- Factory set outlet pressure: 10 PSIG
- Outlet Pressure: 2,500,000 BTU/hr Propane



Item No.	Retail	Wholesale
LV4403TR4		Please Login

Second Stage Low Pressure Regulator

- Reduces the outlet pressure from first stage levels down to burner pressure
- Capacity: 1,200,000 BTU/hr Propane
- Adjustment Range: 9-13" W.C.
- Factory set at 11" W.C.
- Connections: 1/2" Female NPT Inlet and Outlet



Item No.	Retail	Wholesale
LV4403B4		Please Login

High Pressure Regulator

- 10 PSI outlet pressure
 - 1/4" x 1/4" FNPT
- This regulator is used on:
National Riverside: 250, 250A
Master: R/TC250, R/TC250A, R/TC275




Item No.	Model	Description	Retail	Wholesale
6256NR	130-00	10 PSI 130 Regulator		Please Login

Low Pressure Regulator

- 11" W.C. outlet pressure
 - 1/4" x 3/8" FPT
- Used on: National Riverside: 150FA, 150FAS, 150FAST, 80VC, 80FA, 100RA
Master: B/RLP45, B/RLP80, BLP150, BLP155, BLP155T



Item No.	Model	Description	Retail	Wholesale
6255NR	230-00	11" W.C. 230 Regulator		Please Login



2-Tank Connection Assembly

- Tee adapter assembly
- Includes (2) 30" pigtails
- Manifold (2) LP tanks together
- CSA Approved

Item No.	Retail	Wholesale
FF-KIT188		Please Login



2-Appliance Connection Assembly

- Manifold (2) appliances to (1) LP tank (i.e. Two gas grills to one 100 lb. tank)
- CSA Approved


Item No.	Retail	Wholesale
FF-KIT278		Please Login

T-Block Manifold

- Inlet - Male POL • Outlet - Female POL



Item No.	Retail	Wholesale
P400	\$26.88	\$16.79



POL Pigtail

Item No.	Description	Retail	Wholesale
1662	30" Long x 1/4" Copper Tubing		Please Login
1630RU	30" Hose connection POL x POL		Please Login
1648RU	48" Hose connection POL x POL		Please Login

Regulator

- 5-20 PSI outlet pressure
- Fits DESA brands: Master, Reddy, Remington torpedo kerosene forced air heaters



Item No.	Retail	Wholesale
LPA2020		Please Login

Brushable Thread Sealant

- Suitable for steel, copper, brass, aluminum, ABS, PVC and fiberglass piping
- Not suitable for oxygen
- 8 oz. can



Item No.	Retail	Wholesale
TTS8		Please Login

PROPANE ACCESSORIES



G1643



G1653



G1643



30S07P



G1630-2

Tank Connectors


Item No.	Description	Retail	Wholesale
G1643	POL nut only		Please Login
G1653-3	O-Ring only (Bag of 10)		Please Login
30S07P	1/4" POL LH x LH - LB White heaters, torches		Please Login
G1653	POL fitting with handwheel		Please Login
G1630-2	Plastic handwheel		Please Login
G1652NR	Tank connector w/check valve		Please Login
G1680	Tank connector without excess flow		Please Login



Thread Sealing Tape

- Pipe thread connections
- Air, propane or natural gas
- 200 per carton

Item No.	Retail	Wholesale
UT11		Please Login



Propane Tanks-Steel

Item No.	Description	Brand	Gallons	Retail	Wholesale
281247	20# Tank/OPD	Worthington	4.7		Please Login
1160TC.5	30# Tank/OPD	Manchester	6.8		Please Login
1220.13	40# Tank/OPD	Manchester	9.2		Please Login
282157	100# Tank	Worthington	23.6		Please Login

Propane Tank Stabilizer



- Safest way to rent or sell tank top heaters
- No more tanks falling over!
- Works for up to 60# LP tank

Item No.	Retail	Wholesale
F273169		Please Login




OPD Valves

Item No.	Description	Retail	Wholesale
808107	20 lb. tank		Please Login
808109	30 lb. tank		Please Login



LP Tank Quick Connect



Item No.	Retail	Wholesale
F276334		Please Login



Acme Thread

Item No.	Retail	Wholesale
95QC		Please Login



Acme Thread Tank Connector

Item No.	Description	Retail	Wholesale
G1851	Up to 140,000 BTU (black)		Please Login
G1852	70,000 to 200,000 BTU		Please Login
G1853	200K to 400K (red)		Please Login



10 Pack Propane Tank Leak Stopper

Item No.	Description	Retail	Wholesale
885	Flat tag (10 pk.)		Please Login

SAFETY GLASSES



EDGE

Reclus

- Flexible and durable frame
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Item No.	Frame	Lens	Retail	Wholesale
SR116	Black	Smoke		Please Login



EDGE

Brazeau

- Flexible and durable frame
- Modern wrap-around design
- Smoke lenses reduce glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Item No.	Frame	Lens	Retail	Wholesale
TXB236	Black	Polarized Smoke		Please Login
XBAP139	Black	Red Mirror		Please Login



phpdistribution.com

ORDER ONLINE!

- Secure Site
- Check Account Status
- Look Up Individual Parts



EDGE

Delano G2

- Sporty, lightweight wraparound frame
- High visibility yellow insert on each temple
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Item No.	Frame	Lens	Retail	Wholesale
SD111-G2	Black	Clear		Please Login
SD117-G2	Black	Silver Mirror		Please Login



Kazbek Polarized

- Flexible and durable frame
- Soft TPR nose pads and temple arms for comfort
- Polarized lenses increase clarity by reducing glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Item No.	Frame	Lens	Retail	Wholesale
TSKAP218	Black	Polarized Blue Mirror		Please Login
TSK236	Black	Polarized Smoke		Please Login
TSK-XL215	XL Black	Polarized Copper		Please Login



Zorge G2

- Flexible and durable black frame
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Item No.	Frame	Lens	Retail	Wholesale
DZ111VS-G2	Black	Clear Anti-Fog		Please Login
DZ116VS-G2	Black	Smoke Vapor Anti-Fog		Please Login
DZ113VS-G2	Black	Light Blue Anti-Fog		Please Login
DZ111-2.0-G2	Black	Clear 2.0 Magnifier		Please Login



Khor G2

- Flexible and durable black frame
- Open lower frame prevents sight obstruction
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards



Item No.	Frame	Lens	Retail	Wholesale
TSDKAP248-G2	White	Polarized Blue Mirror		Please Login
TSDK216-G2	Black	Polarized Smoke		Please Login
SDK111AR-G2	Black	Clear Anti-Reflective		Please Login



A



B



C



D



E



F



G



H

Optima Series

- Lightweight comfortable frame
- Dual mold rubber temples
- Adjustable rubber nosepiece
- Polycarbonate lens provides impact resistance
- Dielectric frame
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	OP1010ID	Black	Clear		Please Login
B	OP1011ID	Black	Clear A/F		Please Login
C	OP1020ID	Black	Smoke		Please Login
D	OP1060ID	Black	Silver Mirror		Please Login
E	OP1090ID	Black	Indoor/Outdoor		Please Login
F	OP6710ID	Pink	Clear		Please Login
G	OP6790ID	Pink	Indoor/Outdoor		Please Login
H	OP6767ID	Pink	Pink		Please Login

SAFETY GLASSES




Infinity Series

- 2mm panlite polycarbonate lens material
- Meets or exceeds ANSI Z87 2010 standards
- 99.9% protection From UVA / UVB rays



Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	2812	Black/Orange	Gold Mirror		Please Login
B	2117	Crystal Brown	Brown Mirror (HD)		Please Login
C	241	Crystal Black	Smoke		Please Login
D	21126	Crystal Brown	Brown (HD)(P)		Please Login
E	2243	Pearl White	Silver Mirror		Please Login
F	224	Pearl Gray	Clear		Please Login
G	263	Shiny Black	Silver Mirror		Please Login
H	2254	Pearl Pink	Clear		Please Login
I	22528	Pearl Pink	Smoke		Please Login



Sniper Series

- Rubber nosepiece for comfort
- Dual mold rubber temple grips for better stability
- Meets ANSI Z87.1-2003
- 99.9% Protection From UVA / UVB Rays



Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	9233	Burgundy	Silver Mirror		Please Login
B	9141	Camo	Smoke		Please Login
C	9614	Black	Smoke(P)		Please Login
D	9610	Black	Emerald		Please Login



ES5 Series

- Rubber Nosepiece For All Day Comfort
- Dual Mold Rubber Temple Grips
- 8-Base Curve Lens
- Hard Coated Lens - Protects From Scratches
- Meets ANSI Z87.1+ standards
- 99.9% protection From UVA / UVB Rays



Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	29117	Crystal Brown	Brown Mirror(HD)		Please Login
B	2968	Black	Blue Mirror		Please Login
C	291113	Crystal Brown	Brown Polarized(HD)(P)		Please Login
D	2961	Pearl Gray	Smoke		Please Login



RPG Series

- Polycarbonate lens provides impact resistance
- Rubberized temples and nosepiece
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	23117	Brown	Brown Mirror(HD)		Please Login
B	23226	Black	Blue Mirror(HD)(P)		Please Login
C	23233	Black/Red	Silver		Please Login
D	23125	Burnt Orange	Copper Mirror(HD)		Please Login
E	23615	Pearl Gray	Indoor/Outdoor		Please Login
F	23421	Black	Smoke		Please Login

Hot Seller!



The Dominator Series

- Integrated rubber nosepiece
- Full frame with larger lens
- Rubber accents on temple
- Meets ANSI Z87.1+ standard

Item No.	Frame	Lens	Retail	Wholesale
DPG94-6D	Black	Silver		Please Login

Safety Goggles

- Dual injected rubber provides a soft comfortable seal
- Elastic head strap provides a comfortable fit
- Built-in ventilation channel provides extra fog control
- Meets ANSI spec. Z87.1



Item No.	Retail	Wholesale
DPG82-11		Please Login



Rad-Apocalypse Camo Series

- New, improved soft rubber temples with flared ends
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Safety Glasses meet ANSI Z87.1+ standards

Item No.	Frame	Lens Color	Retail	Wholesale
AP4-B1	Camo	Bronze Anti-Fog		Please Login



The Rad-Sequel Series

- Rubber nosepiece for all day comfort
- Polycarbonate lens for impact resistance
- Meets ANSI Z87.1+ standard

Item No.	Lens	Retail	Wholesale
RS1-10	Clear		Please Login
RS1-20	Smoke		Please Login
RS1-90	I/O		Please Login



Mini Blade Series

- Polycarbonate Lens Material
- Ultralight Frame
- Scratch Resistant Coating
- Meets ANSI Z87 2010
- 99.9% Protection From UVA / UVB Rays



Item No.	Frame	Lens Color	Retail	Wholesale
32231AF	Aqua	Smoke Anti-Fog		Please Login
32224AF	Pink	Clear Anti-Fog		Please Login

SAFETY GLASSES



Nemesis Series

- Sleek, sporty style
- Soft-touch temples
- Single lens wrap-around protection
- 99.9% UV protection
- Free neck cord included
- Meets ANSI Z87.1+
- Meets all impact resistance standards

Item No.	Frame	Lens	Retail	Wholesale
25679	Black	Clear AF		Please Login
25688	Black	Smoke Mirror		Please Login
22475	Black	Smoke AF		Please Login
25685	Black	I/O		Please Login
14481	Black	Blue Mirror		Please Login
22476	Black	Amber AF		Please Login
19639	Blue	Light Blue		Please Login
19642	Black	Blue Shield		Please Login
19644	Camo	Copper		Please Login
22608	Camo	Clear AF		Please Login
22610	Camo	Amber		Please Login
22609	Camo	Smoke AF		Please Login

JACKSON



Nemesis RX Bifocal Series

- Larger lens for a more complete wrap-around impact protection
- Enhanced nose piece design with integrated ridges channels away sweat
- Extended temples hug your head to prevent slipping
- Free neck cord included
- Meets ANSI Z87.1+ Standards

Item No.	Lens	Diopter	Retail	Wholesale
28624	Clear	+2.0		Please Login
22516	Smoke	+1.5		Please Login
22519	Smoke	+2.5		Please Login

Kimberly-Clark



Purity Series

- Wraparound lens for better eye protection
- Comfortable, padded temples
- 99.9% UVA/UVB protection
- CSA Z94.3 compliant

Item No.	Frame	Lens	Retail	Wholesale
25652	Smoke	Smoke		Please Login
25654	Clear	Clear AF		Please Login





Infinity Series

- 2mm panlite polycarbonate lens material
- Meets or exceeds ANSI Z87 2010 standards
- 99.9% protection From UVA / UVB rays



Item No.	Frame	Lens Color	Retail	Wholesale
2254	Pearl Pink	Clear		Please Login
22528	Pearl Pink	Smoke		Please Login



Optima Series

- Lightweight comfortable frame
- Dual mold rubber temples
- Adjustable rubber nosepiece
- Polycarbonate lens provides impact resistance
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	OP6710ID	Pink	Clear		Please Login
B	OP6790ID	Pink	Indoor/Outdoor		Please Login
C	OP6767ID	Pink	Pink		Please Login



AngelFire® Women's Synthetic Leather Mechanic's Gloves

- Synthetic leather palm
- Spandex back
- Silicone grips on palm
- Size - small

Item No.	Retail	Wholesale
GX103		Please Login



Quick Adjusting Ratchet Hard Hat

- Exclusive ratchet adjustment suspensions
- Comfortable 4-point nylon suspension
- High-density polyethylene (HDPE) shell designed for strength
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection



Item No.	Retail	Wholesale
SWX00348		Please Login



Electronic Earmuff

- Electronic earmuff amplifies low level sounds but compresses noises that exceed safe levels
- Dual microphones
- Independent volume controls
- Adjustable moisture wicking headband
- NRR 20 dB

Item No.	Retail	Wholesale
TV0700CS		Please Login

GENERATORS

DEWALT



2200-Watt Portable Inverter Generator

- CO Protect technology -stops, alerts, saves, powerful protection against hazardous carbon monoxide
- Provides clean, stable power
- Compact and lightweight
- 11-hours of run time at 25% load with integrated 1 Gal. fuel tank
- DEWALT 80cc OHV engine with Auto Throttle and low oil shutdown
- Fully enclosed design dramatically reduces noise levels and meets National Park Service camp ground noise requirements
- Economy Mode automatically adjusts engine speeds
- LED indicators alert when low on oil, overloaded or ready-to-use
- One 120-Volt 20 Amp OSHA compliant GFCI receptacle, one 12-Volt DC 8 Amp, one 1.5 amp USB port
- Connect two DXGNI2200 inverter generators for twice the power
- Covered outlets provide added protection from the environment

Item No.	Retail	Wholesale
DXDNI2200		Please Login

DEWALT



4000-Watt Manual Start Portable Generator

- CO Protect technology -stops, alerts, saves, powerful protection against hazardous carbon monoxide
- Premium DEWALT 223 cc engine
- Never flat, durable wheels for maximum portability and durability
- Covered outlets for protection from the elements
- Hardened 1-1/4 in. steel tube cradle for added strength
- Fold-down/locking handle
- Low-oil level shutdown
- Hour meter

Item No.	Retail	Wholesale
DXGNR4000		Please Login

GENERAC



5,000 Watt Diesel Generator

- Diesel power requires less maintenance, is more efficient and provides a long life
- Yanmar LW series 435cc air-cooled direct injection, industrial-grade diesel engine
- Large 12 Gal. fuel tank with fuel gauge
- Idle control conserves fuel and reduces noise
- Low oil shutdown automatically safeguards engine from damage
- Durable, fully welded 1-1/4" steel frame
- Single touch electric start provides hassle-free start-up, battery not included
- Hour meter with maintenance resets
- Drop ship item

Item No.	Model No.	Retail	Wholesale
6864	XD5000E		Please Login



"W" Adapter Part

- One male plug and three female connectors, 12/3, STW-A, Vinyl, 18"
- Indoor use only
- Polarized cord

Item No.	Retail	Wholesale
1479		Please Login

Yellow Jacket 5 Outlet In-Line Tap

- Outdoor rated with cord lock
- Accommodates 16/3 - 10/3 SJT (300V) up to 12/3ST (600V)
- Connect extension cords together
- Durable, yellow overmolded vinyl



Item No.	Retail	Wholesale
997362		Please Login





Generator Adapters & Cord Sets

- Increase the number of useable 20 amp connectors
- Job-site tough, flexible STOW and SJTOW cord jackets provide excellent durability.
- Oil and chemical resistant vinyl jacket

Part #	NEMA Plug	Connector
01915	L5-30P	(2) 5-20R
01924	L14-20P	(2) 5-20R
01934	L14-30P	(2) 5-20R
09084	L5-20P	(3) 5-15R

Item No.	Description	Retail	Wholesale
01915	3' - 10/3 STOW L5-30P to (2) Lighted 5-20R		Please Login
01924	3' - 12/4 STOW L14-20P to (2) Lighted 5-20R		Please Login
01934	3' - 10/4 STOW L14-30P to (2) Lighted 5-20R		Please Login
09084	2' - 12/3 STOW L5-20P to Lighted Tri-Source 5-15R		Please Login

Extension Cords

- Jacket type SJTW-A



Yellow 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D11712100YL	100', lighted	4		Please Login

Orange 10 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D13210050OR	50', lighted, triple tap	6		Please Login
D13210100OR	100', lighted, triple tap	4		Please Login

All Sold Individually Or By The Case Your Choice!



White 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login



Yellow 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
123100YN	100' lighted	6		Please Login
12350YN	50', lighted	4		Please Login
D11712050YL	50', lighted	6		Please Login



Portable Power Distribution Center

Item No.	Description	Retail	Wholesale
6506UGSX	Power Box - straight blades		Please Login
8706UGCX	Power Box - roll cage		Please Login
01918	50' Cord SEOW W/California Ends		Please Login
01919	100' Cord SEOW W/California Ends		Please Login

TIE DOWNS

Magnetic Ratchet Tie-Downs



1"x16' Ratchet Straps

- 2,250 Lb. break strength
- Securing building materials, ATV's, UTV's, or furniture
- 8 Lb. pull force on the magnet

Item No.	Description	Retail	Wholesale
FG112	4 Pack		Please Login
FG116	2 Pack		Please Login



- With the help of Neodymium magnets, our patented hooks stay in place while securing your load
- Ensure your hook never falls off
- Eliminate the need for a second set of hands



2" Ratchet Straps

- 11,000 pound break strength
- 3,333 pound safe working load
- Hauling large loads like hay and equipment

Item No.	Description	Retail	Wholesale
FG227	2" x 27'		Please Login
FG235	2" x 35'		Please Login

2" Ratcheting Tiedowns

- 2" x 27'
- 3,333 lb. working capacity
- Claw hook or flat hook




Item No.	Description	Retail	Wholesale
557	Flat Hook		Please Login
557-WHK	Claw Hook		Please Login

Chain Anchor Tiedown

- 2" x 27'
- 10,000 lb. rated capacity
- 3,335 lb. working capacity
- 18" chain length



Item No.	Retail	Wholesale
RS-2-27-W-CH		Please Login



2" Ratcheting Tiedowns

- 2" x 27'
- 10,000 lb. rated capacity
- 3,300 lb. working capacity
- Claw hook or flat hook
- Yellow



Item No.	Description	Retail	Wholesale
82392	Claw Hook		Please Login
82392F	Flat Hook		Please Login

Ratcheting Tie Downs Claw Hook

- 1" x 15'
- 1,500 lb. rated capacity
- Red
- Blister package for hanging



Item No.	Retail	Wholesale
84023		Please Login



Locking Tie Down Set-4 pack

- 1" x 6', "S" Hook
- 300 lb. load limit
- 900 lb. break strength



Item No.	Retail	Wholesale
42459		Please Login

Ratcheting Tie Downs Claw Hook

- 1-1/2" x 15'
- 3,000 lb. rated capacity
- Yellow
- Blister package for hanging



Item No.	Retail	Wholesale
28584		Please Login



Tow Strap

- Extra long - 2" x 20'
- 17,000 lb. rated capacity
- Reinforced loop
- Yellow



Item No.	Retail	Wholesale
82497		Please Login

Heavy-duty CargoBar™

- Retracts to 48"
- Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- Harder to bend and damage



Item No.	Retail	Wholesale
CC5010		Please Login

Transport Tow & Binder Chains

- Grade 70 transport
- Working load limit: 6,600 lbs. - 3/8"
4,700 lbs. - 5/16"
- Clevis type hook



Item No.	Description	Retail	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login

Chain Binder

- Corrosion-resistant baked enamel finish
- 1 piece fork, lugs, handle
- Drop forged, heat treated
- Working load limit: 9,200 lbs.
- Easy secure tightening and quick release
- Max. break strength: 19,000 lbs.



**Works with
1/2" or 3/8"
Chain**

Item No.	Description	Retail	Wholesale
19055	1/2" x 3/8" Load Binder		Please Login

Ratchet Binder Plus

- Take-Up: 6.5"
- Working load limit: 7,100 lbs.
- Handle Length: 13.92"
- DOT/CVSA
- Sold individually
- Carton qty. - 2



**Works with 5/16"
or 3/8" Chain**

Item No.	Retail	Wholesale
H5121-4158		Please Login

Ratchet Style QuikBinder

- Fast installation
- Handle folds down for compact storage
- Working load limit: 12,000 lbs.
- Max. break strength: 19,000 lbs.
- DOT/CNSA/CCMTA
- Sold individually
- Carton qty. - 4



**Works with 1/2"
or 3/8" Chain**

Item No.	Retail	Wholesale
H5125		Please Login

SIMPLE STRAP.



All-Purpose Rubber Tie-Downs

- Simply the fastest & easiest way to secure pretty much anything
- No complicated knots, no hazardous hooks & no rusty ratchets
- Recyclable & reusable
- Self-gripping design holds tight without using knots, hooks, ratchets, clamps, or clips
- Thick straps hold tight, withstanding strains up to 1000 PSI without damage
- 20' long strap can be cut to custom lengths
- Rubber construction is non-marring and cushioning
- Works when wet, in the dirt & in extreme temperatures



PB-1
With Video



BB-SS10-RED
(2 Boxes)

Item No.	Description	Color	Duty	Retail	Wholesale
SS10-RED	10' x 2.5mm	Red	Medium		Please Login
SS1-RED	20' x 2mm	Red	Regular		Please Login
SS1-YLW	20' x 2mm	Yellow	Regular		Please Login
SS1-BLK	20' x 2mm	Black	Regular		Please Login
SS2-RED	20' x 3mm	Red	Regular		Please Login
SS2-YLW	20' x 3mm	Yellow	Regular		Please Login
SS2-BLK	20' x 3mm	Black	Regular		Please Login
PB-1	Simple Strap Display w/Video, 36 Units, 18 units of 20'-2mm (6 red, 6 black, 6 yellow) & 18 units of 20'-3mm (6 red, 6 black, 6 yellow)				Please Login
BB-SS10-RED	Countertop Displays (2), 10'-2.5mm, Red, Medium Duty Master Case 15 units each (30 total)				Please Login



Up to
4x
Stronger

CargoLoc
COMPLETE CARGO MANAGEMENT

6 Piece Flat Bungee Pack

- Molded steel hooks with protective coating
- 3/4" wide cords for added surface contact
- Includes: 2 each of 15", 25"
1 each of 35", 45"

Item No.	Retail	Wholesale
32407		Please Login



GRIP
Elastic Tie Down

Elastic Tie Down

- Elastic design provides constant tension and a firm hold
- Use for quick load binding
- Includes: 2 each of 12", 18", 24"
- Blister package for hanging

Item No.	Retail	Wholesale
28380		Please Login



Sold
Individually

Rubber Tarp Straps

- Guaranteed elasticity for up to one year
- 25 per bundle

Item No.	Strap Lgth	Retail	Wholesale
STR9	9"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login



NITE IZE S-Biner SlideLock Gravity Bin Display

- Includes 24 S-Biner SlideLocks
- 5.56"W x 10.87"H x 4.00"D

Item No.	Retail	Wholesale
GB-LSBA3-A1		Please Login

Nite Ize S-Biner Slidelock

- Organize, connect, carry, & keep your valuables extra secure
- Will stay firmly locked until you choose to unlock it
- Size: 1.2" x 2.7" x 0.4" (25 lb. rating)
- Size: 1.6" x 3.6" x 0.4" (75 lb. rating)
- High quality stainless steel construction
- Each gate can be independently locked
- Carded

Item No.	Color	Rating	Retail	Wholesale
LSB3-01-R6	Black	25 lbs.		Please Login
LSB3-11-R6	Stainless	25 lbs.		Please Login
LSB4-01-R3	Black	75 lbs.		Please Login

Universal Coupler Lock in Steel

- Designed to fit 1-7/8", 2", and 2-5/16" couplers
- Prevents theft and keeps your trailer secure
- Yellow color offers high visibility to deter break-ins
- Ratchet design features 11 locking positions for versatility



Item No.	Retail	Wholesale
72783		Please Login

Heavy-duty CargoBar™

- Retracts to 48"
- Greater holding power than conventional loadlocks
- Adjusts continuously to a maximum extension of 108"
- Harder to bend and damage



Item No.	Retail	Wholesale
CC5010		Please Login

Master Lock® Steel Pin Tumbler Padlock, 4 Pin

- Hardened steel shackle
- 4-pin cylinder helps prevent picking
- Dual locking levers
- 1-9/16" wide body, 2" shackle



Item No.	Description	Retail	Wholesale
5KALJ	2-1/2" Shackle		Please Login
3DLH	2" Shackle		Please Login
TSSKADLF	1-1/2" Shackle		Please Login
1SSTLF	1-1/2" Shackle, 2-pack		Please Login

Light-duty Poly Twine

- Will not rot, mildew or rust
- Ships in plastic pail for ease of use
- Tensile strength of 210 lbs.
- Length: 6,500'



Item No.	Retail	Wholesale
J7603		Please Login

Rope Ratchet

- Releases with thumb lever
- Made of tough weather resistant nylon
- 10' braided cord included
- 3/8" has 200 lb. load limit



Item No.	Retail	Wholesale
20020		Please Login

Yellow Polypropylene Rope

- 1/2" x 50' yellow poly rope
- Easy and simple use kit
- Twisted polypropylene construction
- 358 pounds load limit
- Coil design provides quick access to rope while keeping it neatly organized and untangled



Item No.	Retail	Wholesale
15027		Please Login

Yellow Polypropylene Rope

- 3/8" x 50', Twisted, Peg Pak
- Economy tie-down rope, 100% virgin twisted poly
- Twice as strong as manila, resistant to rot, mildew, marine growth and petroleum products



Item No.	Retail	Wholesale
16361		Please Login

TWIST TIES



LOOP IT TWIST IT CINCHE IT

Gear Tie Reusable Rubber Twist Ties

Gear Tie Reusable Rubber Twist Ties have a tough rubber shell that provides excellent grip and a strong wire inside that holds its shape. (3", 6", 12", 18", 24" or 32")


- Waterproof, UV resistant
- Tough rubber shell provides excellent grip
- Use indoors and outdoors in any weather.
- Won't scratch or mark
- Twist it, tie it, reuse it

Item No.	Length	Color	Qty.	Retail	Wholesale
GT3-4PK-A1	3"	Assort.	4 pk.		Please Login
GT3-4PK-01	3"	Black	4 pk.		Please Login
GT6-2PK-31	6"	Orange	2 pk.		Please Login
GT6-2PK-01	6"	Black	2 pk.		Please Login
GT12-2PK-38	12"	Blue	2 pk.		Please Login
GT12-2PK-31	12"	Orange	2 pk.		Please Login
GT18-2PK-31	18"	Orange	2 pk.		Please Login
GT18-2PK-01	18"	Black	2 pk.		Please Login
GT18-2PK-38	18"	Blue	2 pk.		Please Login
GT32-2PK-31	32"	Orange	2 pk.		Please Login
GT32-2PK-01	32"	Black	2 pk.		Please Login
GLL24-33-2R6	24"	Neon Yellow Loopable	2 pk.		Please Login



The Gear Tie Loopable Twist Tie features a strong wire inside that holds its shape and an integrated loop on one end, it allows you to cinch, twist, store, and hang nearly anything for convenient storage and access.

Standard Nylon Cable Ties (clear)



Sold by the bag.

Item No.	Qty Per Bag	Tensile Strength	Overall Length	Retail	Wholesale
33NCT4	100	18 lbs.	4"		Please Login
CV2005	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
36-175	50	50 lbs.	36"		Please Login

phpdistribution.com

ORDER ONLINE!

- Secure Site
- Check Account Status
- Look Up Individual Parts





3" Stainless Steel Ball Bearing Flipper Knife

- Drop Point Blade
- 8Cr13MoV Stainless Steel
- Black Oxide
- G10 handle



Item No.	Retail	Wholesale
TRU-FMK-0006		Please Login



Nekkid Fixed Blade Knife

- 2.4" sheepfoot blade
- Stonewashed 3Cr13 stainless steel full-tang
- 7.28" overall length
- Paracord wrap skeletal handle
- Nylon sheath: belt-loop, snap enclosure



Item No.	Retail	Wholesale
TRU-FXK-1020		Please Login



Utility Smartknife and Multitool

- 2.375" partially-serrated locking drop point knife
- Black oxidized 420 stainless steel
- Anodized aluminum
- Pry bar, bottle opener, screwdrivers, 1/4" magnetic bit storage, wire strippers, rulers, 5 wrenches
- Length: 4.375" (closed) / 6.875" (open)

Item No.	Retail	Wholesale
TU6869		Please Login



Victorinox Classic Red Army Knife

- Tools include knife blade, scissors, nail file with screwdriver tip, toothpick, and tweezers
- Contains six stainless-steel tools
- Measures just 2-1/4 inches long
- Includes key ring

Item No.	Retail	Wholesale
56011		Please Login



Folding Knife

- Stainless steel blade
- Blade length: 4-1/8"
- Lightweight, ergonomic design
- Lanyard hole provides simple storage

Item No.	Retail	Wholesale
STHT10253		Please Login




Sport Knives

- Constructed of anodized aluminum and stainless steel
- Patent pending wheel lock with allows for one hand operation
- Will not rust
- Lifetime warranty
- Glass breaker feature
- Belt clip



Item No.	Description	Retail	Wholesale
SK701	Blue		Please Login
SK704	Camouflage		Please Login



AccuSharp® Knife Sharpener

- No more messy oils or stones
- Sharpens in as little as 10 seconds
- Large ergonomic handle
- Full length finger guard
- Won't rust. clean with soap and water
- Diamond Honed Tungsten Carbide



Item No.	Description	Retail	Wholesale
KS001	White		Please Login
CO05C	Camouflage		Please Login



LIFTING STRAPS



- Makes loads feel like 1/3 of actual weight
- No straining your back or gouging your hands
- Adjustable up to 48"
- Weight Cap.:600 lbs./Pair -(Tested at 2,720 lbs.)
- Felt for comfort in any adjusted length



#L74995D
Countertop display kit contains 6 units.



#FLOOR-POP
Floor display kit contains 15 units.

Item No.	Description	Retail	Wholesale
42895	Forearm Forklift		Please Login
EXT	Extension strap		Please Login
L74995D	Countertop display kit		Please Login
Floor-POP	Floor display kit		Please Login



Moving Harness

- Rated for items weighing up to 800 lbs.
- Encourages proper lifting techniques
- Strap system that employs leverage which makes the items being carried seem MUCH lighter
- Saves floors from scratches, dents, scuffs and scrapes that dollies and hand trucks leave behind
- Includes: 2 harnesses & 2 adjustable center straps

Item No.	Retail	Wholesale
FFMHVP		Please Login



Box Strap

- Allows different size boxes and other items to be carried together efficiently
- Use for carrying up to 40 lbs.
- Use for bundling and securing boxes
- 3" wide strap, the widest box strap around



Item No.	Retail	Wholesale
FFBS		Please Login

Moving Blanket

- 72" x 80" - 4 lbs.
- Premium, two color
- Woven construction on the orange side for HEAVY-DUTY use
- Gentle, non-woven on the black side, better for shielding delicate items
- Use to protect floors from falling or stepped on tools, materials, and fixtures



Item No.	Retail	Wholesale
FFMB		Please Login

Red/Silver 2" x 10' High Visibility Reflective Safety Tape

- For automotive, recreational vehicles, trailers, farm machinery, marine, sign marking, general household and work place uses, mail boxes, post markers or door markers
- Minimum of 700 candle power brightness
- Alternating 6" red and 6" silver segments
- Withstands brushing, dirt, grime, and high-pressure steam sprayers



Item No.	Retail	Wholesale
RE2110		Please Login



Tear-Off Red Danger Flags

- 12" x 12" plastic flags
- Easily attaches to items protruding from vehicles

Item No.	Retail	Wholesale	Wholesale
14667		Please Login	



490A

208



631-KIT

French Creek Full Body Harness

- Lightweight and comfortable
- High-strength, high-visibility nylon webbing
- Dee ring centered in the back for attaching lanyards

Item No.	Description	Retail	Wholesale
631	Harness		Please Login
490A	Shock absorbing lanyard		Please Login
208	Nylon carrying bag		Please Login
631-KIT	Harness, bag & lanyard		Please Login



Caution & Danger Tape



Item No.	Description	Mil.	Ctn. Qty.	Retail	Wholesale
CT300	3" x 300' roll - Caution	2.0	36		Please Login
CT1000	3" x 1000' roll - Caution	1.5	25		Please Login
DT1000	3" x 1000' roll - Danger	2.0	16		Please Login



Back Support

- Lightweight, cool, washable nylon
- Contoured support
- Allows for full range of body motion
- 6 per carton

Item No.	Size	Retail	Wholesale
7162	M-32"-38"		Please Login
7163	L-38"-47"		Please Login
7164	XL-46"-56"		Please Login



Contractor Grade Non-Skid Tape

- Rugged adhesive-backed tapes easily install indoors or outdoors
- Adheres to almost every clean, dry, and oil-free surface
- Ideal for heavy-duty industrial traffic



Item No.	Description	Ctn. Qty.	Retail	Wholesale
SG7002CB	2" x 60' roll	6		Please Login
SG7004CB	4" x 60' roll	3		Please Login
SG7006CB	6" x 60' roll	2		Please Login

Rounded Cap Knee Pads

- Rounded cap allows for swiveling & pivoting
- Durable cordura fabric
- 1/2" neoprene padding
- Woven elastic adjustable straps
- Adjustable buckle easily fastens



Item No.	Retail	Wholesale
EKP		Please Login

LASER LEVELS

 **BOSCH**



Includes Everything Shown

REVOLVE900 Self-Leveling Horizontal/Vertical Rotary Laser Kit

- Provides a vertical beam and 90° point for layout, squaring and plumb applications
- Allows for easy setup and use on the job
- Indicates if tool position changes, ensuring consistent leveling accuracy
- Delivers ±1/8 In. accuracy at 100 Ft. for confidence in the job setup
- Robust design – features two large easy-to-grip carrying handles for convenience and additional drop protection

Item No.	Retail	Wholesale
GRL900-20HVK		Please Login

 **BOSCH**

Includes Everything Shown



Self-Leveling Horizontal/Vertical Rotary Laser Kit

- Complete kit
- All-in-one hard carrying case
- Electronic self-leveling
- Disturbance monitor
- Delivers ±1/16 In. accuracy at 100 Ft.
- Provides up to 2,000 Ft. working range
- Lightweight aluminum tripod
- Robust design

Item No.	Description	Retail	Wholesale
GRL2000-40HVK	Horizontal/Vertical		Please Login

 **SPECTRA**

Includes Tripod & Measuring Rod



Laser Level LL100

- Complete system is contained in a single hard-shelled, portable carrying case containing the laser, receiver, clamp, tripod, and grade rod
- Automatic electronic self-leveling
- Simple one-button operation for quick start up
- Unit stops rotating when jarred
- Job site durable and tough - withstands a 3' drop on concrete or a 5' tip over without breakage

Item No.	Retail	Wholesale
LL100N-2		Please Login



Laser Level LL300

#1 In The World-

- Rugged design
- Built to withstand drops up to 3' directly onto concrete
- Fully automatic self-leveling capability
- Single cross-axis manual slope mode with cross-axis self-leveling allows grade matching for basic slope work, while maintaining accuracy in the cross-slope

Item No.	Retail	Wholesale
LL300N-2		Please Login

Includes Tripod & Measuring Rod



Construction Laser Levels

- Automatic self-leveling
- Robust design
- Automatic horizontal and vertical self-leveling
- Height of instrument alert
- Ideal for both indoor and outdoor projects
- Rotor vial for easy and accurate vertical plumb setup
- Preset adjustable rotation speed and scan line sizes to fulfill all interior application needs
- High visibility green beam is four times more visible than standard red beam lasers

HV302G-1 INCLUDES:

- HV302G Interior Laser
- RC402N Remote
- M302 Wall Mount
- Green Laser Glasses
- Magnetic Target Plate
- NIMH Batteries
- Charger
- Small Case



Item No.	Retail	Wholesale
HV302G-1		Please Login
HV302G-2		Please Login



HV302G-2 INCLUDES:

- HV302G Interior Laser
- RC402N Remote
- M302 Wall Mount
- Magnetic Target Plate
- Green Laser Glasses
- NIMH Batteries
- HR150U Receiver
- Charger
- Small Case



Aluminum Tripod

- Sturdy and lightweight
- Telescopic legs to setup at various heights
- 5/8 x 11 threaded post accommodates standard instruments and lasers
- Heavy-duty poly-webbing shoulder strap

Item No.	Retail	Wholesale
Q104025		Please Login



Construction Tripod

- Lightweight and durable aluminum hinge, clamp and shoe castings
- Hinges are attached with screws, not rivets
- Adjusts from 3'6" to 6'1"
- 5/8" - 11" threaded device

Item No.	Retail	Wholesale
2161		Please Login

MEASURING TOOLS



**Superfast
3 x 1 Rewind**

Open Reel Long Tape

- Metal, planetary gearing for super-fast rewind & no more stripped gears!
 - High-visibility, double riveted housing
 - Tough, double nylon-coated steel
 - Double coated PVC fiberglass blades with blade shield
 - Metal reinforced crank handle for increased strength
- OTRS = Fiberglass NRS = Nylon Steel

Item No.	Length	Unit of Measure	Retail	Wholesale
NRST18100	100'	Ft., In., 1/8		Please Login
OTRS18100	100'	Ft., In., 1/8		Please Login
NRST18200	200'	Ft., In., 1/8		Please Login
OTRS18200	200'	Ft., In., 1/8		Please Login
NRST18300	300'	Ft., In., 1/8		Please Login
OTRS18300	300'	Ft., In., 1/8		Please Login

*Engineer's & Metric also available. Please call for details.

**Superfast
3 x 1 Rewind**



Closed Reel Long Tape

- Nylon coated blade for superior durability and rust resistance
- High-impact resistant case with rubber grip


Item No.	Length	Unit of Measure	Retail	Wholesale
ST18503X	50'	Ft., In., 1/8		Please Login
ST181003X	100'	Ft., In., 1/8		Please Login

Short Tape Measures

- Nylon Coated Steel Blade
- Easy-to-Read Graduations
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- Belt Clip
- 3 Rivet Hook



Item No.	Description	Retail	Wholesale
PGPRO1825V	25' - High Vis		Please Login
PGPRO1830V	30' - High Vis		Please Login
PGPRO1835V	35' - High Vis		Please Login



Best Buy!

Contractor Grade Measuring Wheels

- 5-digit magnified counter subtracts in reverse
- RR318N features a 3-pc. collapsible handle with cam-locks and pistol grip handle
- RR112 telescopes from 17" up to 38" without bending
- RR182 offers dual wheel for greater stability

Item No.	Wheel Circ.	Unit of Measure	Retail	Wholesale
RR112	1 ft.	Ft. & In.		Please Login
RR182	1 Ft. Dual	Ft. & In.		Please Login
RR318N	3 Ft.	Ft. & In.		Please Login

Professional Measuring Wheel

- Center aligned design for better wheel balance
- Handle brake and reset for ease of use
- Enhanced pistol grip handle increases control

Handle Reset!

Item No.	Wheel Circ.	Unit of Measure	Retail	Wholesale
RRT12	3 ft.	Ft. & In.		Please Login

*Engineer's & Metric also available. Please call for details.



Metal Professional Measuring Wheel

- Rugged 3/4" tubing—Tough enough to handle any terrain
- Innovative, center aligned design for better wheel balance
- Huge numbers make for easy reading
- 5-digit counter reads up to 99,999

Item No.	Wheel Circ.	Unit of Measure	Retail	Wholesale
MP401	4 ft.	Ft.		Please Login

*Engineer's & Metric also available. Please call for details.



Little Giant 100' Chalk Line Reel

- Holds almost 1 lb. of chalk
- One-piece steel crank for extra long life

Item No.	Retail	Wholesale
G100		Please Login



Giant Chalk Line Reel

- Holds 24 oz. of chalk for less refills
- Easy fill opening with no-leak stopper
- 1-piece steel crank for extra-long life



Item No.	Description	Retail	Wholesale
G130	130' - holds 24oz. chalk		Please Login
G150	150' - holds 24oz. chalk		Please Login

Lumber Crayons



- Smear, water, and fade resistant
- Outlast wax or chalk crayons
- Sold by box of 12



Lumber Crayon Holder

- Advance crayon to any designed length then retract to prevent breakage
- Aluminum barrel includes a leather strap
- Sold individually



Item No.	Color	Retail	Wholesale
LCRED	Red		Please Login
LCYELLOW	Yellow		Please Login
PS100	Holder		Please Login

Quick Fill Chalk Line Reels

- Metal case for rugged use
- 100' line
- Locking action with hook ring doubles as a plumb bob

Item No.	Retail	Wholesale
K1		Please Login



Carpenter Pencils

- 5/8" x 7" long
- #3 lead assures more durability
- Sold by box of 72

Item No.	Retail	Wholesale
LP72		Please Login



Marking Chalk Refill

- 5 lb. container
- Ultrafine



Item No.	Color	Retail	Wholesale
105B	Blue		Please Login
105R	Red		Please Login

Surveyors/Flagging Tape

- Priced individually
- Sleeves contain 12



Item No.	Color	Size	Retail	Wholesale
SP771-R	Day Glo Red	1-3/16" x 150'		Please Login
SP771-P	Day Glo Pink	1-3/16" x 150'		Please Login
SP771-O	Day Glo Orange	1-3/16" x 150'		Please Login
SP771-LG	Day Glo Green	1-3/16" x 150'		Please Login
SP771-B	Blue	1-3/16" x 300'		Please Login
SP771-W	White	1-3/16" x 300'		Please Login
SP771-Y	Yellow	1" x 300'		Please Login

Plastic Marking Flags

These bright plastic marking flags are hard to miss. The stake is a 21" wire with a 4" x 5" flag. **Sold in bundles of 100.**

Item No.	Color	Retail	Wholesale
900-OG	Orange		Please Login
900-PG	Pink		Please Login
900-LG	Lime Green		Please Login
900-BL	Blue		Please Login
900-WT	White		Please Login
900-RD	Red		Please Login
900-YL	Yellow		Please Login
900-G	Green		Please Login





Paint Striper

800P Vers-A-Striper (pavement)

- Stripe widths from 2" to 4"
- Heavy-duty metal construction
- Holds 1 case of paint
- Paint radius curves with ease
- Curb and edge attachment included

Item No.	Retail	Wholesale
800P		Please Login



Stencil Kit

- Easy to apply
- Professional results
- Reusable - heavy glossy cardboard
- Includes seventeen 22.5" x 36" stencils
- Full alphabet, numbers and 13 of the most often used set-ups (Handicap, Exit, No Parking)

Item No.	Retail	Wholesale
797P		Please Login



Large 10" Wheels

Athletic Paint Striper

801P Vers-A-Striper (turf and dirt)

- Stripe widths from 2" to 4"
- Larger 10" diameter wheels
- Metal construction - heavy-duty
- Holds 1 case of paint (12 per case)

Item No.	Description	Retail	Wholesale
801P	Striper		Please Login
790P	White athletic paint		Please Login

Paint will cover 800 linear ft. with a 4-inch stripe!



Spot Marker

- 14" overall length
- Rubberized grip
- Single-hand operation



Marking Stick

- Wheel has a rubber over mold to reduce vibration
- Flag holder
- Rubberized grip



Item No.	Description	Retail	Wholesale
1244	Spot Marker		Please Login
1245	Marking Stick 34"		Please Login
1745	Marking Stick 36"		Please Login



Solvent-Based Striping Paint

- Perfect for concrete and asphalt
- Fast drying, one coat coverage
- 18 oz. cans - net weight
- Sold individually

Item No.	Description	Retail	Wholesale
710P	White		Please Login
720P	Yellow		Please Login
740P	Orange		Please Login
750P	Blue		Please Login
770P	Asphalt Black		Please Login



Invert-A-Cap Marking Paint

- Best positive delivery cut-off
- 12 oz. cans - net weight
- Sold individually

Item No.	Description	Retail	Wholesale
261P	Red		Please Login
262P	Yellow		Please Login
263P	Blue		Please Login
265P	Orange		Please Login
267P	White		Please Login
270P	Fl. Red		Please Login
272P	Fl. Orange		Please Login
274P	Fl. Green		Please Login
275P	Fl. Red Orange		Please Login
279P	Fl. Hot Pink		Please Login

*12 cans per case



Survey Marking Paint

- Upside-down marking paint
- Lasting mark of up to six months
- 17 oz. cans - net weight
- Sold individually

Item No.	Description	Retail	Wholesale
203P	Blue		Please Login
205P	Orange		Please Login
207P	White		Please Login
222P	Fl. Orange		Please Login
226P	Fl. Yellow		Please Login
229P	Fl. Pink		Please Login
281P	H.D. Red		Please Login

*12 cans per case
H.D.= (High Delivery) 30% greater than other colors



Construction Marking Paint

- Lasting mark of up to three months
- 20 oz. cans - net weight
- Sold individually

Item No.	Description	Retail	Wholesale
256P	Red		Please Login
252P	Yellow		Please Login
254P	Blue		Please Login
251P	Black		Please Login
255P	White		Please Login
246P	Fl. Red		Please Login
247P	Fl. Orange		Please Login
139P	Fl. Yellow		Please Login
249P	Fl. Pink		Please Login
200P	Clear		Please Login

*12 cans per case

Due to steel storage supplies are limited. Checkout Invert-A-Cap Marking Paint listed above.



Mr. Heater

Hunting Buddy Heater

- 6,000 and 12,000 BTU/hour
- Camo faceplate
- Quiet electronic ignition
- Fold-down handle
- Accidental tip-over safety shut-off
- Storage space
- Propane cylinders sold separately
- CSA certified



Item No.	Retail	Wholesale
MH12HB		Please Login



ACCU SHARP

AccuSharp Camouflage Knife Sharpener

- Diamond honed tungsten carbide blades
- Large, ergonomic handle
- Full length finger guard
- Will not rust
- Great for the toolbox or tackle box
- Made in the USA
- Free POP display w/purchase of 12



Item No.	Retail	Wholesale
C005C		Please Login



ACCU SHARP

AccuSharp Camouflage Sport Knife

- Constructed of anodized aluminum and stainless steel
- Will not rust
- Lifetime warranty
- Glass breaker feature
- Belt clip



Item No.	Retail	Wholesale
SK704		Please Login



Khor Camo Kit W/Lens

- Includes smoke, yellow and anti-reflective interchangeable lenses, hard carrying case, a soft micro-fiber lens cleaning bag
- Camo frames wraparound design
- Provide 99.9% protection from UVA, UVB and UVC Rays
- ANSI Z87.1+ 2010 Compliant



EDGE

Item No.	Frame	Retail	Wholesale
TSDK21DC	Digital Camo		Please Login



Nemesis Series

- Sleek, sporty style
- Soft-touch temples
- Single lens wrap-around protection
- 99.9% UV protection
- Free neck cord included
- Meets ANSI Z87.1+
- Meets all impact resistance standards

JACKSON

Item No.	Frame	Lens	Retail	Wholesale
19644	Camo	Copper		Please Login
22608	Camo	Clear AF		Please Login
22610	Camo	Amber		Please Login
22609	Camo	Smoke AF		Please Login



Rad-Apocalypse Camo Series

- Soft rubber temples
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Meet ANSI Z87.1+ standards

RADIANS

Item No.	Lens Color	Retail	Wholesale
AP4-B1	Bronze Anti-Fog		Please Login

Balloon Light Kits

- Quick and easy setup - Lightweight and portable
- Glare-free 360° lighting
- Over 5,000 square feet of brilliant illumination
- Internal blower inflates balloon and cools LED panels
- Heat-and-water-resistant, UV protected nylon
- Removable balloon cover-Hand washable with mild soap
- UL approved, RoHS, FCC, CE; IP42 rated
- 15' spec. grade power cord
- Dimmable wireless remote
- 3-year warranty



Item No.	Watt	Volts	Max Height	Amp	Lumen	Retail	Wholesale
SD-60W-KIT-G3	60	110-240	7'	.5	7,80		Please Login
SD-150W-KIT-G3	150	110-240	8'	1.25	19,500		Please Login
SD-250W-KIT-G3	250	110-240	8'	2.13	32,500		Please Login
SD-400W-KIT-G3	400	110-240	10'	3.5	58,000		Please Login
SD-800W-KIT-G3	800	110-240	15"	6.83	116,000		Please Login



LED Rechargeable Work Lights

- Dimmable (50% & 100% Brightness)
- 3-6 Hour Battery Life (Low & High)
- IP-65 Rated
- Die-cast aluminum body
- Durable high-quality paint finish
- Adjustable angle knobs for easy tilting
- Shatter-proof tempered glass
- Fully charged in 5 hours
- 2-year warranty



Item No.	Watt	Lumens	Retail	Wholesale
SD-RWL10W-G1	10	1,000		Please Login
SD-RWL50W-G1	50	5,000		Please Login



Halogen 1000W Convertible Light Tower

- Two 500 Watt Halogen Fixtures mounted to a removable light rack for portable lighting
- 8' Telescoping Tripod
- Spare bulb (included)
- 6' All Weather 18/3 SJTW cord with polarized plug
- Tempered Glass Lens with safety grill
- Extra bulbs sold in packages of 2

Item No.	Description	Retail	Wholesale
SL1006	1000 Watt Light		Please Login
34500	500 watt bulb (pk. 2)		Please Login

SPECIAL PRICE
LIMITED QUANTITIES



LED Rechargeable Area Lights

360° lighting on-the-go...no plug needed!

- Dimmable (25%/50%/100% Brightness)
- 2.5-10 Hour Battery Life (Low & High)
- IP-65 Rated
- Adjustable tripod legs
- 2.5 - 10 hours of running time
- Multiple brightness settings
- Fully charged in 4 hours
- 2 Year Warranty

Item No.	Watt	Lumens	Retail	Wholesale
SD-RAL40W-G1	40	4,000		Please Login
SD-RAL100W-G1	100	10,000		Please Login



Portable LED Dual Head Worklight

- Dual lamp
- 6600 Lumens of light, 60 watts
- Low power consumption
- more than 50,000 hours of bulb life
- Housing remains "cool to the touch"
- Shock and vibration resistant
- 200 sq.ft. lighting area
- 8' 18/3 SJTW power cord

Item No.	Retail	Wholesale
PT523230		Please Login

SPECIAL PRICE
LIMITED QUANTITIES





Outdoor Weatherproof Lights

- 10 sockets (3 feet apart)
- Outdoor - weatherproof
- Includes 15 bulbs (5 extra)
- Heavy-duty 16/3 SJTW cord
- Connect up to 13 string light sets
- Perfect lighting for gazebos, patios, pergolas & restaurants

Item No.	Retail	Wholesale
72041		Please Login



LED Color Changing Cafe Lights

- Commercial grade for year-round, permanent installations
- White cord
- Impact resistant acrylic bulbs
- Perfect for patios, pergolas, gazebos, parties, and camping
- 16 colors to create over 120 possible color combinations
- Includes remote to select color
- UL-153 listed

Item No.	Length	Retail	Wholesale
39511	24'		Please Login
39092	48'		Please Login



Wobblelight® Worklights

BRIGHT, DURABLE AND VIRTUALLY INDUSTRUCTABLE WOBBLELIGHT® is a self righting, highly durable work light that takes a severe beating with no bulb breakage. Operates on 120 volts.



WL400MH



111206



Wobblelight® Jr. LED

- 27" tall
- 9,000 Lumens
- Lexan PC dome
- Carrying handle
- Floating shock system
- Integrated 5' power cord
- No hot surfaces

Wobblelight®

- 36" tall
- Lexan PC dome
- Carrying handle
- Floating shock system
- Internal ventilation system
- Power outlet and inlet
- Counter-weighted
- 12 amp circuit breaker

Item No.	Description	Retail	Wholesale
111206	Wobblelight Jr. - 80 Watts		Please Login
WL400MH	Wobblelight - 400 Watts		Please Login
111908	Bulb for WL85F		Please Login
111901	Bulb for WL175MH		Please Login




POWERCAP LED Beanie Cap

- Provides the power to see in the dark with an ultra-bright dual action LED task light
- Ideal for jogging, biking, camping, hunting, fishing, auto repair and home improvement or any other activity needing hands-free lighting
- Ultra Bright LED Technology with premium compression fleece providing hands free lighting with comfortable lightweight material
- Includes 4 LEDs with a light output of 48 lumens powered by 4 CR2032 batteries (included and replaceable)
- Visibility of up to 72 ft. with battery life lasting up to 48-hours



Item No.	Description	Retail	Wholesale
CUBWB-7141	Camouflage		Please Login





Virtually Indestructible LED 3AAA Headlight

- Super Bright LED Emitter
- 100 Lumen Output
- 30 ft. Impact Resistance
- IP67 Water Resistant
- Runs On 3 x AAA Batteries (Included)

Item No.	Retail	Wholesale
DIYHL3AAA-BXTB		Please Login



Virtually Indestructible LED 3AAA Flashlight

- Super Bright LED Emitter
- 300 Lumen Output
- IP67 Water Resistant
- Drop Tested up to 30 ft.
- Rubber bezel
- Anodized Aluminum Construction
- Runs On 3 x AAA Batteries (Included)

Item No.	Retail	Wholesale
DIY3AAA-BXTB		Please Login



Virtually Indestructible LED 6AA Flashlight

- 600 Lumens (High)
- 2 Modes High and Energy Saver
- Run Time 4 hr. (High)
- Beam Distance 265 M (High)
- IP67 Water Resistant
- Lifetime Warranty
- Includes 6 AA batteries
- Drop Tested up to 30 ft.

Item No.	Retail	Wholesale
DIY6AA-BXTB		Please Login



Virtually Indestructible LED Spotlight

- Three light modes: High, Medium, and Low
- Shatterproof lens and internal reflector
- Includes batteries and a wrist strap
- Runs On 6 x AA Batteries (Included)
- Beam Distance 440 M (High)
- Brightness Outputs:
 - High 750 Lumens - 8 Hours - 440 Meters
 - Low 80 Lumens - 40 Hours - 164 Meters
- IP67 Water Resistant
- 15 ft. Impact Resistance

Item No.	Retail	Wholesale
DIYSP6AA-BXB		Please Login

MAKE SURE YOU CHECK OUT THE

BARGAIN BUYS

ON PAGE 160-161



Focusing LED Flashlight

- 166 lumen output
- 7 hour runtime
- Rear power switch
- Includes 3 AAA-cell batteries
- 143 m (469 ft.) beam distance
- Impact and water resistant

Item No.	Retail	Wholesale
TT8607CP		Please Login



Extendable Magnetic Flashlight

- LED 3-mode light function: high, low, strobe
- Powerful magnet at each end
- Uses one 'AA' battery
- Extra heavy duty telescope for exact positioning
- Unique 2-pocket belt holster for easy access
- Ideal for your industry: HVAC, plumbing, electrical, welding, auto and truck repair

Item No.	Retail	Wholesale
EMF-3		Please Login



Brilliant Solutions LED Flashlights



- (1) 2D: 5 LEDs - 27 Lumens
- (2) 2AA: 3 LEDs - 18 Lumens
- 3 ft. Drop Test
- LEDs Last 50,000 hours
- Durable rubberized construction
- Lifetime warranty
- Batteries (included)

Item No.	Retail	Wholesale
BER2AA2D-B3A		Please Login



Pre-Charged Rechargeable Batteries

- Batteries are ready to use out of pack
- Hold their charge 3X longer than standard NiMH rechargeables when not in use
- Can be charged and reused 500 times
- Work in all NiMH chargers



Item No.	Description	Retail	Wholesale
LD715-40P	AA 4pack		Please Login
LD724-40P	AAA 4pack		Please Login



Ray-O-Vac Alkaline Batteries-sold by pkg. only

Item No.	Description	Case Qty.	Retail	Wholesale
ALC-6J	Size C, 6 pack	12		Please Login
ALD-6J	Size D, 6 pack	12		Please Login
ALAA-8J	Size AA, 8 pack	12		Please Login
ALAAA-8J	Size AAA, 8 pack	12		Please Login
AL9V-6J	Size 9 volt, 6 pack	12		Please Login

Lantern and Barricade Batteries

Item No.	Description	Retail	Wholesale
944	6-volt spring terminals		Please Login

12-1/2-Ton Low Profile Hydraulic Bottle Jack

- Low profile model
- Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- Chrome-plated piston and ram are corrosion resistant
- Pump handle included
- Load Capacity (Tons) 12-1/2
- Piston Lift (In.) 3-3/4
- Minimum Height (In.) 6-3/4
- Maximum Height (In.) 13-3/8



Item No.	Retail	Wholesale
JHJ-12-12L		Please Login

Hydraulic Bottle Jacks

- Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- Chrome-plated piston and ram are corrosion resistant
- Industrial-duty construction permits use in extreme climates
- Pump handle included for both



JHJ-12-12

- Load Capacity (Tons) 12-1/2
- Piston Lift (In.) 5-7/8
- Minimum Height (In.) 9-1/2
- Maximum Height (In.) 18-1/2

JHJ-22-12

- Load Capacity (Tons) 22-1/2
- Piston Lift (In.) 6-1/4
- Minimum Height (In.) 10-5/8
- Maximum Height (In.) 16-7/8

Item No.	Description	Retail	Wholesale
JHJ-12-12	12 1/2 Ton jack		Please Login
JHJ-22-12	22 1/2 Ton jack		Please Login

10-Ton Screw Jack

- Industrial design eliminates creeping when holding heavy loads
- Heavy-duty cast bell shaped base provides a stable foundation
- Corrugated pivoting head, contours to the load providing maximum surface contact
- Turning bar not included (available seperately)
- Capacity (Tons) 10
- Screw Size (OD x L) 1-1/2 x 8-3/8
- Bar Hole Size (In.) 11/16
- Head Diameter (In.) 3-1/16
- Height Closed (In.) 11



Item No.	Description	Retail	Wholesale
SJ-10	Jack		Please Login
SJTB-58	Turner bar		Please Login

20-Ton Screw Jack

- Industrial design eliminates creeping when holding heavy loads
- Heavy-duty cast bell shaped base provides a stable foundation
- Corrugated pivoting head, contours to the load providing maximum surface contact
- Turning bar not included (available seperately)
- Capacity (Tons) 20
- Screw Size (OD x L) 2 x 12
- Bar Hole Size (In.) 13/16
- Head Diameter (In.) 4-1/8
- Height Closed (In.) 16



Item No.	Description	Retail	Wholesale
SJ-20	Jack		Please Login
SJTB-34	Turner bar		Please Login



Pallet Trucks

- 180° turning radius
- 2-1/2" low profile allows for easy engagement of pallets
- Easy-to-use fingertip controls permit single handed operation
- Welded all-steel frame and powder coat finish
- Chrome-plated pump piston and ram provide corrosion resistance
- Poly over steel 6-1/4" x 2-3/4" steer wheels
- Steer wheels feature double sealed lubricated bearings

Item No.	Description	Retail	Wholesale
PT-2048JB	20" x 48" 5,500 lb.		Please Login
PT-2748JB	27" x 48" 5,500 lb.		Please Login
PTW-2748B	27" x 48" 6,600 lb.		Please Login

Lever Hoists

- Low headroom, light weight and durable formed steel enclosure
- Weston style dual pawl brake system
- Alloy steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9

Item No.	Load Cap.	Lift	Retail	Wholesale
LC008-10	3/4 Ton	10'		Please Login
LC015-10	1-1/2 Ton	10'		Please Login
LC015-20	1-1/2 Ton	20'		Please Login
LC030-10	3 Ton	10'		Please Login



Mini Lever Hoists

- Small size allows operation and storage in tight places
- Planetary gearing is used to minimize operator's effort
- Lightweight and durable all steel construction
- Meets ASME/ANSI B30, OSHA, NASA_STD_8719.9 and EU directives: 98/37/EC

Item No.	Load Cap.	Lift	Retail	Wholesale
ML003-05	1/4 Ton	5'		Please Login
ML003-10	1/4 Ton	10'		Please Login



Hand Chain Hoists

- Low headroom, light weight and durable formed steel enclosure
- Weston style dual pawl brake system
- Alloy steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9
- Hand chain opening is formed with radius, allowing operation in lifting or pulling direction

Item No.	Load Cap.	Lift	Retail	Wholesale
CB010-10-08	1 Ton	10'		Please Login
CB010-20-18	1 Ton	20'		Please Login
CB020-10-08	2 Ton	10'		Please Login
CB020-20-18	2 Ton	20'		Please Login
CB030-20-18	3 Ton	20'		Please Login



Beam Clamps

- Simple installation by hand, no tools required
- The easy way to install a fixed hoist mount or rigging point
- Compact and portable low headroom design
- Meets OSHA, ASME B30, NASA-STD-8719.9 and EU Directives: 98-37/EC

Item No.	Load Cap.	Flange Range	Retail	Wholesale
BC-01	1 Ton	3.1 - 9.6"		Please Login
BC-02	2 Ton	3.1 - 9.6"		Please Login
BC-03	3 Ton	3.5 - 13.0"		Please Login
BC-05	5 Ton	3.5 - 13.0"		Please Login
BC-10	10 Ton	3.5 - 13.8"		Please Login



Web Slings

- Heavy duty polyester Web Slings
- Reinforced polyesters wear pads on the eyes
- WLL rated at 5:1
- Each sling is serialized and meets ASME B30.9 and WSTDA standards

Item No.	Load Capacities (lbs.)			Width	Length	Retail	Wholesale
	Vertical	Choker	Basket				
EE290104	3200	2500	6400	1"	4'		Please Login
EE290106	3200	2500	6400	1"	6'		Please Login
EE290206	6400	5000	12800	2"	6'		Please Login
EE290208	6400	5000	12800	2"	8'		Please Login
EE290210	6400	5000	12800	2"	10'		Please Login
EE290212	6400	5000	12800	2"	12'		Please Login
EE290216	6400	5000	12800	2"	16'		Please Login
EE290220	6400	5000	12800	2"	20'		Please Login
EE290310	8800	7040	17600	3"	10'		Please Login
EE290320	8800	7040	17600	3"	20'		Please Login
EE290412	12000	9600	24000	4"	12'		Please Login
EE290420	12000	9600	24000	4"	20'		Please Login

Speedway 1-Ton Hoist

- Load capacity - 1-Ton
- Chain fall lines - 2
- 9'10" lift height 12.5" required head room
- 1/4" grade 80 steel chain fully portable for use indoors or out
- Forged 360° swivel hooks
- Mechanical load brake
- Hardened steel construction
- Great for shop or engine hoist

Item No.	Retail	Wholesale
7518		Please Login



FUEL CONTAINERS



Only 5 gal. cans (shown) have the dual handle.



No-Spill® Accessories



Item No.	Description	Retail	Wholesale
NS0206	6" Extension-Fits all No-Spill cans		Please Login
NS6132	Nozzle assembly (Since 2010)		Please Login
6235	Nozzle gasket		Please Login

No-Spill® CARB Fuel Cans w/Auto Stop Nozzle

Meets CARB Environmental Standard

- 7/8" Funnel spout easily fills even the smallest equipment
- Wide, stable base can reduce upsets
- Semi-translucent body lets you see your fuel level
- Quart & Liter markings molded in for easy reference

Item No.	Description	Retail	Wholesale
NS1415	1.25 Gal. gas (red)- CARB		Please Login
NS1405	2.5 Gal. gas (red)-CARB		Please Login
NS1450	5 Gal. gas (red)-CARB		Please Login
NS1456	5 Gal. kerosene (blue)-CARB		Please Login
NS1457	5 Gal. diesel (yellow)-CARB		Please Login

What's a "CARB" can?

CARB stands for California Air Resources Board. Some other states subsequently adopted these requirements. No-Spill meets these requirements with the following features:

1. An autostop, self venting nozzle that stops the flow of fuel when the target tank reaches full.
2. A single opening for filling & pouring. No separate vents.
3. A treated can body for very low permeation.
4. Automatic closure. Nozzle automatically springs to the closed position when not pouring.



S160
(can be used with any fuel type)

A60
(2)AA batteries not included (use with Kerosene only)

Siphon Pumps Battery Operated & Manual

Item No.	Description	Retail	Wholesale
A60	Battery Siphon		Please Login
S160	Individual Manual Pump		Please Login



HOT 4 in 1 Heating Oil Treatment

- TOTALLY disperses water, so in effect there is no longer any "free water"
- Treats 274 gallons.
- Do not use with wick heaters

Hot Seller!

Item No.	Retail	Wholesale
00161		Please Login



Flexible Spout Fuel Cans

- Flexible Rotating Nozzle - Rotates more than 180°
- Fit Perfectly into any Machines Fill Location
- Self Venting
- Thumb Trigger Release on Top Controls the Flow
- Child Proof Fill Cap
- Ease of Use
- Total Flow Control
- Durable Design
- Flame Mitigation Device



Item No.	Description	Retail	Wholesale
SUR20G2	2.5 Gal. gas (red)		Please Login
SUR50G2	5 Gal. gas (red)		Please Login
SUR50D2	5 Gal. diesel (yellow)		Please Login
SUR50K2	5 Gal. kerosene (blue)		Please Login



**Pour & Fill Out
Of Single Hole**

Type I Red Safety Cans for Flammables

- Powder coated all steel construction
- Guaranteed leakproof construction
- Self-closing lid controls vapors and spills
- Exclusive Ten-Year Warranty
- Meets OSHA and NFPA Code 30 - FM approved
- Flame arrester dissipates heat
- Includes funnel

Item No.	Gal.	Can Dim. Outer Dia. x H	Retail	Wholesale
7120110	2	Red 9-1/2" x 13-1/4"		Please Login
7150110	5	Red 11-1/2" x 16-7/8"		Please Login
11202Y		Funnel replacement		Please Login



**Includes Spout
2-Hole System**

Type II Safety Cans for Flammables

- Internal dual-density flame arrester to dissipate heat
- Leaktight, self-closing lid
- Automatic venting to guard against pressure buildup
- Every can is 100% tested to guarantee leakproof construction
- Flexible metal hose provides a grounding path

Red Type II Safety Cans*

Item No.	Gal.	Hose Dim. Outer Dia. x L	Can Dim. Outer Dia. x H	Retail	Wholesale
7225120	2.5	5/8" x 9"	9-1/2" x 16"		Please Login
7250120	5	5/8" x 9"	11-1/2" x 16-7/8"		Please Login
11078		5/8" replacement spout			Please Login

Blue Type II Safety Cans*

7250320	5	5/8" x 9"	11-1/2" x 16-7/8"		Please Login
---------	---	-----------	-------------------	--	--------------

Yellow Type II Safety Cans*

7250220	5	5/8" x 9"	11-1/2" x 16-7/8"		Please Login
---------	---	-----------	-------------------	--	--------------

*Complies with OSHA & NFPA . Accepted container under CARB.
FM approved; UL & ULC listed.FM approved; UL & ULC listed.

HOSES & ACCESSORIES

Flexogen Super Duty Garden Hose 5/8" x 50'

- Strongest, lightest hose in its class
- 600 psi burst strength guarantees long hose life
- Crush-resistant and corrosion-resistant brass connectors
- Made in the U.S.A.
- Lifetime manufacturer's warranty



Gilmour

Item No.	Retail	Wholesale
876001-1001		Please Login

ABBOTT RUBBER COMPANY, INC. Industrial Water/ Garden Hose

- 100% rubber
- 200# P.S.I. working pressure
- Heavy duty MGHT x FGHT solid brass coupling
- Resists sunlight, abrasion, kinking and cracking
- Flexible in freezing temperatures



Item No.	I.D. x Length	Retail	Wholesale
1112-0625A	5/8" x 50'		Please Login
1112-0750A	3/4" x 50'		Please Login

ABBOTT RUBBER COMPANY, INC.

Red Jackhammer Hose

- General purpose hose for various rental, construction and industrial applications
- Limited oil resistance, EPDM cover
- Includes universal couplings with safety clips attached
- Two Band-It smooth I.D. clamps on each end
- 3/4" I.D. x 50' cpld.
- Chicago fittings standard



250 lbs. Working Pressure

Item No.	Retail	Wholesale
1025-0750R-50-CRS		Please Login

Whip Check Safety Cable

- Steel cable prevents the hose from whipping in case of accidental separation of the coupling
- Highly resistant to rust and corrosion
- Easy to install and remove
- No tools needed



Item No.	Retail	Wholesale
UWB1		Please Login

Universal Couplings

- For pneumatic lines & spray service
- Rust-proof malleable iron



Hose End

Item No.	I.D.	Retail	Wholesale
UH-050-M	1/2"		Please Login
UH-075-M	3/4"		Please Login



FNPT End

Item No.	I.D.	Retail	Wholesale
UF-050-M	1/2"		Please Login
UF-075-M	3/4"		Please Login



MNPT End

Item No.	I.D.	Retail	Wholesale
UM-050-M	1/2"		Please Login
UM-075-M	3/4"		Please Login

2-Lug Gaskets

- Size: 3/4"
- Bag of 50
- Use with red jackhammer hose



Item No.	Retail	Wholesale
UG		Please Login

In-line Lubricator

- Protects portable or stationary air tools
- Efficiently lubricates the tool mechanism each time the air tool is operated



Item No.	Size	Oil Cap.	Retail	Wholesale
UPL-400	3/4"	3.7 oz.		Please Login

Boss Interlocking Bolt Clamp

- Attach to "Boss" interlocking clamp type couplings
- Plated malleable iron
- Serrations ensure couplings won't work loose



Item No.	Hose (I.D. x O.D.)	Retail	Wholesale
HPC-075	3/4" x 1-3/16" - 1-5/16"		Please Login



Goodyear Rubber Air Hose

- Made of rubber for a long life
- 50' in length x 3/8" diameter
- Maximum capacity of 250 PSI for safety



**250 lbs.
Working
Pressure**

Item No.	Size	Weight	Retail	Wholesale
12676	3/8" x 50'	5.75 lbs.		Please Login



**300 lbs.
Working
Pressure**

Premium PVC Air Hose

- Use with air compressors, staplers, nailers and pneumatic tools
- Oil and abrasion resistant
- Flexible/kink resistant construction
- Coupled with 1/4" brass MNPT
- 3/8" I.D. x 50' cpld.
- Includes two bend restrictors: 1 wire and 1 PVC
- Weight 6.1 lbs.

Item No.	Retail	Wholesale
1048-0375R-50-4MMGSG		Please Login



Roofing/Framing Air Hose

- Excellent oil resistance
- Use with air compressors, staplers, nailers and pneumatic tools
- UV stabilized for longer outdoor service
- Flexible in sub-zero temperatures
- Coupled with 1/4" reusable male swivel fittings



**200 lbs.
Working
Pressure**

Item No.	Size	Weight	Retail	Wholesale
1042-0250-100-4MMX	1/4" x 100'	4.3 lbs.		Please Login

Air Hose Quick Couplers

Coupler-3/8" FNPT

- 1/4" brass body



Item No.	Retail	Wholesale
M-718		Please Login

Coupler-1/4" FNPT

- 1/4" brass body



Item No.	Retail	Wholesale
M-715		Please Login

Coupler-3/8" MNPT

- 1/4" brass body



Item No.	Retail	Wholesale
M-719		Please Login

Coupler-1/4" MNPT

- 1/4" brass body



Item No.	Retail	Wholesale
M-716		Please Login



Plug-3/8" FNPT

- 1/4" steel body



Item No.	Retail	Wholesale
M-732		Please Login

Plug-1/4" FNPT

- 1/4" steel body



Item No.	Retail	Wholesale
M-728		Please Login

Plug-3/8" MNPT

- 1/4" steel body



Item No.	Retail	Wholesale
M-733		Please Login

Plug-1/4" MNPT

- 1/4" steel body



Item No.	Retail	Wholesale
M-727		Please Login

HOSES & ACCESSORIES

PVC Water Suction Hose

- Flexible, abrasion-resistant, extruded PVC
- Temp. Range: -10°F to 130°F



M&F Shank Shown

ABBOTT RUBBER
COMPANY, INC.



Cpld. M & F Alum Short Shank w/Band-it Clamps

Item No.	I.D. x Length	Retail	Wholesale
1240-2000-20	2" x 20'		Please Login
1240-3000-20	3" x 20'		Please Login

Cpld. Alum C & E Cam & Groove w/Band-it Clamps

Item No.	I.D. x Length	Retail	Wholesale
1240-2000-20-CE	2" x 20'		Please Login
1240-3000-20-CE	3" x 20'		Please Login
1240-4000-20-CE	4" x 20'		Please Login

Cpld. C & Plated Steel Nipple w/Band-it Clamps

Item No.	I.D. x Length	Retail	Wholesale
98128505	2" x 20'		Please Login
98128510	3" x 20'		Please Login



M&F Shank

C&E Cam & Groove

50' PVC Flat Discharge Hoses

- Ideally suited for all open end water discharge
- High tensile polyester yarn reinforcement
- Light weight hose coils flat for easy storage
- *1150-2000-50 is a heavy-duty reddish brown discharge hose

Cpld. M & F Alum Short Shank w/Band-it Clamps

Item No.	I.D.	Retail	Wholesale
1148-2000-50-NPSH	2"		Please Login
1148-3000-50-NPSH	3"		Please Login
1148-4000-50-NPSH	4"		Please Login
1152-2000-50-NPSH*	2"		Please Login

Cpld. Alum C & E Cam & Groove w/Band-it Clamps

Item No.	I.D.	Retail	Wholesale
1148-2000-50-CE	2"		Please Login
1148-3000-50-CE	3"		Please Login
1148-4000-50-CE	4"		Please Login

White Discharge Hoses

Item No.	Description	I.D.	Retail	Wholesale
1131-2000-50	M & F Short Shank	2"		Please Login
1131-2000-50-CE	C & E Cam & Groove	2"		Please Login
1131-3000-50-CE	C & E Cam & Groove	3"		Please Login
1131-4000-50-CE	C & E Cam & Groove	4"		Please Login

50' PVC Discharge Hose Kit

- All-In-One Kit provides everything needed to retrofit your pump
- Includes 20' PVC suction, 50' PVC discharge hose, steel round hole strainer and spanner wrench(M&F kits only)
- Kits are supplied in a retail box



ABBOTT RUBBER
COMPANY, INC.

Item No.	Suction Hose	Discharge Hose	Hose Ends	Retail	Wholesale
1240-KIT-1500-1148	1-1/2"	1-1/2"	M&F		Please Login
1240-KIT-2000-1148	2"	2"	M&F		Please Login
1240-KIT-3000-1148	3"	3"	M&F		Please Login
1240-KIT-1500-1148-QC	1-1/2"	1-1/2"	Quick Coupling		Please Login
1240-KIT-2000-1148-QC	2"	2"	Quick Coupling		Please Login
1240-KIT-3000-1148-QC	3"	3"	Quick Coupling		Please Login

Two aluminum part "A" adapters are included

Aluminum Male-Female Pin-Lugs

- SIPT threads
- Requires clamps to attach to hose



Male Aluminum

Item No.	I.D.	Retail	Wholesale
SM-200-A	2"		Please Login
SM-300-A	3"		Please Login
SM-400-A	4"		Please Login

Female Aluminum with Brass Nut

Item No.	I.D.	Retail	Wholesale
SF-200-AB	2"		Please Login
SF-300-AB	3"		Please Login
SF-400-AB	4"		Please Login



EPDM Gaskets

- Standard rubber gaskets
- Use for female SIPT pin-lug couplings

Item No.	I.D.	Retail	Wholesale
SRW-200	2"		Please Login
SRW-300	3"		Please Login
SRW-400	4"		Please Login

Spanner Wrenches

- Plated malleable iron
- Use on male/female pin-lug couplings



Item No.	I.D.	Retail	Wholesale
SW-200	2"		Please Login
SW-300	3"		Please Login
SW-400	4"		Please Login

Aluminum Cam & Groove Couplings

Part "A" Male Adaptors



Item No.	I.D.	Retail	Wholesale
QA-200-DC	2"		Please Login
QA-300-DC	3"		Please Login
QA-400-DC	4"		Please Login
QA-600-DC	6"		Please Login

Part "B" Female Couplers



Item No.	I.D.	Retail	Wholesale
QB-200-DC	2"		Please Login
QB-300-DC	3"		Please Login
QB-400-DC	4"		Please Login
QB-600-DC	6"		Please Login

Part "C" Female Couplers



Item No.	I.D.	Retail	Wholesale
QC-200-DC	2"		Please Login
QC-300-DC	3"		Please Login
QC-400-DC	4"		Please Login
QC-600-DC	6"		Please Login

Part "D" Female Couplers



Item No.	I.D.	Retail	Wholesale
QD-200-DC	2"		Please Login
QD-300-DC	3"		Please Login
QD-400-DC	4"		Please Login
QD-600-DC	6"		Please Login



Part "E" Male Adaptors

Item No.	I.D.	Retail	Wholesale
QE-200-DC	2"		Please Login
QE-300-DC	3"		Please Login
QE-400-DC	4"		Please Login
QE-600-DC	6"		Please Login



Part "F" Male Adaptors

Item No.	I.D.	Retail	Wholesale
QF-200-DC	2"		Please Login
QF-300-DC	3"		Please Login
QF-400-DC	4"		Please Login
QF-600-DC	6"		Please Login



Part "DC" Dust Caps

Item No.	I.D.	Retail	Wholesale
QDC-200-DC	2"		Please Login
QDC-300-DC	3"		Please Login
QDC-400-DC	4"		Please Login
QDC-600-DC	6"		Please Login



Part "DP" Dust Plugs

Item No.	I.D.	Retail	Wholesale
QDP-200-DC	2"		Please Login
QDP-300-DC	3"		Please Login
QDP-400-DC	4"		Please Login
QDP-600-DC	6"		Please Login



Plated Steel Strainers

Round Hole

- Helps to keep potentially damaging solids from entering the pump



Item No.	Description	Retail	Wholesale
SRHS-200	2" FNPT		Please Login
SRHS-300	3" FNPT		Please Login
SRHS-400	4" FNPT		Please Login

Square Hole

- Used for trash pumps
- Large openings allow smaller solids to pass but keeps the larger potentially damaging solids out



Item No.	Description	Retail	Wholesale
SSHS-200	2" FNPT		Please Login
SSHS-300	3" FNPT		Please Login
SSHS-400	4" FNPT		Please Login



Gaskets for Cam & Groove Couplings

Item No.	I.D.	Retail	Wholesale
QRG-200	2"		Please Login
QRG-300	3"		Please Login
QRG-400	4"		Please Login

Hose Menders Steel

- For low pressure suction/discharge hoses
- Used to repair/splice damaged hose or extend hose length
- Rust resistant



Item No.	I.D.	Retail	Wholesale
CM-200-S	2"		Please Login
CM-300-S	3"		Please Login
CM-400-S	4"		Please Login
CM-600-S	6"		Please Login



Hose Safety Clips

- Clip and lanyard sold separately
- Bag of 25

Item No.	Description	Retail	Wholesale
ESL	Lanyard		Please Login
ESC	Clip		Please Login

Center Punch Tensioning Tool

- Designed for fast, efficient application of center punch clamps
- Band width 5/8"
- Galvanized steel clamps

Item No.	Description	Retail	Wholesale
BCP-P1000I	Tool		Please Login
BCP-10	#10 Clamp, 2-1/2x5/8		Please Login
BCP-14	#14 Clamp, 3-1/2x5/8		Please Login
BCP-18	#18 Clamp, 4-1/2x5/8		Please Login

TERMS & CONDITIONS

PAYMENT TERMS

Our terms are net 30 from date of invoice, unless otherwise stated. Past due invoices are subject to finance charges.

PAYMENT METHODS

We accept Visa, Mastercard, Discover, and American Express.

CREDIT APPROVAL

Orders will be processed subject to credit approval. Unless we have a signed and approved credit application on file, all orders will be held until approved or be processed by credit card. To establish an account, please, fill out the PHP credit application at www.phpdistribution.com or request an application via phone and fax a completed copy to us at 800-255-7985. If you include an order with your application, we will make every effort to process your application within 24 hours of receipt. If you require same day shipping, we suggest you pay using Visa, Mastercard, Discover or American Express.

BACKORDERS

On occasion, an unexpected surge in demand may render us temporarily short of inventory. When that happens we will automatically ship the backordered product when it arrives unless you advise us otherwise. If you prefer, we will hold your order and ship complete.

MINIMUM ORDERS

A \$3.00 charge will be added to orders of less than \$25.00.

RETURNS

Please call for a Returned Goods Authorization Number (RGA#) before returning any item. This number must be clearly marked on the outside of the returned package. You may return parts and whole goods within 14 days of the purchase date without a restocking fee if in new, sellable condition (original factory package, unused, unmarked). After 14 days, returned goods are subject to a 15% restocking fee, after 30 days contact our sales dept. If determined that the goods were shipped to you in error, we will absorb the return freight, otherwise all returns must be shipped prepaid.

Non-stock, special-order items may not be returned.

WARRANTY

If you have new equipment that needs warranty repair (damaged in transit, or not working properly), you can repair it under warranty, or return it to us, and we will repair it under warranty. We will not exchange new equipment for defective models. We expect our customers to process all defects as warranties. Replacement parts from new equipment must reference the model number and serial number. Upon receipt of defective parts we will issue you credit in accordance with factory guidelines.

SHIPPING

We ship all orders to continental U.S.A. destinations via either Federal Express or UPS; any order not conducive to either Federal Express or UPS will ship via one of our preferred carriers prepaid and add. If your order is being shipped collect, you may specify the carrier of your choosing at the time you place your order. Shipments to areas outside of the continental U.S.A., including international shipments, are subject to applicable shipping guidelines and rates. Your non-continental U.S.A. and international shipping rates will be determined on a case-by-case basis and you will be responsible to pay for all applicable shipping costs, as determined by us. All non-drop-shipped orders are shipped FOB Valparaiso, Indiana and freight claims for damaged or missing goods must be settled between the consignee and carrier. Freight shipped pre-paid and add is subject to a handling fee. PHP does not ship Cash on Delivery (C.O.D.).

GENERAL INFORMATION

We sell only to retail or other wholesale outlets. If you have a resale license, you are authorized to purchase from us at wholesale cost.

PRICES

Due to unprecedented times, we are facing manufacturer price updates more frequently than usual. Please check www.phpdistribution.com for prevailing prices, which are subject to change without notice.

TERMS & CONDITIONS

All prices, terms & conditions, promotions & product availability expressed in this catalog supercedes any previous offers. Terms and conditions are subject to change without notice.

FINANCE CHARGES

We charge a late fee of 1-1/2% per month on overdue invoices.


WILL CALL ORDERS

Will call orders must be placed in advance. Please, allow one hour from the time the order is placed to pick-up. Upon your arrival, our customer service personnel in our main lobby will coordinate your pick-up.

phpdistribution.com

ORDER ONLINE!

- Secure Site
- Check Account Status
- Look Up Individual Parts



3" Submersible Pump

- Full water channel design to cool the motor
- Uni-body constructed 40' power cord
- Motor Output - 2 HP
- Delivery Volume - 7286 GPH
- Voltage - 110V / 220V
- Rated Current - 15 Amps
- Max Head - 61'

Item No.	Retail	Wholesale
PB68011		Please Login



2" Submersible Pump



- Oil bathed double silicon carbide mechanical seals
- Thermal overload protected motors
- Fits into small diameter holes
- Motor output - 1/2 HP
- Delivery volume - 4,110 GPH
- Voltage - 110 V
- Rated current - 6.4 Amps
- Cable length - 20'
- Net weight - 25 Lbs.
- Max head - 33'

Item No.	Retail	Wholesale
PX65011		Please Login



Garden Hose Submersible Pumps



- ABS plastic housing is shock resistant and will not rust
- Completely rebuildable—All parts are replaceable
- Delivery volume: 1,584 GPH
- Voltage - 110 V
- Cable length: 15'
- Max head: 24.6'

Item No.	Hose Dia.	Retail	Wholesale
NSM-62511	3/4" & 1"		Please Login



Nitrile Coated Work Gloves

- 13 gauge, 100% Nylon Shell, Nitrile Palm Coated
- Pound for pound tougher than leather
- Form-fitting enough to pick up a dime
- Sold by individual pair

Tagged for Hanging

Item No.	Size	Color	Retail	Wholesale
4631Q	M-XL	Black on black		Please Login



2" Submersible Trash Pump

- Easily handles solids up to 5/8" diameter
- Double mechanical seals run in an "oil" filled chamber of liquid paraffin to prevent damage from periods of dry running
- The built-in thermal protector turns off the power supply in case of overload operation thus protecting the motor
- Motor output - 1/2 HP, 110V, 7.0 Amps
- Delivery volume - 4760 GPH
- Cable length - 20'
- Net weight - 33 Lbs.
- Max head - 33'

Item No.	Description	Retail	Wholesale
PKS65011	Trash pump		Please Login
FS10	Float switch		Please Login

WATER PUMPS



2" Submersible Pumps

- Good for low to medium levels of water at home or at work
- Maximum output capacity: 62 GPM
- Maximum head: 39'
- Intake/discharge diameters: 2"
- 2/3 hp, 115V, single-phase electric
- 32' submersible power cord included
- Urethane semi-vortex impeller with ethylene propylene rubber casing resists abrasion
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run

Factory Direct Pricing!!

Automatic relay unit turns the pump on when the water level hits the electrodes. Pump shuts off automatically after 1 minute when the water level falls below the electrodes.

Item No.	Description	Retail	Wholesale
LB-480	Manual		Please Login
LB-480A	Automatic		Please Login



2" Submersible Pump

- Designed to fit in an 8" pipe up to 60' shut off head
- Maximum output capacity: 73 GPM
- Maximum Head: 60'
- Intake/discharge diameters: 2"
- 1 hp, 115V, single-phase electric
- 50' submersible power cord included
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run

Item No.	Description	Retail	Wholesale
LB-800	Manual		Please Login
LB-800A	Automatic		Please Login

View Our Complete Line of



Hoses & Pump Accessories on Pages 68-71



Submersible Trash Pumps

- Built-in shaft mounted agitator suspends solids
- Urethane, semi vortex Impeller for maximum durability and pump performance
- Dual inside mechanical seal with SiC faces provides longest operational life
- Oil Lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- HSZ models have attached float switch for automatic operation

HS24S



HSZ24S



HS375S



HSZ375S



Item No.	Discharge	GPH	Max Head	Motor	Cable Length	Retail	Wholesale
Manual Operation							
HS24S	2"	3,000	39'	1.2HP - 110V	20'		Please Login
HS375S	3"	4,200	60'	1 HP - 115V	32'		Please Login
Automatic Operation							
HSZ24S	2"	3,000	39'	1.2HP - 110V	20'		Please Login
HSZ375S	3"	4,200	60'	1 HP - 115V	32'		Please Login





3/4" Submersible Ground Drainage Pump



- Able to pump down to the floor
- Prime pump through discharge outlet for start up at any water level
- Internal check valve holds prime and prohibits back flow through pump when stopped
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- Maximum output capacity: 45 GPM
- Maximum head: 40'
- Intake/discharge diameters: 3/4"
- 2/3 hp, 110V, single-phase electric
- 32' submersible power cord included

Item No.	Retail	Wholesale
LSC14S		Please Login



2" Submersible Ground Drainage Pump



- Pump holds suction for drainage to 0.2" water level
- Oil lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- Maximum output capacity: 62.4 GPM
- Maximum head: 40'
- Intake/discharge diameters: 2"
- 2/3 hp, 110V, single-phase electric
- 32' submersible power cord included

Item No.	Retail	Wholesale
LSR24S		Please Login



Full Line of Tsurumi Products & Power Solutions Available!



Centrifugal Pump w/ Low Oil Sensor



- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- Cast iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Honda engine

Item No.	Description	Retail	Wholesale
TE3-50HA	2", 4 HP engine		Please Login
TE3-80HA	3", 5.5 HP engine		Please Login



3" Trash Pump w/ Low Oil Sensor



- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- Cast Iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Galvanized steel hose couplings promise longer thread life
- Max. capacity (GPH): 21,600
- Discharge & suction connection: 3" NPT coupling
- Output: 8 HP GX-240 engine

Item No.	Retail	Wholesale
EPT3-80HA		Please Login





1-1/4" Submersible Pump

- Heavy-duty, epoxy coated, cast aluminum construction
- Portable pump for emergency water removal or emptying shallow areas
- Draws water down to 1/8"
- 1/4 HP, 115v AC, 60 Hz
- Maximum capacity: 1320 GPH
- Flow at 10' lift: 1020 GPH
- Discharge size: 1 1/4" (male) NPT
- 8' cord with 3-prong grounded plug

Item No.	Retail	Wholesale
FPSC1725X		Please Login



Submersible Cast Iron Sump Pump, Vertical Switch

- Rugged cast iron construction
- Energy-efficient PSC motor
- Rust-proof impeller
- Reliable, professional design
- Superior performance
- Proven technology
- 1/2 HP, 115v AC, 60 Hz
- Maximum capacity: 80 GPM
- Flow at 10' lift: 61 GPM
- Discharge size: 1-1/2" (female) NPT
- 10' cord

Item No.	Retail	Wholesale
E50VLT		Please Login



IntelliPump™ Water Removal Utility Pump

- Innovative electronic controlled pump - Pump starts every 2-1/2 minutes to check for water. Shuts off if water is not detected
- Perfect for surfaces that collect water such as basements, rooftops, or any shallow flooded area
- Corrosion-resistant engineered resin construction
- 1/4 HP, 115v AC, 60 Hz
- Maximum capacity: 1790 GPH
- Flow at 10' lift: 1260 GPH
- Discharge size: 1" (female) NPT
- 15' cord with 3-prong grounded plug

Item No.	Retail	Wholesale
FPOS1775A		Please Login



Water Removal Utility Pump

- Multipurpose pump designed for emergency dewatering, draining aquariums, waterbeds and clogged sinks
- Self-priming at 8-10 ft. vertically
- Corrosion-resistant, compact and portable
- 1/12 HP, 115v AC, 60 Hz, 2.0 Amps
- Maximum capacity: 350 GPH
- Flow at 10' lift: 300 GPH
- Discharge size: Garden hose
- 6' cord with 3-prong grounded plug
- Max water temp. 77°F (25°C)

Item No.	Retail	Wholesale
FPOF360AC		Please Login



Submersible Utility Flood Pump Kit

- Ideal for dewatering applications
- Corrosion-Free thermoplastic construction
- Thermally Protected 4/10 HP motor
- Bottom-suction design
- Removes water to within 7/16" of surface
- 1-1/4" discharge
- Can handle solids up to 1/4"
- 15' power cord
- 25' cloth hose
- Cam-lock fittings (pump discharge & hose)
- Carrying case can also be used to filter out large debris to prevent clogging during operation

Item No.	Retail	Wholesale
MUFKP40		Please Login

PRESSURE WASHER ACCESSORIES

Hot Seller!



24' Telescoping Wand



- 4000 PSI Max Pressure
- 8.0 GPM Max Flow
- 1/4" hose
- (3) 7' sections

Item No.	Retail	Wholesale
85206424		Please Login



Telescoping Wand Belt Kit

Item No.	Retail	Wholesale
85400019		Please Login



Pressure Washing Cleaner - 1 Gal.

Heavy duty butyl cleaner and degreaser for use in all type of pressures washers. Safe on all hard surfaces. USDA-A1 rating

Item No.	Retail	Wholesale
C123		Please Login



Krud Kutter

- House and siding pressure washer concentrate
- Removes tough stains from mildew, mold, algae, fungus and moss
- 1 Gallon

Item No.	Retail	Wholesale
HS014		Please Login

MAKE SURE YOU CHECK OUT THE

BARGAIN BUYS


ON PAGE 160-161



Sandblaster Heavy-duty Wet

- Max Flow 10 GPM
- Max Pressure 5,500 PSI
- P/N 85200040 -0° Meg Nozzle up to 4,000 PSI, 4.0 GPM
- **MEG NOZZLE REQUIRED FOR USE!**

Item No.	Description	Retail	Wholesale
90019	Sandblaster		Please Login
85200040	Meg Nozzle		Please Login



Hose to Pump Extension Kit



- Provides Quick-Connect fittings
- (2) Two foot hoses to make connections more easily accessible
- For pressure washers up to 4000 psi

Item No.	Retail	Wholesale
6216		Please Login

LIMITED SUPPLY



Keep your work area tidy with the help of this magnetic sweeper.



Magnetic Floor Sweeper

- 30" wide
- Collects up to 50 lbs. of ferrous materials
- Oversized rubber wheels
- Extra-long telescopic handle extends from 35-1/2" to 50"
- Easy to clean out

Item No.	Retail	Wholesale
53420		Please Login



Magnetic Parts Tray



- Heavy-duty stainless steel
- Holds tight to any ferrous surface
- 9-1/2" x 10" x 1-1/4" D

Item No.	Retail	Wholesale
67442		Please Login



Wide Mouth Magnetic Parts Bowl



- Holds tight to any ferrous surface
- Holds small parts, nuts & bolts
- 6" diameter and 1" deep

Item No.	Retail	Wholesale
67440		Please Login



Hand Pump

- Fits 15-55 gal. drums with 2" bung
- For light oils, ATF, kerosene
- Dispenses approx. one pint per stroke

Item No.	Retail	Wholesale
381HP		Please Login



Professional Grease Gun

- Heavy-duty with a cast steel head
- HD 4 jaw chuck coupler
- 12" wire braided whip hose & #80 loader nipple
- Can be filled by standard 14.5 oz. cartridge, bulk suction & filler pump

Item No.	Retail	Wholesale
HD4A		Please Login



Grease Gun

- Pistol style
- Can be filled with 14.5 oz. grease cartridge, filler pump or suction

Item No.	Retail	Wholesale
615GG		Please Login



WD-40 Lubricant

Item No.	Description	Retail	Wholesale
490040	11 oz. - aerosol		Please Login
490118	1 Gallon		Please Login
10100	Spray Applicator		Please Login
490194	14.4 oz. EZ-Reach w/straw		Please Login



Fast Orange Pumice Lotion Hand Cleaner



- Biodegradable, waterless, petroleum solvent-free hand cleaner
- Contains no harsh chemicals that can sting cuts and abrasions
- Pure, fresh smelling natural citrus power does the cleaning

Item No.	Size	Retail	Wholesale
25217	64 oz.		Please Login



Waterless Cleaning Towels

- 10" x 12" size
- 72 wipers per bucket
- Heavy-duty, premoistened, textured towels
- Citrus-based cleaner quickly dissolves dirt, paint, grease & grime
- Towels lock in dirt and will not transfer soils back onto hands

Item No.	Retail	Wholesale
42274		Please Login



Workshop Wipes with Scrubbing Beads

- 8" x 12" Cloths, 60 Wipes/pack
- Double cleansing action with a rough side for tough scrubbing action and a smooth side for a clean finishing touch
- Cut through grease, grime, oil, adhesives, marker, caulk and latex paint
- Safe for hands, tools and hard non porous surfaces like wood, plastic, glass and steel
- Dermatologist tested, hypoallergenic, and aloe-enriched to help soothe skin
- Light citrus scent

Item No.	Retail	Wholesale
VENWP60		Please Login



© Kimberly-Clark



Scott Blue Shop Towels

- Super strong even when wet
- Easily absorbs grease, liquids, and oils
- Easy dispensing
- Each towel is 10-2/5 in. x 11 in.

Item No.	Retail	Wholesale
75130		Please Login



X80 Jumbo Roll

- 12.5" x 13.4" red wipers
- 475 WypAll X80 wipers per roll
- Guaranteed more cost-effective than rental shop towels or rags
- Ideal for HEAVY Wiping and Cleaning rough surfaces
- Softer and more absorbent than ever!

Item No.	Retail	Wholesale
41055		Please Login



Cigarette Butt Receptacles

- Self-extinguishing design
- Flame-retardant, sturdy polyethylene
- Unique rain bonnet opening keeps rain out and discourages other trash
- FM fire tested and approved!
- 16.5" x 38.5"

Item No.	Description	Retail	Wholesale
26800B	Beige		Please Login
26800D	Black		Please Login



Wet Mop Handle SuperJaws™

- Yellow
- Fiberglass
- 60"
- Jaw style head grips mop more securely
- Plastic head won't rust or corrode
- For use with wide band mop heads (sold separately)



Item No.	Retail	Wholesale
A70612		Please Login



Polypropylene Disposable Coverall

- Lightweight polypropylene
- Full zipper front
- Elastic wrist and ankle closures
- Sold individually



Item No.	Size	Retail	Wholesale
S6843	L		Please Login
S6844	XL		Please Login
S6845	3XL		Please Login



Wet Floor Sign

- Professional quality, two-sided signs
- Durable Polypropylene, 25"H x 11"W
- Sign locks into place and won't collapse when bumped

Item No.	Retail	Wholesale
3690000		Please Login



Black PVC Gloves

- 14" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
33656	L		Please Login



Yellow Slush Boots

- 100% heavy-duty rubber
- 44 mil
- Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 pair per carton
- Sold by the pair

Item No.	Size	Retail	Wholesale
S2117	9-18		Please Login



Mr. Heater Propane Torch Kit



- 500,000 BTU/Hr
- 31" heavy-duty handle
- Burn weeds, melt ice and peel paint
- Includes 10' hose and spark igniter
- CSA Certified
- Limited 1-year warranty

Item No.	Description	Retail	Wholesale
MH500PT	Torch kit		Please Login
72602M	Hose assembly w/POL		Please Login



Sure Flame Torches

- 200,000 - 375,000 BTU
- Ergonomic design
- Steel head for lower temp. & quick cool down
- Adjustable flame control
- Comes with 10' hose and pol fitting
- 30" torch is individually boxed



Item No.	Description	Retail	Wholesale
ST2P	50,000 - 200,000 BTU		Please Login
ST3P	90,000 - 375,000 BTU		Please Login
72603	Striker		Please Login
30S07P	POL fitting for ST2P/ST3P		Please Login
2510	LH hose, 10'		Please Login
2525	LH hose, 25'		Please Login



Economy Propane Torch Kit

- Vapor torch kit for burning weeds, heating and thawing
- Flame-adjusting valve provides precision
- 500,000 maximum BTU per hour
- 10-foot hose, 23-inch handle length
- Rugged, all steel construction
- American Gas certified
- Canadian Gas certified

Item No.	Retail	Wholesale
VT2-1-2-24CE		Please Login



Torch Hoses

Item No.	Description	Retail	Wholesale
1412-0141	10' hose for 500FP		Please Login
2510LH	10' hose for ST2 & ST3		Please Login
2525LH	25' hose for ST2 & ST3		Please Login

Adjustable High Pressure Torch Regulator

- Capacity: 820,000 BTU/HR
- Propane outlet pressure range: 10-30 PSIG
- 1/4" Female NPT inlet & outlet
- Color: Red
- Used on propane torches and high pressure gas heaters under 1,000,000 BTU's



Item No.	Retail	Wholesale
597FB		Please Login



ATV Vise (All Terrain Vise)

- Fits standard 2" hitches and includes a locking hitch pin
- Mount it on a bench or hook it to a trailer
- Lightweight design with integrated carrying handle
- Patented locking handle secures vice jaws
- Water resistant for all weather protection during transport or while hitched
- Large striking anvil for forming and shaping materials
- Replaceable jaws with v-grooves for vertical clamping

Item No.	Retail	Wholesale
10010		Please Login



Tradesman Bench Vises

- Wider jaws provide greater clamping surface
- Fully enclosed spindle and nut increases the life of the vise
- Large anvil work surface
- Precision turned sidebar
- 360° swivel base with double lockdowns

Item No.	Jaw Width	Jaw Opening	Throat Depth	Shp. Weight	Retail	Wholesale
28806	5-1/2"	5"	3-3/4"	53 lbs.		Please Login
28807	6-1/2"	6-1/2"	4"	73 lbs.		Please Login



18MM Plastic Snap Off Knife

- Steel knife blade with plastic body
- Ergonomic grip
- 13 pt. blade that can be snapped off for a new sharp edge

Item No.	Description	Retail	Wholesale
JL-54306-D	Box of 100		Please Login
JL-54306-EACH	Individual		Please Login

Rebar Cutter and Bender

- High strength steel jaws
- Hardness for industrial applications
- Mountable on a board or floor
- Cuts/bends up to 5/8", grade 60 rebar
- 52" handle length
- Max Material Hardness-HRC-48



Item No.	Description	Retail	Wholesale
RCB-25	Bender		Please Login
RCH-26	Repl. head		Please Login



Mini Dolly



- Padded surface protects objects
- Ideal for moving over-sized or heavy objects
- Hard rubber swivel casters
- Rounded end corners protect walls
- 18" L x 12-1/4" W

Item No.	Retail	Wholesale
52024		Please Login



4-Wheel Furniture Dolly

- Carpeting on both ends
- Solid wood frame finished with clear varnish
- Four rubber swivel casters
- Max. load 800 lbs.
- 30"L x 18"W x 5.6"H



Item No.	Retail	Wholesale
52030		Please Login



Wiss

9-3/4" Straight Cut Aviation Snip

- Compound lever action
- Cuts 18 gauge low carbon steel
- Non-slip serrated jaws made of molybdenum steel
- Self-opening action

Item No.	Retail	Wholesale
M3R		Please Login




42-Piece S2 Impact Duty Driver Bit Set

Milwaukee

- Premium grade S2 tool steel durable composition equals longer bit life
- Driving bits designed for quick change
- Magnetic drive guide helps reduce slipping and wobble

Item No.	Retail	Wholesale
48-32-1551		Please Login



Reversible Jaw 10" Pipe Wrench

- Chrome vanadium steel construction
- Reversible Jaw for work on bolts and round stock
- Greater jaw capacity supports larger nuts, bolts, and pipe
- Precise jaw design grips tight

Item No.	Retail	Wholesale
810PW		Please Login



Adjustable Wrenches

- Increased knurl diameter for easier adjustment and increased load on fastener to reduce slip-off
- All dimensions proportioned for greatest strength and minimum weight
- Chrome plating for superior resistance to rust and corrosion
- 15/16" wide opening

Item No.	Size	Retail	Wholesale
AC26VS	6"		Please Login
AC28VS	8"		Please Login
AC210VS	10"		Please Login



Bi-Metal Reciprocating Saw Blade

- Cuts composition materials, plastic, pipe, carbon steel and stainless steel
- Use with materials 1/8" and thicker
- Electronic beam weld
- Bi-metal construction

Item No.	Retail	Wholesale
372810BB		Please Login



B.A.S.H Mechanics Hammer Kit

Includes:

- (1) 4 lb. Head 12 in. Sledge Hammer
- (1) 32 oz. Head 14 in. Ball Pein Hammer
- (1) 2 lb. Head 16 in. Cross Pein Hammer
- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking

Item No.	Retail	Wholesale
11111		Please Login



Locking C-Clamp with Swivel Pads

- Swivel pads hold tapered work and delicate projects without damaging the work surface
- Wide-opening jaws
- Turn screw stays adjusted for repetitive use
- High-grade heat-treated alloy steel
- Guarded release trigger

Item No.	Retail	Wholesale
11SP		Please Login



12 Pc. Reciprocating Saw Blade Set

- Heavy-Duty
- 12-Piece - Bi-Metal

Item No.	Retail	Wholesale
RBKITHD01		Please Login

MORSE

HAND TOOLS



1/4 in. Drive Socket Set (20-Piece)

- Lockable stacking cases
- Knurled beauty rings for hand tightening applications
- Exceeds ANSI specifications
- Removable internal tray
- SAE & Metric



1/2 in. Ratchet and Socket Set (23-Piece)

- Lockable stacking cases
- 72-tooth quick release ratchet
- Exceeds ANSI specifications
- Removable internal tray
- Knurled beauty rings for hand tightening applications
- SAE & Metric



1/4 in. Drive Socket Set (25-Piece)

- Lockable stacking cases
- Removable internal tray
- 72-tooth ratchet
- Full life time warranty
- Exceeds ANSI Specifications
- SAE & Metric

Item No.	Retail	Wholesale
DWMT73811		Please Login

Item No.	Retail	Wholesale
DWMT73813		Please Login

Item No.	Retail	Wholesale
DWMT73805		Please Login



SAE Combination Wrench Set (8-Piece)

- Lockable stacking cases
- Exceeds ANSI specifications
- Removable internal tray
- Case allows for easy transport and organization
- SAE & Metric



3/8" Drive Socket Set (12-Piece)

- DirectTorque™ Technology
- Polished chrome vanadium finish
- Hand stamped markings
- Knurled control ring
- SAE & Metric



1/2 in. Drive Socket Set (10-Piece)

- Lockable stacking cases
- Removable internal tray
- Exceeds ANSI specifications
- SAE only

Item No.	Description	Retail	Wholesale
DWMT73809	SAE		Please Login
DWMT73810	Metric		Please Login

Item No.	Retail	Wholesale
DWMT75421		Please Login

Item No.	Retail	Wholesale
DWMT73814		Please Login



1-3/16" x 25' Command Control Series™ Black Clad Tape Measure

- Protected lock button and 6-point dual material case
- Anti-pinch, finger tip control feature for increased control when retracting the tape
- 360° end hook and 12' standout make it easy for one person use
- Tether hole for safely working at heights
- Matte clear protective blade coating for better visibility and durability of the blade
- Black blade for enhanced visibility in all light applications
- Rugged rubber over mold housing




Item No.	Retail	Wholesale
L1025CB-02		Please Login



25'x1" Tape Measure

- Polymer-coated blade for long-lasting wear; high-contrast colors for easy readability
- Durable case is textured for non-slip grip
- Tape rule designed for easy use
- Numerical readouts every 1/8"; 7' standout
- Corrosion-resistant Tru-zero end hook for accurate measurements

Item No.	Retail	Wholesale
30-455		Please Login



Closed Reel Long Tape

- Nylon coated blade for superior durability and rust resistance
- High-impact resistant case with rubber grip

Item No.	Length	Unit of Measure	Retail	Wholesale
ST18503X	50'	Ft., In., 1/8		Please Login
ST181003X	100'	Ft., In., 1/8		Please Login

*Engineer's & Metric also available.

Short Tape Measures

- Nylon Coated Steel Blade
- Easy-to-Read Graduations
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- Belt Clip
- 3 Rivet Hook



Item No.	Description	Retail	Wholesale
PGPRO1825V	25' - High Vis		Please Login
PGPRO1830V	30' - High Vis		Please Login
PGPRO1835V	35' - High Vis		Please Login



2 Pc. Tongue and Groove Plier Set

- Set includes: 6.5" & 9.5" Tongue & Groove
- High-carbon steel for superior performance on the job and specially coated for ultimate rust prevention
- Right angle, laser heat-treated teeth grip better and last longer
- Undercut tongue and groove design won't slip
- Patented reinforcing edge minimizes stress breakage

Item No.	Retail	Wholesale
GS-1		Please Login



Vise-Grip ProPliers

- Professional-grade tools
- ProTouch™ grips provide extra comfort and reduces hand fatigue
- Machined jaws for maximum gripping strength
- Induction hardened cutting edge stays sharper, longer
- Includes - (1) 6" Slip Joint Pliers and (1) 6" Long Nose Pliers

Item No.	Retail	Wholesale
2078702		Please Login



9" Linesman Pliers

- High carbon C1080 steel and electronic coating for rust prevention
- Laser heat treated for longer lasting cutting edges
- Plastic coated handles
- Round nose

Item No.	Retail	Wholesale
369		Please Login



Tongue and Groove Pliers

- Laser heat treated teeth made of high carbon C1080 steel and electronic coating for rust prevention
- Plastic coated handles


Item No.	Size	Retail	Wholesale
420	9.5"		Please Login
440	12"		Please Login
460	16"		Please Login



7" End Cutting Pliers

- High carbon C1080 steel and electronic coating for rust prevention
- Laser heat treated for longer lasting cutting edges
- Plastic coated handles

Item No.	Retail	Wholesale
357		Please Login



Deck Demon

Designed to quickly remove any type of decking materials as well as any fasteners left behind.

- Reduces time and labor
- Maximum leverage saves your back
- Single & double joist compatible
- No damage to existing structure with patented rocker design
- Commercial grade, all-steel construction



Item No.	Retail	Wholesale
6004		Please Login



3 Pc. Slip Joint Plier Set

- Drop forged
- Cushion grip for comfortable use
- High visibility handles
- 6", 8", 10" lengths

Item No.	Retail	Wholesale
58125		Please Login



Groove Joint Pliers

- Heat treated from high grade steel
- Rib and groove design locks jaws securely in place for a non-slip grip
- Laquer coated to resist rust
- 12" length

Item No.	Retail	Wholesale
57075		Please Login



7" Contractor Diamond Blade

- Circular saw blade
- Turbo rim for fast, smooth cuts
- Ideal for cutting concrete, bricks, sandstone, stucco and roof tiles
- 8,700 maximum RPM
- DM 7/8" to 5/8" arbor

Item No.	Retail	Wholesale
167022		Please Login



Straight Jaw Locking Pliers



- Straight jaws provide maximum contact on flat, square, or hex work
- Curved jaw puts tremendous pressure on four points of any style nut or bolt
- High-grade heat-treated alloy steel
- Guarded release trigger quickly unlocks
- Hardened teeth grip from any angle

Item No.	Retail	Wholesale
10R		Please Login



Mold & Mildew Stain Remover

- Commercial Strength
- No-Scrub
- Trigger Spray
- 32 oz.

Item No.	Retail	Wholesale
ZUMILDEW32		Please Login



Foaming Glass Cleaner

- Convenient, aerosol delivery provides premium glass and mirror cleaning.
- 19 oz.

Item No.	Retail	Wholesale
ZUFGC19		Please Login



Cleaner/Degreaser

- Quickly cleans virtually any hard or soft surface
- Powers out stains and grease
- Safe on granite, upholstery and more
- No harsh fumes
- 32 oz.

Item No.	Retail	Wholesale
ZUAOCD32		Please Login



Simple Green All-Purpose Cleaner

- Strong enough to degrease an engine, gentle enough to remove stains from fabrics
- Non-toxic, biodegradable, non-abrasive
- Concentrated - 1 gallon

Item No.	Retail	Wholesale
2710200613005		Please Login



Quick Clean Disinfectant

- Kills 99.9% of bacteria in 5 sec.
- Cleans, disinfects, deodorizes in one easy step
- 32 oz.

Item No.	Retail	Wholesale
ZUQCD32		Please Login



Fast Orange Pumice Lotion Hand Cleaner

- Biodegradable, waterless, petroleum solvent-free hand cleaner
- Contains no harsh chemicals that can sting cuts and abrasions
- Pure, fresh smelling natural citrus power does the cleaning

Item No.	Size	Retail	Wholesale
25217	64 oz.		Please Login



Drive Belt Dressing

- Prevents belt slippage and glazing
- USDA P-1
- Increases pulling power up to 50%
- Reduces squeaks and slippage
- Works great on generators, fans and pressure washers
- Container size: 16 oz. (12-oz. fill)

Item No.	Retail	Wholesale
DB8079		Please Login



Krud Kutter

- House and siding pressure washer concentrate
- Removes tough stains from mildew, mold, algae, fungus and moss
- 1 Gallon

Item No.	Retail	Wholesale
HS014		Please Login



Carb & Choke Cleaner

- Eliminates rough idling, stalling, engine run-on, and starting hesitation
- Quick and easy to use, fast drying, and leaves no film or residue
- Container size: 16-oz. (12-oz. fill)

Item No.	Retail	Wholesale
CC590		Please Login

**MAKE SURE YOU
CHECK OUT THE**

**BARGAIN
BUYS**

ON PAGE 160-161



Watertight Roof Sealant

- High performance, asphalt-based sealant
- Roof gaps and joints, spotting shingles and repairing minor roof leaks
- 10.1 oz.

Item No.	Retail	Wholesale
18268		Please Login



Underwater Epoxy Putty

- Use on automotive, ceramic, fiberglass, metal
- Great for any type plumbing
- Sets in 30 minutes
- Plugs holes and makes permanent repairs

Item No.	Retail	Wholesale
8277F		Please Login



Sub-floor Construction Adhesive

- For bonding wood, metal, concrete/masonry and FRP panels
- Structural & Sub-Floor
- Interior/Exterior
- VOC Compliant
- 28 oz.

Item No.	Retail	Wholesale
1602142		Please Login

**SPECIAL
PRICE**
**LIMITED
QUANTITIES**

Black ABS Cement

- Medium bodies, medium set, ABS solvent cement designed for use on non-pressure ABS pipe and fittings
- NSF certified and UPC listed
- 4 oz.



Item No.	Retail	Wholesale
018500-24		Please Login



PC-CONCRETE Anchoring & Crack Filling Epoxy

- Product chosen to repair cracks in warehouse and factory floors
- Squirt and apply using a standard size caulking gun
- Cures hard enough to drive over within 3 hours
- Apply to wet or dry surfaces and will accept paint or concrete stain
- 8.6 oz.



Item No.	Description	Retail	Wholesale
072561	Single tube		Please Login
072568	Case of 10		Please Login
900550	Heavy-duty gun		Please Login



Stens Small Engine Parts for Honda



Gas Caps

- For 4 thru 13 HP engines
- OD: 2-13/16"
- 1/4 twist style, vented, plastic
- Honda code 4572392/5344817

Item No.	Retail	Wholesale
125364		Please Login



- For 4 thru 13 HP engines
- OD: 2-3/4"
- Twist lock style, vented, metal
- Honda code 3682028

Item No.	Retail	Wholesale
125368		Please Login



Stop Switch

- For HONDA GX120, GX160, GX200, GX240, GX270, GX340, and GX390
- Honda code 2787869

Item No.	Retail	Wholesale
430602		Please Login



Gas Tank

- For HONDA GX240, GX270, GX340 and GX390; for 8,9,11 and 13 HP engines

Item No.	Retail	Wholesale
125568		Please Login



Carburetor

- For HONDA GX160; for 5.5 HP engines
- Honda code 5266705

Item No.	Retail	Wholesale
520722		Please Login



Carburetor

- For HONDA GX240; for 5 HP engines
- Honda code 5222211

Item No.	Retail	Wholesale
520726		Please Login



Dipsticks

- HONDA GX120, GX140, GX160 and GX200
- Honda code 4500146

Item No.	Retail	Wholesale
125692		Please Login

- HONDA GX240, GX270, GX340 and GX390
- Honda code 4523106

Item No.	Retail	Wholesale
125696		Please Login



Starter Spring

- For HONDA GX120, GX160 and GX200
- Honda code 3683919

Item No.	Retail	Wholesale
155300		Please Login



100' Starter Rope

- Solid braid #5 - Diameter:5/32"

Item No.	Retail	Wholesale
146043		Please Login



Recoil Starter Assm.

- For HONDA GX110, GX120, GX140, GX160 and GX200; for 3.5, 4, 5, 5.5 and 6.5 HP engines
- Honda code 4193033/7546781

Item No.	Retail	Wholesale
150703		Please Login

- For HONDA GX340 and GX390; for 11 and 13 HP engines
- Honda code 3713302

Item No.	Retail	Wholesale
150707		Please Login

- For HONDA GX240 and GX270; for 8 and 9 HP engines
- Honda code 3678844

Item No.	Retail	Wholesale
150711		Please Login

Outdoor Power Equipment Air Filters



Dolmar
605840



Honda
100012



Honda
100784



Honda
100958

Item No.	Description	Retail	Wholesale
605840	Air filter - Dolmar/394173 010		Please Login
100012	Air filter - Honda/17210-ZE3-505		Please Login
100784	Air filter - Honda/17210-ZE1-505		Please Login
100958	Air filter - Honda/17210-ZE0-822		Please Login



Engineer's Raincoat

- Extra long with detachable hood to keep you dry
- Heavy weight .35 mil PVC, polyester backing and corduroy collar
- Non-conductive
- 24 per carton
- Sold individually

Item No.	Size	Retail	Wholesale
E4800	M-5XL		Please Login



Winter Hard Hat Liners

Item No.	Description	Retail	Wholesale
165	32" to -45", 100% cotton, napped flannel interior		Please Login
200	32" to 45", 100% cotton, red heavyweight fleece lining		Please Login
400	0" to -20", full head coverage, wrap around collar, sherpa lining		Please Login
440	0" to -20", heavy-duty, extra-long nape, sheepskin-like lining		Please Login

Premium Rugged Series Rainsuit

- 3 piece suit
- 30" jacket with detachable hood
- Heavyweight .35 mil PVC with polyester backing
- Non-conductive
- Medium through 7XL
- 10 per carton
- Sold individually



Item No.	Size	Retail	Wholesale
PHP570-(Size)	M - 4XL		Please Login
PHP570-(Size)	5XL - 7XL		Please Login



Yellow Slush Boots

- 100% heavy-duty rubber
- 44 mil
- Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 pair per carton
- Sold by the pair

Item No.	Size	Retail	Wholesale
S2117	9-18		Please Login



Black 5 Buckle Boots

- Easy-on/easy-off
- 100% heavy-duty rubber
- Sizes 9-16
- 6 pair per carton
- Sold by the pair

Item No.	Size	Retail	Wholesale
B2511	9-16		Please Login



Transport Tow & Binder Chains

- Grade 70 transport
- Working load limit: 6,600 lbs. - 3/8"
4,700 lbs. - 5/16"
- Clevis type hook

Item No.	Description	Retail	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login

CENTURY
WIRE PRO CABLES



Booster Cables

- Tangle free, twin line construction
- Fits all top and side post
- Heavy duty jacket stays flexible to -30°F



- D1110420YL-Yellow
- 20' length, 4 Gauge, 400 Amps

- D1110130OR-Orange
- 30' length, 1 Gauge, 600 Amps



Item No.	Color	Retail	Wholesale
D1110420YL	Yellow		Please Login
D1110130OR	Orange		Please Login

CargoLoc
COMPLETE CARGO MANAGEMENT



Tow Strap

- Extra long - 2" x 20'
- 17,000 lb. rated capacity
- Reinforced loop
- Yellow

Item No.	Retail	Wholesale
82497		Please Login

Trailer Hitch Ball Mounts

21514

- Chrome finish
- 200/2,000 TW/GTW capacity for 1-7/8" ball hitches, 600/6,000 for 2", and 1,000/10,000 for 2-5/16"



21514

21512

- Box opening of 2" x 2"
- 200/2,000 TW/GTW capacity for 1-7/8" ball hitches, 600/6,000 for 2", and 1,000/10,000 for 2-5/16"
- Tri-Ball



21512


Item No.	Retail	Wholesale
21514		Please Login
21512		Please Login



Heavy-duty CargoBar™

- Retracts to 48"
- Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- Harder to bend and damage

Item No.	Retail	Wholesale
CC5010		Please Login



Wheel Chock

Think safety

- Durable fiber-reinforced rubber compound
- Black
- 9"L x 8"W x 5-3/4"H - 9 lbs.

Item No.	Retail	Wholesale
68-9		Please Login



Rain-X

- Dramatically improves wet weather driving visibility, with and without wipers
- Repels rain, sleet, and snow, frost, salt, mud, bugs and grime
- 7 oz.



Item No.	Retail	Wholesale
RX11212		Please Login



Professional Strength Rearview Mirror Adhesive

- Approved and used by GM, Ford and Chrysler
- Fast-acting
- Permanently remounts mirrors to windshields
- ODC-free



Item No.	Retail	Wholesale
81844		Please Login



SPECIAL PRICE
LIMITED QUANTITIES

Regane Complete Fuel System Cleaner

- Cleans gasoline direct injection (GDI) systems too
- Maximizes fuel economy
- Helps eliminates knocks, pings and hesitation
- Safe for use in turbo and super charged vehicle
- 6 oz.



Item No.	Retail	Wholesale
800001364		Please Login



Headlight Restoration

- Helps restore clear plastic by removing haze and discoloration
- Improves safety with clearer headlight lenses
- Multi-step kit provides a deeper cleaning process than single step products
- Don't replace headlights when you can restore them



Item No.	Retail	Wholesale
800001809		Please Login



Pennzoil - Fix-A-Flat

- Emergency tire repair system seals and inflates most tires in less than one minute
- No jack or tools required
- Can be used on tube or tubeless tires
- 20 oz.



Item No.	Retail	Wholesale
S60430		Please Login



Tubeless Tire Kit

- Allows repair of truck tires without deflating or removing
- Kit contains 5 repair plugs, 6.25" long, T-handle insert tool, T-handle rasp tool and 1 oz rubber cement

Item No.	Retail	Wholesale
22-5-08819-M		Please Login



ProLock Extension Cord Lock

Your extension cords will lock together and not pull apart! Simply push your plug into the ProLock Connector, and the plug and connector instantly lock together.

- Delivers 80 lbs. of pull strength
- Lighted amber power check indicator
- Impact resistant polycarbonate body
- Fitted strain relief for both 10 AWG and 12 AWG cord



Item No.	Description	Retail	Wholesale
Extension cord with cord lock connector			
D14412050WH	50' 12/3 White jacket Pro Lock extension cord		Please Login
D14412050BL	50' 12/3 Blue jacket Pro Lock extension cord		Please Login
D14412050YL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
D14412050YL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
D14412050YL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
D14412050YL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
D14412050YL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
D14412050YL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
D14412050YL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
Connector Only - replaces existing female end on cord			
D12500515BL	ProLock connector - Blue		Please Login



They instantly lock together!!



Push plug into the ProLock™ Connector



Pull down on the collar to release

Extension Cords

- Jacket type SJTW-A

All Sold Individually Or By The Case Your Choice!



Yellow 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D11712100YL	100', lighted	4		Please Login

Orange 10 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D132100500R	50', lighted, triple tap	6		Please Login
D132101000R	100', lighted, triple tap	4		Please Login



White 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login



Yellow 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
123100YN	100' lighted	6		Please Login
12350YN	50' lighted	4		Please Login
D11712050YL	50', lighted	6		Please Login





CENTURY
WIRE AND CABLE

Rental Equipment Cord

- Thermal vinyl plastic rated to -40°F
- 10/3 AWG super heavy-duty cord
- "For Rental Equipment Use" imprinted on cord every 18"
- Highly resistant to abrasion wear
- Maintains superior flexibility
- Jacket type - SJTW-A
- Sold individually

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D117100500R	10/3 50' Orange, lighted	6		Please Login
D117101000R	10/3 100' Orange, lighted	4		Please Login



CENTURY
WIRE AND CABLE

Heavy-duty White Multi-Outlet Cord 6 outlets

- 12/3 50' cord with 600 volt jacket
- The outlets are every 10'
- Lighted ends
- Individually boxed

**12 Gauge
3 Wire
50'**

Item No.	Retail	Wholesale
D1242		Please Login

Ground Fault Circuit Interrupters (GFCI)

- 9" Pigtail - Just plug it in
- Grounded neutral protection
- Open neutral protection
- 4-6 mA fault current protection
- Mechanical trip indicator
- 120v/15 amp
- Individually boxed for hanging



Item No.	Retail	Wholesale
30434-007		Please Login

GFCI Protected Quad (4) Outlet Box

- 125V/15A rated. UL/CUL listed
- Right angle GFCI plug, NEMA-15 P
- 6 feet of 12/3 gauge SJTW cord
- Lighted On/Off switch



Item No.	Retail	Wholesale
30336		Please Login

TOWER 3-Wire Single Outlet GFCI Adapter Plug

- 120V/15 amp
- Individually boxed for hanging
- For indoor use



Item No.	Retail	Wholesale
30439-005		Please Login

In-line GFCI (20 amp)

- Rated for 125 volt, 20 amp use
- LED Power "ON" indicator
- Open neutral and ground neutral protection
- Rated for indoor and outdoor use



Item No.	Retail	Wholesale
30396500-08		Please Login

Triple Tap with In-line GFCI (15 amp)

- 2' cord
- 12/3 AWG
- Yellow
- Tagged for hanging



Item No.	Retail	Wholesale
30438-024		Please Login

User Attachable GFCI (15 amp)

- 2.5 mA Fault detection
- Grounded neutral protection
- Mechanical trip indicator
- Individually boxed for hanging



Item No.	Retail	Wholesale
30434-010		Please Login



“W” Adapter Part

- One male plug and three female connectors, 12/3, STW-A, Vinyl, 18”
- Indoor use only
- Polarized cord

15A/125V



Item No.	Retail	Wholesale
1479		Please Login



Power Cord Adapter

- Converts a Twist-to-Lock 20 amp receptacle to a standard 15 amp grounded receptacle.

Item No.	Description	Retail	Wholesale
09021	Power Cord Adaptor		Please Login
09020	Converts Standard U Ground to Twist-to-Lock (Not Shown)		Please Login



5965P



05984



05985

Plugs and Receptacles

Item No.	Description	Retail	Wholesale
5965P	15 Amp 10 gauge plug, male		Please Login
05984	3-Wire, 15 amp, 12 gauge, male		Please Login
05985	3-Wire, 15 amp, 12 gauge, female		Please Login
LV5259VY	15 Amp 10 gauge, female		Please Login



Yellow Jacket 5 Outlet In-Line Tap

- Outdoor rated with cord lock feature to prevent cords from being accidentally disconnected
- Accommodates 16/3 - 10/3 SJT (300V) up to 12/3ST (600V)
- Connect extension cords together for long power runs
- Durable, yellow overmolded vinyl

Item No.	Retail	Wholesale
997362		Please Login

Standard Nylon Cable Ties (clear)



Sold by the bag

Item No.	Qty Per Bag	Tensile Strength	Overall Length	Retail	Wholesale
33NCT4	100	18 lbs.	4"		Please Login
CV2005	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
36-175	50	50 lbs.	36"		Please Login

Don't starve your power tool motor to death! Determine the ampere rating which is shown on the tool nameplate. Apply this value to the following chart to determine the proper AWG and length of cord.

12/3 AWG Cable

10/3 AWG Cable

50' 15 AMPS
100' 15 AMPS
150' 13 AMPS
200' 10 AMPS
250' 7 AMPS

50' 15 AMPS
100' 15 AMPS
150' 15 AMPS
200' 15 AMPS
250' 13 AMPS



8706UGCX
Roll Cage



Portable Power Distribution Centers

- Portable, flexible, rugged, and reliable power distribution center designed to withstand harsh jobsite conditions.
- It is an economical solution for electrical hook up on the worksite.
- Made in the USA
- Provide economical, durable temporary jobsite power
- Complies with OSHA and NEC specifications

Portable Distribution Center - 01970 & 01972

Power Inlet

- 50A 125/250V
- California style flanged covered w/ cover inlet

Power Outlet

- (1) 50A 125/250V California style receptacle w/ cover
- (1) NEMA L6-30R 30A 250V Locking receptacle w/ cover
- (6) NEMA 5-20R 20A 125V Straight blade receptacles w/ cover

Item No.	Description	Retail	Wholesale
6506UGSX	Power Box - straight blades		Please Login
8706UGCX	Power Box - roll cage		Please Login
01918	50' Cord SEOW W/California Ends		Please Login
01919	100' Cord SEOW W/California Ends		Please Login



Extension Cords for Distribution Centers

Item No.	Description	Retail	Wholesale
01938	50' SEOW w Hubbell Ends		Please Login
01939	100' SEOW w Hubbell Ends		Please Login

Hubbell = 3 prong, curved



Part #	NEMA Plug	Connector
01915	L5-30P	(2) 5-20R
01924	L14-20P	(2) 5-20R
01934	L14-30P	(2) 5-20R
09084	L5-20P	(3) 5-15R

Generator Adapters & Cord Sets

- Increase the number of useable 20 amp connectors
- Clear lighted female ends provide power indication
- Job-site tough, flexible STOW and SJTOW cord jackets provide excellent durability.
- Oil and chemical resistant vinyl jacket
- New Hand Pack boxes
 - allow customers to freely view all cord ends in the box
 - offer immediate counter/store displays

Item No.	Description	Retail	Wholesale
01915	3' - 10/3 STOW L5-30P to (2) Lighted 5-20R		Please Login
01924	3' - 12/4 STOW L14-20P to (2) Lighted 5-20R		Please Login
01934	3' - 10/4 STOW L14-30P to (2) Lighted 5-20R		Please Login
09084	2' - 12/3 STOW L5-20P to Lighted Tri-Source 5-15R		Please Login



Long Handle Round Point Shovel

- #2 front turn step head style
- Black head color
- 47" yellow fiberglass handle
- Square socket
- PermaGrip™ collar, vinyl grip

Item No.	Retail	Wholesale
SVLR40		Please Login



Long Handle Square Point Shovel

- #2 front turn step head style
- Black head color
- 47" yellow fiberglass handle
- Square socket
- PermaGrip™ collar, vinyl grip

Item No.	Retail	Wholesale
SVLS41		Please Login



Rice Shovel

- Used for irrigation
- 46" yellow fiberglass handle
- Perforated round point head style
- Square socket
- Vinyl grip

Item No.	Retail	Wholesale
SVRS40		Please Login



Grain Scoop

- Aluminum head material, #14
- 15.5" x 20" head size
- 29" hardwood handle, steel grip

Item No.	Retail	Wholesale
SVSDA14		Please Login



Trench Cleanout Shovel

- Used for cleaning loose materials from trenches prior to laying cable or pipe
- Blade size: (SVTR403 - 3") (SVTR45 - 5")
- Yellow fiberglass handle
- (48" SVTR403) (45" SVTR45)
- PermaGrip™ collar, vinyl grip

Item No.	Length	Retail	Wholesale
SVTR403	48"		Please Login
SVTR45	45"		Please Login



Heavy Duty Grain Scoop

- 27% thicker than our other scoops for longer wear
- Aluminum head material, #14
- 15.5" x 20" head size
- 36" hardwood handle, steel grip

Item No.	Retail	Wholesale
SVSDA14HM		Please Login



Soil Probe

- Cast metal tip head
- 0.5" x 48" yellow fiberglass shaft handle
- T-cushion grip

Item No.	Retail	Wholesale
SP48		Please Login



Tamper


- 8" x 8" solid cast iron
- 45" yellow fiberglass, cushion handle

Item No.	Retail	Wholesale
TP8FG		Please Login



Snow Squeegee

- 66" blue aluminum handle with vinyl grip, works well on sidewalks and entryways
- Great for slushy areas and features wrap bracing that does not interfere with snow removal
- 3" deep rubber blade which is replaceable
- 36" W x 66" L x 3"D



Item No.	Retail	Wholesale
96636		Please Login

Snow Rake


- 16' aluminum 3-piece handle with vinyl grip
- 24" x 4-5/8" aluminum blade with solid aluminum braces riveted to blade
- Spring steel self-locking snap pins
- Flexible "Shingle Saver" protective sleeve
- ULTRA-light weight



Item No.	Description	Retail	Wholesale
96716	Snow rake		Please Login
96060	5' ext. handle		Please Login

Asphalt Lute

- Aluminum blades are 36" wide
- Serrated edge
- Handle is 84" long & 1" diameter non-oxidizing aluminum




Item No.	Retail	Wholesale
SA8436		Please Login

Barley Fork

- Forged steel, 5 tines head
- 54" hardwood handle
- Ideal for spreading straw or cleaning up debris


Item No.	Retail	Wholesale
AF20		Please Login



Thatching Rake

- 60" hardwood handle
- 20 teeth, 14-3/4"
- Removes thatch and debris from lawns

Item No.	Retail	Wholesale
TR30		Please Login



Snow Pusher

- Black ABS head type
- 12" x 24" head size
- 44" yellow fiberglass handle, poly D grip


Item No.	Retail	Wholesale
SN100		Please Login



Atlas Digger

- 48" yellow fiberglass handles
- 6" point spread
- Vinyl grip

Item No.	Retail	Wholesale
DG100FG		Please Login



Yellow Chore Gloves

- Regular weight
- Straight thumb
- Knit wrist
- 2-layer fleece quilted palm and back
- Clute pattern



Item No.	Size	Retail	Wholesale
3460G	L		Please Login
4203QXL-BG	XL		Please Login

Tagged for Hanging

SHOVELS & RAKES

Shingle Remover

- Notched with fulcrum head
- 48" hardwood handle

Item No.	Retail	Wholesale
SG2LH		Please Login



CHAPIN

Promo Deck Sprayer 1-Gallon

- Ideal for staining, sealing and washing
- Translucent bottle for ease in checking fluid level
- Spray decks, siding, fences and concrete with ease


Item No.	Retail	Wholesale
25041		Please Login



Shingle Remover

- 36" yellow fiberglass handle
- 9" wide head
- Extra-strong steel brace

Item No.	Retail	Wholesale
SG1		Please Login



CHAPIN

SureSpray 2-Gallon Sprayer

- Patented surespray anti-clog filter
- Dry hands measuring cup
- Clean 'n easy design
- Translucent bottle for ease in checking fluid level
- Curved wand and reinforced hose


Item No.	Retail	Wholesale
27020		Please Login



San Angelo Bar

- Forged steel - 1" dia. x 6' long,
- Hexagonal, black head diamond point


Item No.	Retail	Wholesale
DG23		Please Login



Digger Tamper Bar

- Forged steel
- 6' long, chisel point
- 1" diameter, round, handle

Item No.	Retail	Wholesale
DG19		Please Login



Tree Pruner

- Compound action
- Cuts up to 1-1/4" limb
- 14" blade saw
- 7' to 14' extension fiberglass handle

Item No.	Retail	Wholesale
WP6555		Please Login



Woodsmen™

Forestry System

- Perfect solution for chain saw, sandblasting or woodworking
- Gladiator® six point ratchet hard hat
- Earmuffs with cushions
- Molded steel mesh face screen



TASCO


Item No.	Description	Retail	Wholesale
6000W	Entire System		Please Login
1000-5	Replacement suspension		Please Login
2293-1	Foam ear cups		Please Login
4000P	Face shield - clear		Please Login
4000W	Face screen - mesh		Please Login

Metal Detector

- Sensitivity, Depth Adjustment (8 Settings)
- Battery Indicator
- Coin Depth Indicator
- Headphone Jack
- Touch-n-Go Operation
- Length: 42" to 51"
- Weight: 2.7 lbs. (1.2 kgs.)
- 4 AA battery operation (batteries included)
- 2 year warranty



Item No.	Retail	Wholesale
ACE250		Please Login





Includes:

- (1) 4 lb. Head 12 in. Sledge Hammer
- (1) 32 oz. Head 14 in. Ball Pein Hammer
- (1) 2 lb. Head 16 in. Cross Pein Hammer

B.A.S.H Mechanics Hammer Kit

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes

B.A.S.H Sledge Hammers

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes
- Meets ANSI standards

Item No.	Head Size	Handle	Retail	Wholesale
20212	2-1/2 lb.	12"		Please Login
20412	4 lb.	12"		Please Login
20416	4 lb.	16"		Please Login
20630	6 lb.	30"		Please Login
20816	8 lb.	16"		Please Login
20824	8 lb.	24"		Please Login
20830	8 lb.	30"		Please Login
20836	8 lb.	36"		Please Login
21016	10 lb.	16"		Please Login
21036	10 lb.	36"		Please Login
21236	12 lb.	36"		Please Login
21430	14 lb.	30"		Please Login
21436	14 lb.	36"		Please Login
22036	20 lb.	36"		Please Login

Item No.	Retail	Wholesale
11111		Please Login



B.A.S.H Splitting Mauls

- Unbreakable Technology: Steel core design prevents breaking during overstrikes
- Safety Plate: Locks head firmly to handle eliminating dislodging
- No-Slip Grip: Textured handle for secure grip while striking
- Anti-Vibe Neck: Ergonomically designed to prevent injury from repeated job site use

Item No.	Head Size	Handle	Retail	Wholesale
50636	6 lb.	36"		Please Login
50836	8 lb.	36"		Please Login


Deck Demon

Designed to quickly remove any type of decking materials as well as any fasteners left behind. The most efficient and effective tool to remove decking materials!

- Reduces time and labor
- Maximum leverage saves your back
- Single & double joist compatible
- No damage to existing structure with patented rocker design
- Commercial grade, all-steel construction
- 46" long



Item No.	Retail	Wholesale
6004		Please Login



OUTDOOR EQUIPMENT



2-year warranty on transmission



Maxim Commercial Tiller

MOST POPULAR

- 160CC Honda engine
- Durable, simple to operate and maintain
- Heavy-duty frames have additional reinforcement at points of stress
- Transmissions enclosed in special design double-welded case
- Extra metal shield keeps wire and vines from getting into seal
- Tillers feature heavy-duty transport wheels & hitch
- Heavy-duty replaceable slasher tines are standard
- Transmission - Roller chain and sprocket sealed and running in oil
- Handles - 11-gauge seamless tubular steel w/ braces
- Tilling Width - 14" to 26" standard
- Wheels - Heavy-duty transport wheels with spring loaded latch pin

Item No.	Description	Retail	Wholesale
RMT55H	Tiller		Please Login
130761	Set of 4 tines		Please Login



Bolt on blades are easier to replace



Maxim Commercial Compact Tiller

- 120CC Honda OHV
- Transmission - Roller chain and sprocket, sealed and running in oil
- Tines - 11" Bolo, self-sharpening, heavy-duty non-winding, forged steel
- Tine Shaft - Case hardened carbon steel
- Tilling Width - 13" or 19" standard
- Tilling Depth - Up to 8"
- Handles - 14 gauge seamless tubular steel w/braces
- Clutch - Hand controlled belt tightener
- Frame - All steel, welded and braced
- Wheels - Adjustable or removable for tilling

Item No.	Description	Retail	Wholesale
RM4H	Tiller		Please Login
130832	Set of 4 tines		Please Login



6 Cu. Ft. Wheelbarrow



- Poly tray
- 16" 2-ply tires
- Hardwood handle
- Heavy-duty channel steel front braces

Item No.	Retail	Wholesale
WB6P		Please Login



Compost Spreader

- "Sifting" action spreader
- Keep trash inside the drum and off the lawn
- Spread peat moss, mulch, compost, etc.
- 24" wide x 18" diameter
- All steel construction

Item No.	Retail	Wholesale
85755		Please Login





Paint Striper

800P Vers-A-Striper (pavement)

- Stripe widths from 2" to 4"
- Heavy-duty metal construction
- Holds 1 case of paint
- Paint radius curves with ease
- Curb and edge attachment included

Item No.	Retail	Wholesale
800P		Please Login



Solvent-Based Striping Paint

- Perfect for concrete and asphalt
- Fast drying, one coat coverage
- 18 oz. cans - net weight
- Sold individually

Item No.	Description	Retail	Wholesale
710P	White		Please Login
720P	Yellow		Please Login
740P	Orange		Please Login
750P	Blue		Please Login
770P	Asphalt Black		Please Login



More Paint Available on Page 58



Athletic Paint Striper

801P Vers-A-Striper (turf and dirt)

- Stripe widths from 2" to 4"
- Larger 10" diameter wheels
- Metal construction - heavy-duty
- Holds 1 case of paint (12 per case)

Item No.	Retail	Wholesale
801P		Please Login

Water-Based Athletic Striping Paint

- Will not burn grass
- Fast drying, long lasting
- 18 oz. cans - net weight
- Sold individually

Item No.	Description	Retail	Wholesale
790P	White		Please Login

Will cover 800 linear ft. with a 4-inch stripe!



36" Plug Aerator with Wheels

- Loosen soil
- Increase water filtration
- Increase oxygen
- Release carbon dioxide
- Encourage root growth
- 200 lb. capacity/24 gallons
- Overall width 52"
- Rolls on 1" grease-able pillow block bearings
- Wheels are 2 ply, 4.10x 3.50x 4 (for off-road use only)
- Bolt in sod pluggers

Item No.	Retail	Wholesale
MSP36		Please Login



48" Spike Aerator with Wheels

- Tank can be filled with water for added weight
- Unit is heavy to begin with
- Wheels are bolted in place with no pins or latches to rotate the tow bar 180° while lowering or lifting the drum
- Loosen soil
- Increase water filtration
- Increase oxygen
- Release carbon dioxide
- Encourage root growth
- Rolls on 1" grease-able pillow block bearings

Item No.	Retail	Wholesale
MSAT48		Please Login



HOLES DIGGERS

One-Man Hole Digger

- Engine 1.3 HP (1000 W) Honda GX35, all-position, 4 Stroke
- Starter Hand rewind
- Fuel-Gasoline
- Transmission Totally enclosed, spur gear, grease lubricated
- Maximum Digging Torque 51 ft. lbs.
- Auger Rotation Speed 166 RPM, no load
- Auger Drive Connection 1" round
- Available Auger Diameter Range 2" to 8"
- Standard Auger Digging Length 30"
- Weight (less auger) 28 lbs.
- Auger sold separately



Item No.	Description	Retail	Wholesale
242H	Hole Digger		Please Login
2350-4E	4" auger		Please Login
2350-6E	6" auger		Please Login
2350-8E	8" auger		Please Login
2350-15X	15" extension w/o flighting		Please Login



Two-Man Hole Digger

- 5.5 HP Honda GXV160, 4-cycle engine
- Totally-enclosed, oil-lubricated spur gear reduction
- All-metal centrifugal clutch
- Approximately 190' lbs. drilling torque
- 1-3/8" hexagon drive shaft connection
- Weight (less auger) 71 lbs.
- Auger sold separately

Item No.	Description	Retail	Wholesale
332H	Hole Digger		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login
5500-15X	15" extension w/o flighting		Please Login

*Special Order Only; non-cancelable



One-Man Towable Hole Digger

- 8 GPM fixed displacement gear type hydraulic pump, low speed, high torque hydraulic motor direct coupled to the auger
- Includes 10 micron return line filter, suction screen & return line diffuser
- 13 HP Honda GX390
- 276 lbs. at 2000 PSI Max. drilling torque
- 144 RPM auger rotation speed
- 1-3/8" hexagon standard
- Tires - 4.80-12 highway use rated
- Dimensions - 113"L x 41"W
- Weight (less auger) 400 lbs.
- Auger sold separately

Item No.	Description	Retail	Wholesale
660H	Hole Digger*		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login

*Special Order Only; non-cancelable

Replacement Wear Parts For Augers



35PAK7

Standard dirt tooth, thin cross section for fast penetration, wears sharp. For ordinary digging conditions. Can install in all boring head sockets. Includes RUB-R-LOKTM. Pack of 7.



35HFCPAK7

Hard-faced dirt tooth for substantially increased wear life. For ordinary digging conditions. Can install in all boring head sockets with hardfacing up. Includes RUB-R-LOKTM. Pack of 7.



5T30PAK3

Chisel dirt tooth. Rips through caliche, hardpan and other formations. For install inside, boring head sockets only, rib side facing up. Not for use alone w/6 inch diameter auger. Includes RUB-R-LOKTM. Pack of 3.



AT1336

Tungsten Carbide tooth. For use in extremely abrasive and frozen soil. Extended wear life. Can install in all boring head sockets. Use in rocky soils may shatter inserts. Includes RUB-R-LOKTM. Pack of 1.



SB25PAK3

Auger screw bit. For 2-1/4, 14, 16 and 18 inch diameter augers. Includes mounting bolt and nut. Pack of 3.



P801PAK3

Auger screw bit, 2 inch auger diameter only. Pack of 3.

Item No.	Description	Use With	Retail	Wholesale
35PAK7	Standard tooth - Pkg. 7	332H		Please Login
35HFCPAK7	Hardfaced tooth - Pkg. 7	332H		Please Login
5T30PAK3	Chisel tooth - Pkg. 3	332H		Please Login
AT1336	Tungsten tooth - Pkg. 1	332H		Please Login
SB25PAK3	Screw bit - Pkg. 3	332H		Please Login
P801PAK3	Screw bit - Pkg. 3	242H		Please Login



25 Person First Aid Kit

- Great for shops, jobsites, vehicles, hunters, camping

CONTENTS	QTY.
1" x 3" Adhesive Strips	100
8"x10" Large Wound Dressing	1
4"x4" Gauze Pads	5
4"x5yd Gauze Bandage, 4"	1
1/2"x5yd Adhesive Tape	1
40" Triangular Bandage	1
Antiseptic Wipes	30
First Aid Cream Packets	6
Cold Pack	1
Latex Exam Gloves	2
Scissors	1
Forceps	1
First Aid Instructions	1



Item No.	Retail	Wholesale
6080		Please Login



50 Person First Aid Kit

- Great for shops, jobsites, sporting events



CONTENTS	QTY.
1" x 3" Adhesive Strips	100
4"x4" Sterile Gauze Pads	10
8"x10" Sterile Combine Pad	2
1/2"x5yd Adhesive Tape	1
4"x5yd Non-Sterile Gauze	2
40" Triangular Bandage	2
Antiseptic Wipes/Burn Cream	30
Antiseptic Wipes	1
First Aid Burn Cream Packets	6
Instant Cold Pack	2
Latex Exam Gloves	2
Scissors	1
Forceps	1
First Aid Instructions	1

Item No.	Retail	Wholesale
6088		Please Login



Double Bottle 16oz. Eye Wash Station

- 2 each
- Bottles of sterile isotonic buffered solution for flushing or irrigating the eyes on a dual wall mount ready station
- Includes eye cups for easily focusing the fluid stream



Includes 2 eye cups


Item No.	Description	Retail	Wholesale
24102	Complete station		Please Login
24101	Replacement bottle		Please Login
24 replacement bottles in a case			



phpdistribution.com

ORDER ONLINE!

- Secure Site
- Check Account Status
- Look Up Individual Parts



Portable Eyewash Station



- Compliance - ANSI Z358.1
- 1-hand operation
- Gravity fed
- No plumbing required
- Size: 25-1/2" x 20" x 9-1/2"
- Eyewash preservative #5136
- 15 minute flow time



Item No.	Retail	Wholesale
5134-00		Please Login

Supply Refills for all First Aid Kits



Item No.	Description	Retail	Wholesale
1-200	1"x3" adhesive strips(100)		Please Login
1-100	3/4"x3" adhesive strips(100)		Please Login
1-550	1"x3" heavy woven fabric strips(50)		Please Login
1-825	Heavy woven knuckle bandage(25)		Please Login



White Duct Tape

- Polyethylene coated cloth
- Use for indoor/outdoor carpet or vinyl tent sidewall repair
- 24 per carton
- 9 mil

Item No.	Size	Retail	Wholesale
20CW2	2" x 60 yards		Please Login



Carton Seal Cleartape

- 2.0 Mil
- Exceptional strength and flexibility with excellent adhesion
- Best for carton sealing, bundling and securing loose objects during shipment
- Temperature, tear and impact resistant
- Polypropylene Film

Item No.	Size	Retail	Wholesale
9852	2" x 55 yards		Please Login



Tarp/Visqueen/ Sidewall Tape

- Heavy-duty poly tape
- Repair tarps, visqueen or sidewalls
- Resists cracking or peeling
- 24 per carton

Item No.	Size	Retail	Wholesale
82736	2" x 36 yards		Please Login



7 Mil Vinyl Electrical Tape

- UL approved
- Indoor & outdoor
- Sold in sleeves of 10
- 20 sleeves per case

Item No.	Size	Retail	Wholesale
VE75	3/4" x 60'		Please Login



Thread Sealing Tape

- Pipe thread connections
- Air, propane or natural gas
- 200 per carton

Item No.	Size	Retail	Wholesale
UT11	1/2" x 260"		Please Login



Painters Tape

- Removes cleanly and easily for up to 14 days without leaving adhesive residue
- Use with water-based and solvent-based coatings
- Medium Adhesion

Item No.	Size	Retail	Wholesale
2090-48A	1.88" x 60 yards		Please Login



Nifty® Hand Tear ClearTape

- 3.2 Mil
- Uses serrated edges for simple hand tearing
- Works in cold weather and outdoors
- 36 rolls per carton

Item No.	Size	Retail	Wholesale
T3761	2" x 55 yards		Please Login



Utility Grade Duct Tape

- Conforms well to irregular surfaces
- Easy unwind
- Industrial strength
- 24 per carton


Item No.	Size	Retail	Wholesale
493	1-7/8" x 60 yards		Please Login





Blue Poly Tarps

- 8 x 8 Scrim
- 3' grommet spacing
- Roped Hem
- 30 micron coating
- 5-6 mil
- Sold individually



NEW !
Biolet grommet.
Stronger and
Rust Proof!!!

Item No.	Ctn Qty	Size	Retail	Wholesale
B1010-068	40	6' x 8'		Please Login
B1010-810	25	8' x 10'		Please Login
B1010-1012	18	10' x 12'		Please Login
B1010-1216	10	12' x 16'		Please Login
B1010-1620	5	16' x 20'		Please Login
B1010-2020	5	20' x 20'		Please Login
B1010-2030	3	20' x 30'		Please Login
B1010-2040	3	20' x 40'		Please Login
B1010-3040	2	30' x 40'		Please Login
B1010-4040	1	40' x 40'		Please Login
B1010-4060	1	40' x 60'		Please Login

Sold Individually



Rubber Tarp Straps

- Molded of 100% EPDM Rubber
- Guaranteed elasticity for up to one year

Item No.	Strap Lgth	Retail	Wholesale
STR9	9"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login



Dispenser and roll are sold separately

Each Roll Is 1/4 Mile Long!

Large Stretch Wrap

- 18" x 1500'
- Extra wide

Item No.	Description	Retail	Wholesale
80183	Large stretch wrap		Please Login
12018	Metal dispenser (as in photo)		Please Login
4 per carton			



Small Stretch Wrap

- Fits in the glovebox or toolbox
- 15 in a case

Item No.	Size	Retail	Wholesale
51000	5" x 1000'		Please Login



Elastic Tie Down

- Elastic design provides constant tension and a firm hold
- Use for quick load binding
- Includes: 2 each of 12", 18", 24"
- Blister package for hanging

Item No.	Retail	Wholesale
28380		Please Login



6 Piece Flat Bungee Pack

- Molded steel hooks with protective coating
- 3/4" wide cords for added surface contact
- Includes: 2 each of 15", 25"
1 each of 35", 45"

Up to 4x Stronger

Item No.	Retail	Wholesale
32407		Please Login



TILE SAWS

Combicut Wet Tile Saw

- Cuts tile, stone or masonry
- Powerful 1.75 hp 110v 15amp motor turns the blade at 2800rpm
- 28" cutting length extends to 31" with plunge cut
- Super light at 72lbs for this length of cutting ability
- Accurate 45 degree miter cuts with tilting head and rail system



Specifications

- Blade Diameter: 10"
- Blade Shaft Diameter: 5/8"
- Max. Cutting Length: 28"
- Max. Cutting Depth: 4.75"
- Motor Rating: 1.75HP, 110v, 15 amp
- Blade Speed: 2,800 RPM
- Weight: 72lbs
- Water Pan Capacity: 10 Gallons
- Water Pump Flow: 3 GPM
- Noise Level: 78 dB(A)
- Length: 40"
- Height: 22"
- Width: 18"
- Accuracy of 1/32" allows for seamless cutting
- ABS water tub

Includes

- High quality miter gauge
- Built in laser for accurate long piece cutting
- Removable side table to increase width for large tile
- 10" CR continuous rim blade for tile, stone, and porcelain
- Square steel folding stand



10" Continuous Rim Wet Cut Tile, Stone & Porcelain Diamond Blade

Item No.	Description	Retail	Wholesale
1188164	Tile Saw		Please Login
B000006	10" Wet cut blade		Please Login

10" Wet Tile Saw

- 1000W induction motor which makes every cut quickly, easily and reduces noise
- Tilting head allows users to make bevel cut easily
- Anti-slip rubber cutting table provides a firm grab for accurate cuts
- Maximum cutting length up to 24" for straight cut & 18" for diagonal cut
- Rail minor adjustment with hex wrench for quick and easy adjustment
- Stainless steel rails for smooth tracking of the table



Specifications

- Motor size: 1.5HP
- Voltage: 120
- Maximum Diagonal Tile Cut 18"
- Maximum Tile Cut Size Rip 26"
- Angle Cut - Yes
- Plunge Cut - Yes
- Bevel Cut - Yes
- Rip Cut - Yes
- Sliding Table - Included
- Splash Guard - Included
- Maximum Speed (RPM) - 360
- UL Safety Listing - Yes
- Weight (lbs.) 82
- Arbor Diameter 5/8"

Includes

- 10" wet tile saw
- 1 tile blade (10")
- Detachable stand
- Water pump
- Rust proof tray
- Splash guard

Item No.	Description	Retail	Wholesale
VA-TS-10	Tile Saw w/stand		Please Login
425-02992	10" Premium Tile Blade		Please Login



Velo Slimline Blower

- Broad-path airflow
- Low profile
- Daisy-chain with GFCI outlet
- Tough rotomolded housing
- Cord wrap and easy-carry handle
- Multiple position versatility
- **F504**



Item No.	CFM	Volts	Amps	Retail	Wholesale
125470	885	115	1.9		Please Login



Sahara Pro X4 TurboDryer

- Versatile 3-speed, 3-position operation
- GFCI outlets to connect up to 6 units
- Built-in carpet clamp for under-carpet drying
- Lightweight, easy-carry design
- Secure stacking vertically for storage



Item No.	CFM	Volts	Amps	Retail	Wholesale
124315	867	115	1.9		Please Login



Shipp Carpet Cleaning Chemicals



2 oz. of product to 1 gallon of water!

Marvel Steam Cleaner

The ideal product for top quality, one step, convenient carpet cleaning.

Item No.	Description	Ctn.	Retail	Wholesale
S00562	Marvel, 32 oz.	12		Please Login
S00563	Marvel, 64 oz.	6		Please Login
S00564	Marvel, 128 oz.	6		Please Login



Presto 3 Mini Carpet Extractor/Spotter

- Convenient 2 gallon capacity
- Translucent recovery tank
- 8' x 1" hose, 25' 18/3 cord
- 19" L x 10" W x 17" H
- Weight: 16.3 lbs
- Clear view hand tool shows cleaning results
- 1.16 HP (870 watt) vacuum motor and 55 psi pump

1-YEAR WARRANTY

Traffic Lane Pre-Cleaner - 12 per carton

Loosens tough spots from high traffic lanes.

Item No.	Description	Retail	Wholesale
S00531	Pre-Cleaner, 32 oz.		Please Login

UrineRx - 12 per carton

Specially engineered to remove urine odor.

Item No.	Description	Retail	Wholesale
URINERX	UrineRX, 32 oz.		Please Login

Item No.	Retail	Wholesale
PRS3		Please Login

All Chemicals Are Sold By The Bottle



RIP-R-STRIPPER **Handheld** Floor Stripper

- Ideal for closets, bathrooms and other difficult to access locations
- 1400W, 115 VAC, 60 HZ electric motor; manually operated
- 5 inch maximum blade cutting width
- Two position handle for easy maneuvering
- Heavy-duty, sealed ball bearings
- Integral current interruption protection
- Includes heavy-duty case and two FCS5-1500 5" self-scoring blades
- Weighs 9 lbs.

Item No.	Retail	Wholesale
FCS5AC		Please Login



RIP-R-STRIPPER **Generation 2** Floor Stripper

- For small to mid-size rooms
- 2300W, 115 VAC, 60 HZ electric motor; manually propelled
- 10 inch maximum blade cutting width
- Anti-Vibe™ caster wheels
- Quik-A-Tach™ composite handle
- Heavy-duty, sealed ball bearings
- Easy transport in today's small vehicles
- Includes FCS16-1100 4" x 6" and FCS16-1300 3" x 10" straight blades
- Weighs 27 lbs.

Item No.	Retail	Wholesale
FCS10GEN2		Please Login



RIP-R-STRIPPER **Generation 3** Floor Stripper

- For projects up to 10,000 square feet
- .75 HP, 115 VAC, 60 HZ electric motor; manually propelled
- 16 inch maximum blade cutting width
- Unitized, welded steel frame
- Back-Saver™ Blade Control System
- Single point bearing lubrication
- Magnetic-type ON/OFF switch
- 37 foot extension cord w/GFI
- Includes FCS16-1100 4" x 6" and FCS16-1300 3" x 10" straight blades
- Weighs 132 lbs.




Folding handle makes it easy to transport.

Item No.	Retail	Wholesale
FCS16GEN3		Please Login



RIP-R-STRIPPER Blades



Item No.	Machine	Description	Retail	Wholesale
FCS5-1500	FCS5AC	Scoring, 5" W, For removing carpet, linoleum and VCT, 1 PK		Please Login
FCS16-1050PAK2	FCS10 & FCS16	Scoring, 3" W, For high bond materials from concrete only, 2 PK		Please Login
FCS16-1100PAK3	FCS10 & FCS16	Straight, 6" W, For removing VCT type materials from concrete floors bevel up/fromwood floors bevel down, 3 PK		Please Login
FCS16-1200PAK2	FCS10 & FCS16	Angled, 6" W, For mastics from concrete floors only, 2 PK		Please Login
FCS16-1300PAK3	FCS10 & FCS16	Straight, 10" W, For removing VCT type materials from concrete floors bevel up/fromwood floors bevel down, 3 PK		Please Login
FCS16-1500PAK2	FCS10 & FCS16	Scoring, 8" W, For removing glued carpet, sheet linoleum rubberand PVC materials from concrete floors only, 2 PK		Please Login
FCS16-1600PAK2	FCS10 & FCS16	Scoring, 8" W, For removing glued carpet, sheet linoleum rubberand PVC materials from wood floors only, 2 PK		Please Login



- KIT INCLUDES**
- Pointed Chisel
 - Articulating Auxiliary Handle
 - Carrying Case with Wheels
 - Grease tube
 - Cleaning rag

Bosch Breaker Hammer

- Unmatched power to weight ratio; 34-feet-per-pound of impact force; fastest removal rate in its class by far
- Active vibration control handle
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Rugged durability--metal tube and case design handles tough jobsite use and abuse

Item No.	Retail	Wholesale
11335K		Please Login

Floor Removal Cart



- Robust cart design
- Ergonomic 5 angle adjustment options
- Works With 35lb to 40lb Breaker Hammers - 11355K
- Star knob mounting system
- Large, sturdy wheels
- Versatile application options – allow for fast and efficient removal of vinyl, floor tiles, and cork from concrete, wooden surfaces and more


Item No.	Retail	Wholesale
GHT130		Please Login

Rip-R-Stripper Cart



**Please Note: The carts listed below come with one mounting kit.*

- Removes ceramic tile, hardwood floor and other tough coverings
- Acts as a tool carrier for electric-powered breakers with ratings between 30 and 45 ft.-lbs.
- Quick adjustment provides 5 breaker tool angles relative to floor



***Breaker Not Included**

Includes One Mounting Kit!!

Item No.	Breaker Model	Availability	Retail	Wholesale
CTS10-1000A	Makita HM1500B Makita HM1307C	Drop Ship		Please Login
CTS10-1100A	Makita HM1317CB Makita HM1307C	Drop Ship		Please Login
CTS10-1200A	Bosch 11335K Bosch GSH 16-28	Drop Ship		Please Login
CTS10-1300A	Hilti TE905-AVR	Drop Ship		Please Login
CTS10-1410A	Hilti TE1000-AVR	Drop Ship		Please Login
CTS10-1600A	Hitachi H65DS2	Drop Ship		Please Login
CTS10-2100A	DeWalt D25941K DeWalt D25951K	Drop Ship		Please Login

Mounting Kits



- Use these different mounting kits to attach the Rip-R-Stripper to different 35 lb. electric powered, hand-held breaker hammers.

The Rip-R-Stripper Cart comes with one mounting kit at no additional charge.

*If you need an **additional** mounting kit, please specify which one when ordering.*

Item No.	Breaker Model	Retail	Wholesale
1000A	Makita HM1500B Makita HM1307C		Please Login
1100A	Makita HM1317CB Makita HM1307C		Please Login
1200A	Bosch 11335K Bosch GSH 16-28		Please Login
1300A	Hilti TE905-AVR		Please Login
1410A	Hilti TE1000		Please Login
1600A	Hitachi H65DS2		Please Login
2100A	DeWalt D25941		Please Login

Floor Scrapers



Heavy-duty Scraper

Item No.	Description	Retail	Wholesale
FSHD-103B-100S	Scraper 1-1/8" Shank		Please Login
FSHD-905-100S	Scraper Hilti 805/905/1000 Shank		Please Login
FSHDB-2MM	Repl. Blade		Please Login
FSHDKIT-L	Repl. Hardware		Please Login



Sure Lock Scraper

Item No.	Description	Retail	Wholesale
FSA-MAX-100	Scraper SDS Max Shank		Please Login
FSA-ROTARY-100	Scraper Spline/Rotary Shank		Please Login
FSAB-2MM	Repl. Blade		Please Login
FSARKIT-L	Repl. Hardware		Please Login



FSP Scraper System

Item No.	Description	Retail	Wholesale
FSP-2MM-4	4" Scraper SDS Plus Shank		Please Login
FSP-2MM-8	8" Scraper SDS Plus Shank		Please Login
FSPB-2MM-4	4" Repl. Blade		Please Login
FSPB-2MM-8	8" Repl. Blade		Please Login
FSPRKIT-L	Repl. Hardware		Please Login

FLOOR INSTALLATION



Multi-Undercut Saw Kit

- Undercuts along walls, door jambs, under toe spaces, and will also fully undercut inside corners
- Height of cut is easily adjustable from flush to one inch above the floor
- Base prevents tipping and assures accurate, level cutting
- Heavy duty industrial motor
- "Dual angle" precision depth gauge
- Cuts inside corner completely
- Cuts flush to the floor with a carbide blade
- Rating: 120 Volt AC
- Amperage: 7.0
- No-load RPM: 11,000
- Max Cutting Height: 1"
- Max Cutting Depth: 1-1/4"
- Weight: 11.0 lbs

- Includes:
- 575 Multi-Undercut Saw
 - Carbide-Tipped Blade (#556)
 - Hex wrench
 - Carrying Case

Item No.	Description	Retail	Wholesale
575	Saw		Please Login
556	Blade		Please Login



Carbide-tipped blade (#556) included



Toe-Kit Saw Kit

- Cuts flush to the inner wall of a toe space in a cabinet or counter area to remove old underlayment
- Clutch mechanism that may disengage to reduce kickback forces if the saw is abused by cutting curves or cutting backward
- Fixed cutting depth for perfect flush cuts
- Powerful 11 Amp, 2-1/2 hp motor with helical gears
- Will fit under toe-kicks as low as 3" in height
- For blade changes, the spindle lock stops the blade rotation, so that the blade can be easily removed
- Rating: 120 Volt AC
- Amperage: 11.0
- Horsepower: 2-1/2
- No-load RPM: 4,500
- Weight: 11.8 lbs

- Includes:
- 775 Toe-Kick Saw
 - 3-3/8" Saw Blade(#787)
 - Carrying Case
 - Hex wrench

Item No.	Description	Retail	Wholesale
775	Saw		Please Login
787	Blade		Please Login



Carbide-tipped blade (#787) included



Linoleum Roller


- All steel trouble free construction
- Detachable handle
- Use on: linoleum, vinyl sheet goods, rubber tile, vinyl tile, cork tile, wood block tile, and roofing systems
- 100 lbs.

Item No.	Retail	Wholesale
GU100LR		Please Login

MultiTalent Start Q Oscillator Multi-Tool-FMT250QSL

The universal system for interior construction and renovation with QuickIN and the basic accessories for sanding and sawing.

- Highest quality and stability
- Powerful 250 Watt FEIN high-performance motor
- Convenient, tool-free accessory change
- Electronic speed control
- Softgrip zone provides optimal handling
- Power consumption 250 Watts
- Oscillations 11,000-20,000 rpm
- Weight according to EPTA 3.1 lbs
- Cable with plug 16.4 ft



- Includes:
- FEIN MultiTalent FMT250QSL
 - Backing pad
 - 3 of each sanding sheet (grits 80, 120, 180)
 - Universal E-Cut saw blade 1-3/4"
 - Nylon tool bag

Item No.	Description	Retail	Wholesale
72297262090	Oscillator multi-tool		Please Login
63502221270	2" Saw Blade (3-Pack)		Please Login



Carpet Knee Kicker

- Recessed trigger for length adjustment in five settings from 17¾" to 21¾"
- Nine different depth settings
- Gripping head includes three nap grips and a pin plate with 16 hardened steel pins
- Bumper is made from rubber for durability and provides a firm feel and impact that is preferred by many installers
- Comes with gripper cap
- Bumper, nap grips, and pin plate are replaceable
- Net weight: 3 lbs.

Item No.	Retail	Wholesale
445		Please Login



Carpet Knee Kicker

- Adjustable depth setting
- Pin plate with four rows of four hardened steel pins
- Nine depth adjustments in 1/32" increments
- Each pin plate also includes two 'Power Rods' for best force transfer
- Pins can be completely retracted to permit use of the three nap grip inserts on lightweight or low pile carpet
- Snap on plastic cover to protect the pins when not in use and a seamless foam filled bumper that can be rotated for even wear
- Black powder coat finish
- Net weight: 5 lbs.

Item No.	Retail	Wholesale
505		Please Login



4" Wide Stair Tool with Molded Cushion Grip

- Used for tucking carpet into the tackless strip/wall gully and to drive carpet into a stair crotch
- Tough chisel type alloy steel, and is bright nickel plated to resist rust and corrosion
- Blade is ground to the correct smooth slim taper, and oversize heads resist hammer damage
- 8" long and a molded cushion grip

Item No.	Retail	Wholesale
152B		Please Login



Jr Power Carpet Stretcher

- Head assembly is made of a lightweight cast aluminum
- 14-1/2" wide metal pin plate holds 59 rust resistant nickel plated pins
- 14-1/4" wide tail block assembly has a non-marring rubber pad and glides on each of the 1" ball type casters
- Minimum operating length is 34-1/2", and opens to 22' with four tubing sections

Includes: Adjustable 14" Transfer Tube, Head Assembly, Tail Block Assembly, Steel carrying case, (4) Steel Stretcher Tubes

Item No.	Retail	Wholesale
400-CS		Please Login



24" Tile Cutter with Casters

- Makes precise cuts on large tile with ease
- Use on rubber, vinyl comp. and solid vinyl tiles
- Can also cut carpet tiles and other flooring materials
- Makes straight cuts up to 24" tile
- Full diagonal cuts on 12" tile
- Dual measuring scale
- Alloy steel blades

Item No.	Retail	Wholesale
H-24		Please Login



12" Tile Cutter with Casters

- Fantastic, high performance tile cutter
- Clean cuts for all types of resilient floor tile
- Cuts solid vinyl tile, asphalt, rubber, cork, linoleum, felt-backed vinyl, marble translucent vinyl, and more
- Expertly designed for a fast, convenient, and durable work experience

Item No.	Retail	Wholesale
H-76-1		Please Login

FLOOR SANDERS



Electrical Orbital Sander

- Sanding path: 18"
- Pad size: 12" x 18"
- Motor: 1HP
- Power cable: 14-3 50'
- Size (L x W x H): 19" x 20" x 45"
- Shipping weight: 145 lbs.
- Powerful totally enclosed motor requires less maintenance
- Rigid cast aluminum pad driver provides increased durability
- Designed specifically for fine finishing of hardwood floors
- Large non-marking transport wheels
- Precision balanced for smooth operation
- **OBS18DC is 07081B**



Item No.	Retail	Wholesale
OBS18DC		Please Login

Orbital Floor Sanding Sheets

- Pressure Sensitive Adhesive "Sticky-Back" Backing
- Sold individually



Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
PSA Abrasive Sheets - "Sticky-Back" Backing					
206-34100	B1810	12" x 18"	100	20	Please Login
206-34080	B1880	12" x 18"	80	20	Please Login
206-34060	B1860	12" x 18"	60	20	Please Login
206-34036	B1836	12" x 18"	36	20	Please Login
206-34020	B1820C	12" x 18"	20	20	Please Login



Orbital Floor Maintenance Thick Pads

- Sold individually



Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
416-54187	J182W	12" x 18"x1" White	5		Please Login
416-54186	J182T	12" x 18"x1" Tan	5		Please Login
416-54185	J182G	12" x 18"x1" Green	5		Please Login
416-54184	J182B	12" x 18"x1" Black	5		Please Login
416-54180	J182R	12" x 18"x1" Red	5		Please Login



EZ-8 Sander 8" Drum Sander

- Heavy duty 1-1/2 HP dual capacitor motor is totally enclosed and dust free
- Non-slip cogged belt
- Easy change sandpaper
- Dismantles easily
- 40' power cable
- Designed for years of service
- Weight - 105 lbs.



Item No.	Retail	Wholesale
07058A		Please Login

Silicon Carbide Sandpaper Model 7057A only (clamp type)

- 8" x 19-1/2"

Virg. Abr. Item No.	Abmast Part#	Description	Pkg. Qty.	Retail	Wholesale
002-08100	B5210	100 Grit	50		Please Login
002-08080	B5280	80 Grit	50		Please Login
002-08060	B5260	60 Grit	50		Please Login
002-08036	B5236	36 Grit	50		Please Login
002-08024	B5224C	24 Grit	50		Please Login
002-08020	B5220C	20 Grit	50		Please Login
002-08016	B5216C	16 Grit	50		Please Login



Sandpaper

Model 7058A (expandable type)

Virg. Abr. Item No.	Abmast Part#	Description	Retail	Wholesale
Sandpaper is for Expandable Sander				
018-81996	C8912	120 Grit		Please Login
018-81994	C8910	100 Grit		Please Login
018-81980	C8980	80 Grit		Please Login
018-81960	C8960	60 Grit		Please Login
018-81940	C8940	40 Grit		Please Login
018-81936	C8936	36 Grit		Please Login
018-81924	C8924	24 Grit		Please Login
10 per carton				



FG10 10" Electric Concrete Floor Grinder

- 1,730 RPM / 1.5 HP Electric Motor
- 15 Amps, 120V
- Plate Type: Standard 250MM
- Plate Bolt Type: M 12x25 Counter Socket
- Weight: 106 lbs.
- Direct Drive to the Plate
- Automatically Adjusting Shroud
- Removable Shroud Sections
- Water Connection for Wet Grinding
- Foldable Handle for Easy Transportation
- Adjustable Wheels for Level Grinding
- Easily accessible vacuum port
- Speed is fixed, no changes required
- Self-adjusting floating shroud creates a tight seal
- 433-50000



**VIRGINIA
ABRASIVES**

Item No.	Retail	Wholesale
FG10		Please Login

- Includes**
- 10" Electric Grinder
 - 50' 10-Ga. Electric Cord

FG11 11" Electric Concrete Floor Grinder

- 800 RPM / 1.5 HP Electric Motor
- 20 Amps, 120V
- Belt Drive
- Weight: 106 lbs.
- Removable Shroud Bubble
- Level for Head Adjustment
- Water Connection for Wet Grinding
- Adjustable Wheels for Level Grinding
- Twist Locking Cord
- Sealed Bearings
- The removable shroud allows for adjustments to be made to ensure proper dust collection
- Easily accessible vacuum port
- A water connection is optimally positioned for wet grinding
- Foldable handle for easy transportation
- 433-51000



**VIRGINIA
ABRASIVES**

Item No.	Retail	Wholesale
FG11		Please Login

- Includes**
- 11" Electric Grinder
 - 50' 10-Ga. Twist Locking Electric Cord
 - 11" Magnetic Grinding Head



Equipment Compatibility: EDCO® Magna-Trap, Virginia Abrasives® FG10, Lavina® by SuperAbrasive, Virginia Abrasives® FG11

Grinder Tooling

Item No.	Description	Color	Retail	Wholesale
425-07999	Single Dot - 40/50 grit - Medium Bond	Grey		Please Login
425-08395	Double Bar - 18 grit - Medium Bond	Orange		Please Login
425-08622	Double Dot - 120 grit - Medium Bond	Green		Please Login
425-08638	Single Bar - 40/50 grit - Medium Bond	Grey		Please Login
425-08661	Double Bar - 30/40 grit - Medium Bond	Grey		Please Login
425-08662	Double Bar - 60/80 grit - Medium Bond	Gold		Please Login
425-08663	Double Dot - 30/40 grit - Medium Bond	Grey		Please Login
425-08664	Double Dot - 60/80 grit - Medium Bond	Gold		Please Login
421-82000	Carbide Magnetic Scraper with Carbide Insert	Blue		Please Login
421-80001	Carbide Inserts - Box of 6 - Priced each piece			Please Login
425-07849	PCD with Diamond Bar	Blue		Please Login

Super 7R Wood Floor Edger

- Powerful 1 HP motor
- 2800 RPM
- Sealed ball bearings
- Hardened steel pinion reduces vibration
- Precision fitted integral universal motor components
- Large 600 cubic inch collector bag



**American
SANDERS**

Super 7R Edger Sandpaper Model 7075A

Virg. Abr. Item No.	Abmast Part#	Description	Retail	Wholesale
006-70894	B0710	100 Grit		Please Login
006-70880	B0780	80 Grit		Please Login
006-70860	B0760	60 Grit		Please Login
006-70840	B0740	40 Grit		Please Login
006-70836	B0736	36 Grit		Please Login
006-70820	B0720C	20 Grit		Please Login

50 per carton

Item No.	Retail	Wholesale
07125A		Please Login

CONCRETE FINISHING



Pul-krete

- Blade of 12-gauge cold rolled steel
- Comes with 54" hardwood handle
- Size: 19" x 54" with hook

Item No.	Retail	Wholesale
13877		Please Login



Bull Float

- Magnesium blade
- Double rib construction for added strength
- Long wearing and properly balanced
- Size: 48" x 7-1/4"

Item No.	Retail	Wholesale
14704		Please Login



Aluminum Handle Section

- Lightweight, yet rigid tubular design
- Large threads can be combined with similar handles
- Size: 6'x 1-3/4" diameter

Item No.	Retail	Wholesale
14804		Please Login

Power Trowel Blades


- Used in conjunction with power trowels for finishing large areas of concrete or for concrete that is too stiff to handle otherwise
- Some available in two mounting styles: bar or channel mount



Float



Combination



Finish

Item No.	Type	Model#	Mach. Size	Size	Retail	Wholesale
17436	Float	A4172	36	10" x 14"		Please Login
17236	Combo	M6092	36	8" x 14"		Please Login
17336	Finish	M6093	36	6" x 14"		Please Login
17244	Combo	M6094	42-48	8" x 18"		Please Login

Power Trowel Blade Conversion Chart (all size references reflect inches)

Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#	Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#	Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#
BARTELL					ESSICK					STONE				
B336/B-436	Finish	6 x 14	TA414	M6093	LB34-3-4	Finish	6 x 14	LB34-120	M6093	T-36	Finish	6 x 14	34578	M6093
	Comb.	8 x 14	TA414	M6092		Comb.	8 x 14	LB34-107	M6092		Comb.	8 x 14	34583	M6092
	Float	10 x 14	TA414F	A4172		Float	10 x 14	LB34-121	A4172		Float	10 x 14	34586	A4172
CEMENTCO-WESTERN					KELLEY					STOW				
3CT-34G3-G4	Finish	6 x 14	3CT-146F	M6093	360TNew	Finish	6 x 14	23674	M6093	36"	Finish	6 x 14	22027-501	M6093
3CT-34E3-E4	Comb.	8 x 14	3CT-148C	M6092		Comb.	8 x 14	23673	M6092		Comb.	8 x 14	22029-501	M6092
	Float	10 x 14	3CT-148C	A4172		Float	10 x 14	23675	A4172		Float	10 x 14	22028-501	A4172
CHALLENGE-CLIPPER					KRAFT					WAGMAN				
EVEREADY-BRIKSAW					36"	Finish	6 x 14	SK100	M6093		Finish	6 x 14	WX614F	M6093
F-34-3-4	Finish	6 x 14	5530065	M6093		Comb.	8 x 14	SK101	M6092		Comb.	8 x 14	WX8140	M6092
	Comb.	8 x 14	5530064	M6092		Float	10 x 14	SK102	A4172		Float	10 x 14	WX914F0	A4172
	Float	10 x 14	5530066	A4172	MBW					WHITEMAN				
CHAMPION-DESA					36"	Finish	6 x 14	5347	M6093	J3 & E 34"	Finish	6 x 14	900	M6093
CORBIT NORTHRUP						Comb.	8 x 14	5402	M6092		Comb.	8 x 14	840	M6092
360-370-G-G4	Finish	6 x 14	441140	M6093		Float	10 x 14	5403	A4172		Float	10 x 14	900F	A4172
	Comb.	8 x 14	441128	M6092	MORRISON					J4 & E 34"	Finish	6 x 14	F900	M6093
	Float	10 x 14	441143	A4172	36"	Finish	6 x 14		M6093	& 36"	Comb.	8 x 14	C844	M6092
DART						Comb.	8 x 14		M6092	WAGMAN				
DTF-36	Finish	6 x 14	DT7082	M6093		Float	10 x 14		A4172		Float	10 x 14	CL954F	A4172
	Comb.	8 x 14	DT7080	M6092	MULLER					WHITEMAN				
DART					36-3G & E	Comb.	8 x 14	G1951	M6092	J3 & E 34"	Comb.	8 x 14	840	M6092
DART					36-4G & E	Comb.	8 x 14	G1951	M6092	J4 & E 34"	Finish	6 x 14	F900	M6093

Wheelman II Concrete Mixers



- Easy to clean poly drum.
- Mix 275 lbs. of mortar, stucco, grout and concrete in less than 4 minutes
- Easy to move around, construction duty 14" tires make it a breeze to roll around the job site or home
- Can be "knocked down" into 3 easy to load components

1/2 h.p. 110v industrial grade motor with direct gear drive provides non-stop performance

Wheelbarrow pneumatic wheels

Aggressive paddles to mix fast and complete

5 cu ft poly drum with 3 cu ft output.

The available gas engine model is perfect when electric power is not available

	WHEELMAN II GAS	WHEELMAN II E
Drum capacity	5 cu ft	5 cu ft
Batch output	2.5 cu ft	2.5 cu ft
Motor rating	n/a	1/2 hp 110v/6amp
Gas engine	Honda 3 hp	n/a
Drum diameter	24 in	24in
Discharge outlet height	8 in 21 in w/stand	8 in 21 in w/stand
Wheel size	14 in pneumatic tires	14 in pneumatic tires
Weight*	gas 115 lbs	elec. 101 lbs
Length*	30 (28) in	30 (28) in
Height*	20-1/2 (28) in	20-1/2 (28) in
Width*	14 (29) in	14 (29) in

(*Shipping Dimensions (approximate))



1105490



Item No.	Description	Retail	Wholesale
1105421	Electric mixer		Please Login
1105426	Gas mixer		Please Login
L000015	EZEE Cleaner 22 oz.		Please Login
1105490	Stand		Please Login

Minuteman II Concrete Mixers



- Mix 275 lbs. of mortar, stucco, grout and concrete in less than 4 minutes
- Easy to move around, construction duty 10" tires make it a breeze to roll around the job site or home
- Can be "knocked down" into 3 easy to load components
- These mixers truly are Contractor duty!

Domes inside the drum exact the material back into the paddles.

1/2 HP, 110V motor with gearbox drive

Mix mortar, stucco, grout, or concrete in less than 4 minutes

Choose either metal or poly drum. Both drums are interchangeable.

Easy to move, easy to transport.

	MINUTEMAN II E
Drum capacity	5 cu ft
Batch output	2.5 cu ft
Motor rating	1/2 hp 110v/6amp
Gas engine	n/a
Drum diameter	24 in
Discharge outlet height	21 in
Wheel size	10 in tires
Weight*	120 lbs
Length*	52 (26) in
Height*	57 (27) in
Width*	28 (26) in

(*Shipping Dimensions (approximate))



Item No.	Description	Retail	Wholesale
1126608	Steel drum		Please Login
1126632	Poly drum		Please Login
L000015	EZEE Cleaner 22 oz.		Please Login



DUSTLESS VACS



Collects up to 99% of airborne dust!

16 Gal. Wet/Dry Vac

- Reinforced barrel and lid (3x stronger)
- Durable rubber wheels for mobility
- Primary and secondary filters may be cleaned without removing the lid
- Large capacity barrel easily holds 40 pounds of dust
- Filters are washable (just throw them in your washing machine)
- Patented double filter system
- We use a powerful 23,000 RPM 11.5 amp electric motor
- Quiet operation at only 81 dB
- INCLUDES:(1) 16-gallon DustlessVac, (2) extension wands, (1) outer filter, (1) inner filter, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 Durable rubber casters

16 Gal. HEPA Wet Dry Dustless Vac

- Certified to meet EPA Lead Safe standards
- Can be used for hazardous materials like lead, silica, asbestos
- Large capacity barrel easily holds 40 pounds of dust
- Powerful 11.5 amp motor provides strong suction
- Switch between dry and wet pickup instantly
- Worry-free wet or dry vacuuming-HEPA filter stays dry
- Wunderbag works in wet and/or dry applications
- INCLUDES:(1) 16-gallon HEPA DustlessVac, (2) extension wands, (1) certified HEPA filter, (1) HEPA filter cover, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 durable rubber casters



Flexible Hose



Micro Pre Filter



HEPA Dustless Filter

Item No.	Description	Retail	Wholesale
D1603	Dustless Wet/Dry Vac		Please Login
D1606	HEPA Dustless Vac		Please Login
DT13141	Micro Pre Filter Package, .5 Microns, 2-pk		Please Login
DT13201	HEPA Dustless Filter, .3 Microns		Please Login
D14251	12' Flexible Hose		Please Login
D14291	25' Flexible Hose		Please Login



DustBuddie® with Universal Adapter & 18" hose

- Fits most hand grinders
- Polycarbonate for improved visibility
- Removable front edge of shroud for grinding close to edge

Item No.	Size	Retail	Wholesale
D1835	5"		Please Login
D1850	7"		Please Login



Hose sold separately

Dustie™

- Fits 4" - 9" grinders
- Fits most hand grinders
- Meet OSHA guidelines
- Installs fast and easy
- No separate universal adapter to hassle with

Item No.	Description	Retail	Wholesale
D1836	5" Dustie		Please Login
D1854	7" Dustie		Please Login
D5155	18" Hose		Please Login



BitBuddie™ Bit Shroud

- Use with drills, hammer drills & core drills
- Vacuums up dust and slurry as it is made
- Vacuum pressure holds it in place

Item No.	Retail	Wholesale
D1900		Please Login





COMMERCIAL GRADE!

10-Gallon Wet/Dry Vacuum with Detachable Blower

- 10-Gallon* Rugged Polypropylene Tank
- Powerful 4 Peak HP† Motor
- 210 MPH Blowing Speed
- Integrated Accessory Storage
- 10' Power Cord with Cord Storage
- 17' Reach with Hose and Power Cord

Item No.	Retail	Wholesale
VBVA1010PF		Please Login



- Included Accessories:
- 7' x 2-1/2" Hose
 - (2) Extension Wands
 - Utility Nozzle
 - Crevice Tool
 - Car Nozzle
 - Blower Adapter
 - Concentrator Nozzle
 - Standard Cartridge Filter
 - Foam Wet Filter



COMMERCIAL GRADE!

5-Gallon Wet/Dry Vacuum

- Portable 5-Gallon* Polypropylene Tank
- Powerful 5.5 Peak HP† High Performance Motor
- Complete Vac Organization with On-Board Hose, Cord and Accessory Storage
- 18-Foot Power Cord with Cord Storage
- Easily Converts to Blower
- 25-Foot Cleaning Reach with Hose & Power Cord
- Equipped with High-Efficiency Fine Dust Filter
- Large Dust Sealed On/Off Switch

Item No.	Retail	Wholesale
VFB511B0201		Please Login



- Included Accessories:
- 7' x 1-7/8" Premium Hose
 - Extension Wand
 - Utility Nozzle
 - Car Nozzle
 - Crevice Tool
 - Air/Noise Diffuser
 - Fine Dust Cartridge Filter
 - Foam Wet Filter



COMMERCIAL GRADE!

12-Gallon Wet/Dry Vacuum

- Portable 12-Gallon* Polypropylene Tank
- Powerful 5.5 Peak HP† High Performance Motor
- Complete Vac Organization with On-Board Hose, Cord and Accessory Storage
- 20-Foot Power Cord with Cord Storage
- Easily Converts to Blower
- 27-Foot Cleaning Reach with Hose & Power Cord
- Equipped with High-Efficiency Fine Dust Filter
- Unique Flat Power Head Design
- Extra-Large Drain Port
- Large Dust Sealed On/Off Switch

Item No.	Retail	Wholesale
VJH1211PF0201		Please Login



- Included Accessories:
- 7' x 2-1/2" Premium Hose
 - (2) Extension Wands
 - Utility Nozzle
 - Crevice Tool
 - Floor Nozzle
 - Air/Noise Diffuser
 - Fine Dust Cartridge Filter
 - Foam Wet Filter



VAC090AH

GAS20-17AH

Wet/Dry Dust Extractor Vacuums

- Air Flow (CFM): 150
- Cord Length: 15 ft.
- Automatic filter cleaning system cleans filter every 15 seconds to maintain maximum suction power
- For dry and wet pickup, the extractor has a water-level sensor
- Power tool activation allows power tool's switch to turn vacuum on and off
- Power broker dial optimizes usage of the available power and helps avoid blown circuits
- Wet vacuuming water level sensor automatically shuts down vacuum when water reaches a maximum height to protect motor
- Rubber wheels tires and locking caster built to withstand the demands of a jobsite

Includes:

- HEPA Flat Filter
- VB090F Fleece Filter Bag
- VX1035 9.85 Ft. Vacuum Hose
- VX100 Bend Nozzle
- VX120 Power Tool Adapter Nozzle




VB000P




VB090




VB090F



VF110



VX130



VX120



VH1022



HDC100



HDC300



HDC200



HDC250



HDC400



Item No.	Description	Retail	Wholesale
VAC090AH	9 gal.-Auto filter clean		Please Login
GAS20-17AH	17 gal.-Auto filter clean		Please Login

Accessories

VB000P	Disposable plastic bags-9/14 gal. (10)		Please Login
VB090	Paper filter bags-9 gal. (5)		Please Login
VB090F	Fleece filter bags-9 gal. (5)		Please Login
VB090R	Reusable fleece filter bag-9 gal. (1)		Please Login
VB090S	Wet filter bags-9 gal. (5)		Please Login
VB140	Paper filter bags - 14 gal. (5)		Please Login
VB140F	Fleece filter bags-14 gal. (5)		Please Login
VF100	Flat paper filter		Please Login
VF110	Flat PES filter		Please Login
VF120H	Flat HEPA filter		Please Login
VH1022	Hose-10 ft., 22mm		Please Login
VH1035	Hose-10 ft., 35mm		Please Login
VH1622A	Hose-Anti-static-16 ft., 22mm		Please Login
VH1635	Hose-16 ft., 35mm		Please Login
VH1635A	Hose-Anti-static-16 ft., 35mm		Please Login
VX100	Bend, Anti-static		Please Login
VX110	3-piece chrome extension tube, 3 ft.		Please Login
VX120	Powertool adapter 22/35mm		Please Login
VX130	Floor nozzle set		Please Login

Attachments

Item No.	Description	Retail	Wholesale
HDC100	SDS-plus (drilling & chipping)		Please Login
HDC200	SDS-max (drilling)		Please Login
HDC250	SDS-max core bit		Please Login
HDC300	SDS-max chiseling		Please Login
HDC400	1-1/8" hex dust collection		Please Login



Speed Clean™ Dust Extraction Bits

Bosch Speed Clean™ drill bits are built using a solid piece of steel with a dust channel that's milled to Bosch specifications to extract dust while drilling.

- Hollow drill bit – connects to a vacuum system
- Faster drilling – provides up to 25% greater drilling speed
- Great durability
- Optimized for adhesive anchoring



Item No.	Description	Retail	Wholesale
DXS2104	DXS SDS+ 5/8 x 10 x 15		Please Login
DXS2114	DXS SDS+ 11/16 x 12-1/2 x 18		Please Login
DXS2124	DXS SDS+ 3/4 x 12-1/2 x 18		Please Login
DXS5034	DXS SDS Max 3/4 x 12-1/2 x 21		Please Login
DXS5044	DXS SDS Max 7/8 x 15 x 25		Please Login
DXS5048	DXS SDS Max 13/16 x 15 x 25		Please Login
DXS5054	DXS SDS Max 1 x 17-1/2 x 27		Please Login
DXS5062	DXS SDS Max 1-1/8 x 20 x 29		Please Login
DXS5082	DXS SDS Max 1-3/8 x 25 x 34		Please Login
DXSMAX	DXS SDS Max Adapter		Please Login
DXSPPLUS	DXS SDS+ Adapter		Please Login



Grinder Attachments

18CG-45E



18DC-5E



18SG-5E



19DC-7



AG50-10TG



CSG15



GA50DC



GA50UC



TG502



Item No.	Description	Retail	Wholesale
18CG-45E	4-1/2" Cut-off guard		Please Login
18DC-5E	4-1/2" - 5" Cut-off guard		Please Login
18DC-6E	6" Cut-off guard		Please Login
18SG-5E	5" Surface grinding guard		Please Login
18SG-5K	Surface grinder kit		Please Login
18SG-7	7" Surface grinding guard		Please Login
19CG-7	7" Large angle grinder cutting guard		Please Login
19CG-9	9" Large angle grinder cutting guard		Please Login
19DC-7	7" Large angle grinder dust guard		Please Login
19DC-9	9" Large angle grinder dust guard		Please Login
AG50-10TG	5" Tuckpointer kit		Please Login
CSG15	5" Concrete surfacing grinder w/shroud		Please Login
GA50DC	5" Concrete cutting dust guard		Please Login
GA50UC	5" Concrete cutting dust cover		Please Login
TG502	5" Tuckpointer guard		Please Login





Strap-N-Stride™ Aluminum Drywall Stilts

- Lightweight stilts are perfect for handling walls and overheads
- Adjusts quickly and easily without tools
- Features dual-spring action to make walking more natural
- Cotton straps with heavy-duty spring clips permanently installed
- Adjustable sole and heel plates with rubber sole bottoms
- Features side pole security pocket for additional safety
- Protective plate over straps for extended wear life
- Taller heel support giving more stability and accommodation for work boots
- Accommodates 230 pounds

Item No.	Description	Retail	Wholesale
10770	18"-30", Pair		Please Login

Safety Step Stepladder Type 1A

- Rugged, corrosion-resistant aluminum alloy construction
- Ultra-slim 5" folded depth
- Wide, slip-resistant step treads
- Fold-up safety bar for extra security
- Lightweight and portable
- Integrated work tray
- 300 lbs. capacity



Item No.	Steps	Height	Weight	Load Cap.	Retail	Wholesale
10210BA	2	31.5"	15 lbs.	300 lbs.		Please Login
10310BA	3	44"	20 lbs.	300 lbs.		Please Login
10410BA	4	56"	25 lbs.	300 lbs.		Please Login

PPF1



Earlex Wallpaper Steamer Accessories

Item No.	Description	Retail	Wholesale
PPF1	Perforating tool		Please Login
SSP	Small steam pan		Please Login
PS0253	Large steam pan		Please Login
PS0019	Fuse		Please Login
PS0303	Threaded cap		Please Login
PS0038	Hose		Please Login
PS0109	Cord		Please Login
PS0112	Switch		Please Login
PS0123	Thermostat		Please Login
Large pan-10"x13" Small pan-6"x3"			

Black PVC Gloves

- 10" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Knit wrist
- Great for sewer auger rentals



Item No.	Size	Retail	Wholesale
3361G	L		Please Login

Black PVC Gloves

- 14" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Great for sewer auger rentals



Item No.	Size	Retail	Wholesale
3365G	L		Please Login



Bolt Remover & Left Hand Spiral Jobber Length Drill Set-10 Pieces

Drills

- Sizes: 3/32, 1/8, 3/16, 1/4 & 5/16
- Special Hi-Molybdenum tool steel
- 135° split point for fast penetration

Taps

- Sizes: EX 1, 2, 3, 4, & 5
- Hi-carbon steel bolt remover used to remove broken screws, bolts, threaded parts



Item No.	Retail	Wholesale
58510		Please Login



Heavy Duty Jobber Length Drill Set-29 Pieces

- Sizes: 1/16 thru 1/2 by 64ths
- 135° split point drills are self centering and perform well in harder metals
- Heavy duty construction-ideal for metal drilling applications
- Waterproof and unbreakable case included

Item No.	Retail	Wholesale
44170		Please Login



Even
"Grade 8 Bolts"
Aren't Tough Enough For
These Drill Bits!



17 Pc. Pvb Set 1/16"-3/8"

- Set includes HSS drills and plastic case with rubberized grip panels
- Metal Master
- 17-Pieces



Item No.	Retail	Wholesale
8711400R		Please Login

MAKE SURE YOU
CHECK OUT THE

BARGAIN
BUYS

ON PAGE 160-161



Wheel Not Included

7" High Performance Angle Grinder

- Maximum power at minimum weight - up to 20% lighter than comparable tools
- Patented vibration control with soft grip
- AC/DC capability
- Quick adjust guard system
- Service minder brushes - eliminates guesswork, stops tool when preventive maintenance is required
- Tri-Control Switch Design - helps prevent accidental start-ups

Includes

Vibration control side handle
Quick adjust wheel guard
Grinding wheel flange kit
Spanner wrench

Specifications

Length 17.5"
Max. Motor HP 4
No Load RPM 8,500
Rating 120 V AC/DC
Spindle Thread 5/8" - 11
Weight (lbs.) 11.4

Item No.	Retail	Wholesale
1974-8		Please Login



Wheel Not Included

9" High Performance Angle Grinder

- Maximum power at minimum weight - up to 20% lighter than comparable tools
- Patented vibration control with soft grip
- AC/DC capability
- Quick adjust guard system
- Service minder brushes - eliminates guesswork, stops tool when preventive maintenance is required
- Tri-Control Switch Design - helps prevent accidental start-ups

Includes

Vibration control side handle
Quick adjust wheel guard
Grinding wheel flange kit
Spanner wrench

Specifications

Length 17.5"
Max. Motor HP 4
No Load RPM 6,500
Rating 120 V AC/DC
Spindle Thread 5/8" - 11
Weight (lbs.) 11.8

Item No.	Retail	Wholesale
1994-6		Please Login



Wheel Not Included

4-1/2" Angle Grinder

- Powerful motor – 10 A and 11,500 RPM
- Carbon brushes
- Direct-motor cooling for higher overload capabilities
- Two-position Vibration Control™ side handle
- Directed air flow diverts dust from vital components
- Toolless, burst-protection adjustable guard
- Service Minder™ brushes
- Large spindle lock for more convenient disc change

Includes


Backing Flange
Lock Nut
Spanner Wrench
Grinding Guard
Vibration Control Side Handle

Specifications

Length 12"
Amps 10
No Load RPM 11,500
Rating 120 V AC/DC
Spindle Thread 5/8" - 11
Weight (lbs.) 4.6

Item No.	Retail	Wholesale
GWST0-45		Please Login

X-LOCK SNAP-ON MOUNTING



Works on any Bosch 7/8" arbor angle grinder

X-LOCK Cutting/Grinding Wheels

- Snap-on mounting that's up to five times faster
- Wheels are backward compatible with standard 7/8" arbor mounts
- Multiple layers of stranded fiberglass and Aluminum Oxide grit for speed and durability
- Optimized wheels for less vibration and improved working speed

Item No.	Application	Dia.	Grit	Retail	Wholesale
TCWX1S450	Metal / stainless steel cutting	4-1/2" x .045"	60		Please Login
TCWX1S500	Metal / stainless steel cutting	5" x .045"	60		Please Login
GWX27LM450	Metal grinding	4-1/2" x 1/4"	30		Please Login
GWX27LM500	Metal grinding	5" x 1/4"	30		Please Login



Wheel Not Included

X-LOCK
SNAP-ON MOUNTING

4-1/2" X-LOCK Ergonomic Angle Grinder

- X-LOCK quick-change mount minimizes downtime between wheel changes
- Multi-grip paddle switch – provides increased grip options for better ergonomics, comfort and control
- Tool-free changes with single-lever wheel release, lock-in connection
- Professional 10-amp motor delivers up to 11,000 no-load rpm
- Directed air flow-which cools the motor
- Service Minder brushes-eliminates guesswork, stopping grinder when preventative maintenance is required

Includes

Angle Grinder
Auxiliary Handle
Wheel Guard

Specifications

Length 11.1"
Amps 10
No Load RPM 11,000
Rating 120 V AC/DC
Weight (lbs.) 4.5

Item No.	Description	Retail	Wholesale
GWX10-45E	Angle Grinder		Please Login
GWX10-45PE	Angle grinder w/paddle switch		Please Login



Wheel Not Included

X-LOCK
SNAP-ON MOUNTING

5" X-LOCK Ergonomic Angle Grinder

- X-LOCK quick-change mount minimizes downtime between wheel changes
- Multi-grip paddle switch – provides increased grip options for better ergonomics, comfort and control
- Tool-free changes with single-lever wheel release, lock-in connection
- Professional 13-amp motor delivers up to 11,500 no-load rpm
- Directed air flow-which cools the motor
- Service Minder brushes-eliminates guesswork, stopping grinder when preventative maintenance is required

Includes

Angle Grinder
Auxiliary Handle
Wheel Guard

Specifications

Length 12.1"
Amps 13
No Load RPM 11,500
Rating 120 V AC/DC
Weight (lbs.) 5.5

Item No.	Description	Retail	Wholesale
GWX13-50	Angle Grinder		Please Login
GWX13-50VSP	Angle grinder w/paddle switch		Please Login



Wheel Not Included

X-LOCK
SNAP-ON MOUNTING

Includes

Angle Grinder
Auxiliary Handle
Wheel Guard

Specifications

Length 12.5"
Bat. Voltage 18
Rating 18V
Weight (lbs.) 4.5

18V X-LOCK EC Brushless Connected-Ready 4-1/2" - 5" Angle Grinder with No Lock-On Paddle Switch

- X-LOCK quick-change mount minimizes downtime between wheel changes
- Tool-free changes with single-lever wheel release, lock-in connection
- EC Brushless motor – provides greater efficiency that maximizes runtime and productivity
- X-Brake – helps provide a rapid stop of the wheel
- No lock-on paddle switch – provides for multiple, comfortable grip positions; shuts off motor after the switch is released
- KickBack Control – helps shut off the tool if the wheel gets into a bind situation

Item No.	Retail	Wholesale
GWX18V-50PCN		Please Login



Makita

Wheel Not Included

Makita 4-1/2" Paddle Switch Angle Grinder

- Powerful 6.0 AMP motor delivers 11,000 RPM for the most demanding applications
- Small diameter barrel grip (only 2-3/16") with paddle switch for added comfort
- Labyrinth construction seals and protects the motor and bearings from dust and debris for longer tool life
- 4.2 lbs. for reduced operator fatigue

Includes

- 4-1/2" Grinding wheel
- Wheel guard
- Lock nut
- Lock nut wrench
- Side handle
- Inner flange

Specifications

No Load Speed	11,000 RPM
Spindle Thread	5/8" x 11 UNC
AMPS (120V)	6.0
Lock-On: No	Lock-Off: Yes
Length	10-3/8"
Net Weight (lbs.)	4.2



Makita 7" Angle Grinder

- Powerful 15.0 AMP motor delivers 8,500 RPM
- Rotatable rear handle rotates with just the push of a button
- "Tool-less" wheel cover allows for easy guard adjustment
- AC/DC switch for use with alternative power source
- Lower vibration rear and side handles includes soft grip
- Protective zig-zag varnish seals the armature from dust
- Externally accessible brushes for easy serviceability

Includes

- Lock Nut Wrench
- Tool Less Wheel Cover
- Side Handle
- Inner Flange
- Lock Nut
- Wire Mesh Intake Cover

Specifications

No Load Speed	8,500 RPM
Spindle Thread	5/8" x 11 UNC
AMPS (120V)	15.0
Lock-On: No	Lock-Off: Yes
Length	19-7/8"
Net Weight (lbs.)	18

Item No.	Retail	Wholesale
GA4534		Please Login

Item No.	Retail	Wholesale
GA7031Y		Please Login



1/4" Sheet Finishing Sander

- 2.0 AMP motor that delivers 14,000 OPM for fast and smooth finishing sanding
- Precision engineered all-ball bearing construction for reduced vibration and noise
- Contoured, rubberized palm grip design
- Large clamping lever for quick and easy paper installation
- Efficient through-the-pad dust collection system for a cleaner work environment
- Conveniently located on/off switch
- Rubber-sealed switch prevents dust contamination for longer tool life

Includes

Abrasive Paper-60 Grit, 100 Grit, 150 Grit, Dust Bag, Punch Plate, Tool Case

Item No.	Retail	Wholesale
BO4556K		Please Login



Makita

Grinding Wheels (1/4" Thick)

- For metal polishing & general flat grinding
- 24 grit

Item No.	Diameter	Arbor	Model	Retail	Wholesale
741423-B-25	4-1/2"	7/8"	GA4534, 9527NB, 9527PB 9554NB, 9557NB/PB, 9564CV		Please Login



Makita

Super Thin Cut-Off Wheel (3/64" Thick)

- Cuts up to 50% faster
- A46 Grit
- Pack of 25

Item No.	Diameter	Arbor	Model	Retail	Wholesale
724115-A-25	4-1/2"	7/8"	GA4534, 9527NB, 9527PB		Please Login



DeWalt 10 Amp Reciprocating Saw

- Powerful 10.0 Amp motor designed for heavy-duty applications
- 4-position blade clamp allows for flush cutting and increased versatility
- 0-2,800 strokes per minute and 1-1/8" stroke length deliver fast cutting
- Variable speed trigger allows user to instantly control speed at the trigger
- Cord Length: 6.9 ft.
- Keyless Blade Clamp: Lever
- Stroke Length: 1-1/8"
- 4-Position Blade Clamp: Yes
- Adjustable Shoe: No
- Anti-Slip Comfort Grip: No
- Tool Length: 17.5 in.
- Tool Weight: 7 lbs.



Item No.	Retail	Wholesale
DWE304		Please Login



Makita Cordless Reciprocating Saw Kit

- Variable 2-speed brushless motor delivers 0-2,300 (Low) & 0-3,000 (High) strokes per minute
- Long 1-1/4" stroke length provides increased cutting efficiency
- Built-in L.E.D. light with preglow and afterglow
- Retractable tool hook secures the tool when not in use
- "Tool-less" blade change system allows for faster blade installation and removal for increased productivity
- Compact and ergonomic design at only 17-1/4" long
- Weighs only 8.2 lbs. with battery for reduced operator fatigue
- Rubberized soft grip handle provides increased comfort on the job
- Large two-finger variable speed trigger for operator convenience
- Includes - (2) 18V LXT® Lithium-ion 5.0Ah batteries, rapid charger & tool case

Item No.	Retail	Wholesale
XRJ05T		Please Login

DeWalt 12 Amp Reciprocating Saw

- Powerful 12.0 Amp motor designed for heavy-duty applications
- 4-position blade clamp allows for flush cutting and increased versatility
- Keyless lever-action blade clamp for quick and easy blade changes
- 0-2,900 strokes per minute and 1-1/8" stroke length deliver fast cutting
- Variable speed trigger allows user to instantly control speed at the trigger
- Adjustable Shoe: Fixed
- Anti-Slip Comfort Grip: Yes
- Length: 17.5"
- Weight: 7.0 lbs.



Item No.	Retail	Wholesale
DWE305		Please Login

Reciprocating Saw Blade

- Cuts composition materials, plastic, pipe, carbon steel and stainless steel
- Use with materials 1/8" and thicker
- Electronic beam weld
- Bi-metal construction

Item No.	Retail	Wholesale
372810BB		Please Login



12 Pc. Reciprocating Saw Blade Set

- Heavy-Duty
- 12-Piece - Bi-Metal



Item No.	Retail	Wholesale
RBKITHD01		Please Login





20V MAX* XR® 15 GA Cordless Angled Finish Nailer Kit

- 100% battery powered. No gas, compressor, and hose
- Brushless motor maximizes runtime and durability
- Micro nose improves line of sight and accuracy
- Tool-free depth adjustment for precise countersinking
- Tool-free jam release to quickly and easily clear nail jams
- Multi-functional LED lights help to provide both workspace illumination and tool diagnostics
- Integrated tool-free stall release lever
- Adjustable belt hook for left or right attachment
- Inline magazine provides easy use in multiple orientations
- Compatible with all DEWALT 20V MAX* batteries

Includes: Angled Finish Nailer, 2.0Ah Battery, Charger, Kit Bag

Item No.	Retail	Wholesale
DCN650D1		Please Login



Bosch Breaker Hammer

- Unmatched power to weight ratio; 34-foot-per-pound of impact force; fastest removal rate in its class by far
- Active vibration control handle--a unique flexible 2-handed design that reduces vibration
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Total comfort and control--articulating auxiliary handle to maintain the best working posture possible
- Rugged durability--metal tube and case design handles tough jobsite use and abuse

Specifications

Amperage	15.0
Certifications	cULus
Impact Energy (ft. lbs.)	34
Length	30"
No Load BPM	1,300
Rating	120V
Weight (lbs.)	38



- KIT INCLUDES**
- Pointed Chisel
 - Articulating Auxiliary Handle
 - Carrying Case with Wheels
 - Grease tube
 - Cleaning rag



Item No.	Retail	Wholesale
11335K		Please Login



Includes
Auxiliary handle
Carrying case

Bosch SDS-Max® Demolition Hammer

- SDS-max® bit system
- Soft-start and maintains constant speed under load
- Variable-speed dial - for controlled chipping applications
- Hammer rotates and locks chisel into 12 different positions
- Double insulated, UL listed, complies with OSHA standards

Specifications

Amperage	14.0
Rating	120V
No Load BPM	900-1,890
Length	22-1/2"
Weight (lbs.)	22.5
Cord length	12'

Item No.	Retail	Wholesale
11316EVS		Please Login

Bosch 1" SDS-plus® Rotary Hammer



Specifications	
Amperage	7.5
Rating	120V
No Load RPM	0-1,300
No Load BPM	0-5,800
Length	17-1/4"
Weight (lbs.)	6.7



- 3 modes of operation, rotation, rotary hammer & hammer
- Variable-speed reversing trigger for accurate bit starting, as well as removing fasteners or bound bits
- Integral clutch helps minimize torque reaction
- Double insulated, UL listed, complies with OSHA standards

Item No.	Retail	Wholesale
11255VSR		Please Login

Bosch 1-9/16" Combination Hammers



RH540M

RH540S



- Tool-free bit changes with automatic bit locking
- Best in class Impact Energy
- Combination Dual Mode Selector Knob
- Varo-Lock Positioning: Rotates and locks chisel into 12 different positions

Specifications	
Amperage	12
Rating	120V
No Load RPM	170-340
No Load BPM	2,900
Length	19"
Weight (lbs.)	15.2

Item No.	Description	Retail	Wholesale
RH540M	SDS-Max		Please Login
RH540S	Spline		Please Login

Bosch 2" SDS-max® Rotary Hammer



Includes	
Auxiliary handle	
Carrying case	

Specifications	
Amperage	15
Rating	120V
No Load RPM	100-220
No Load BPM	1,000-2,150
Length	23-1/2"
Weight (lbs.)	26.2

- Turbo™ Power for torque & speed boost in hammer mode
- Best power-to-weight ratio of 14.1 ft.-lbs. of impact energy
- Vibration Control™ for comfort in all-day applications
- Constant Response™ for soft start, constant speed under load
- Vario-Lock™ positioning for precise chiseling location
- Two drilling speeds to match speed to application

Item No.	Retail	Wholesale
RH1255VC		Please Login



Bosch 1-5/8" Spline Combination Hammer



Includes	
Auxiliary handle	
Carrying case	

Specifications	
Amperage	13
Rating	120V
No Load RPM	340
No Load BPM	2,900
Length	19.25"
Weight (lbs.)	15

- Vibration Control™ – vibration reduction in the hammer mechanism and the grip area
- Combination dual mode selector
- Vario-Lock™ positioning — rotates and locks chisel into 12 different positions to optimize working angle
- Service Minder™ light

Item No.	Retail	Wholesale
11265EVS		Please Login



1" SDS-Plus Rotary Hammer



Specifications	
Amperage	8
Rating	120V
RPM	0 - 1,100
BPM	0 - 4,500
Length	16-5/8"
Weight (lbs.)	26.2

- Includes**
- Side Handle
 - Depth Gauge
 - Tool Case

- Powerful 8 amp motor delivers 2.1 ft.-lbs. of impact energy
- Anti-Vibration Technology (AVT)
- Vibration Control™ for comfort in all-day applications
- Variable speed trigger
- 40 bit angle settings
- Integrated damper spring is engineered to absorb impact vibrations

Item No.	Retail	Wholesale
HR2641		Please Login



DRILLRITE

Overhead Drill Press




- Chain mechanism for simplicity, long life and low maintenance
- Includes secondary flat base for use on work platforms
- Flex base available for uneven floors (ie; parking garages)
- Reduces operator fatigue
- Integrated dust extraction system
- Drill and vacuum sold separately
- Reaches: 140"
- Travel: 59"
- Cradle Height: 81"



Item No.	Retail	Wholesale
350		Please Login



CHISELS & BITS



SDS-max® R-Tec

The R-Tec Advantage

Bosch R-Tec technology for SDS-max® chisels use an energy diverting reflection element that increases material removal by 15%. Because the energy is dispersed back into the work material, the tool and bit do more of the work with less vibration for the user. And the R-Tec chisel features a unique cutting head with extra wedges for increased breakout. Bosch SDS-max® R-Tec chisels and points produce faster results in less time and help increase overall jobsite productivity and profitability.



The reflection element diverts the energy of the return shock and converts it into new impact energy.



SDS-max® Hammer Steel

Bosch offers a full assortment of SDS-max® hammer steel points and chisels.

Item No.	Description	Retail	Wholesale
HS1934	16" R-Tec star point chisel-self-sharpening		Please Login
HS1935	1" x 16" R-Tec flat chisel-self-sharpening		Please Login
HS1903	1" x 16" R-Tec flat chisel		Please Login
HS1906	5" x 15" Asphalt cutter		Please Login
HS1909	1-3/4" x 9-1/4" Bushing tool		Please Login
HS1910	3" x 12" Scaling chisel		Please Login
HS1916	1-1/2" x 12" Scaling chisel		Please Login
HS1917	2" x 14" Scaling chisel		Please Login
HS1911	1" x 12" Flat chisel		Please Login
HS1912	1" x 18" Flat chisel		Please Login

Item No.	Description	Retail	Wholesale
HS1913	12" Bull point		Please Login
HS1914	18" Bull point		Please Login
HS1915	2" x 12" Tile chisel		Please Login
HS1918	6" x 25" Floor scraper		Please Login
HS1922	4-1/2" x 16" Clay spade		Please Login
HS1924	Ground rod driver		Please Login
HS1927	12" Tamper plate shank		Please Login
HS1828	5" x 5" Tamper plate		Please Login
HS1929	1" x 12" gouge		Please Login




SDS-max® Rotary Hammer Core Bits (One Piece Bits)

Bosch SDS-max® carbide-tipped rotary hammer core bits offer an integral shank for better power transmission. Maximum core size is 2-5/8" deep.

Item No.	Dimensions	Retail	Wholesale
HC8501	1-3/4" x 7" x 12"		Please Login
HC8506	1-3/4" x 17" x 22"		Please Login
HC8510	2" x 7" x 12"		Please Login
HC8515	2" x 17" x 22"		Please Login
HC8521	2-3/4" x 7" x 12"		Please Login
HC8526	2-3/4" x 17" x 22"		Please Login
HC8531	3-1/4" x 7" x 12"		Please Login
HC8536	3-1/4" x 17" x 22"		Please Login
HC8540	3-1/2" x 7" x 12"		Please Login
HC8545	3-1/2" x 17" x 22"		Please Login
HC8550	4" x 7" x 12"		Please Login
HC8555	4" x 17" x 22"		Please Login
HC8575	5" x 17" x 22"		Please Login
HC8595	6" x 17" x 22"		Please Login
HC88	Centering bit		Please Login

Core Bits with Wave Design

Larger, cleaner holes up to 6" in diameter





SDS-max® SpeedX™ Rotary Hammer Bits

Bosch carbide rotary hammer bits feature tips that stay sharper longer and deliver more holes within specification than competitors' bits.

- Manufactured to ANSI specification B212.15
- SDS-max® rotary hammer bits fit Bosch SDS-max® hammers, but also competitive SDS-max® drive hammers and Hilti® hammers using TE-Y and TE-FY shanks

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC5005*	3/8"	8"	13"		Please Login
HC5010*	1/2"	8"	13"		Please Login
HC5011*	1/2"	16"	21"		Please Login
HC5015*	9/16"	8"	13"		Please Login
HC5020	5/8"	8"	13"		Please Login
HC5021	5/8"	16"	21"		Please Login
HC5024	5/8"	24"	29"		Please Login
HC5030	3/4"	8"	13"		Please Login
HC5031	3/4"	16"	21"		Please Login
HC5033	3/4"	31"	36"		Please Login
HC5034	3/4"	24"	29"		Please Login
HC5041	7/8"	16"	21"		Please Login
HC5050	1"	8"	13"		Please Login
HC5051	1"	16"	21"		Please Login
HC5061	1-1/8"	16"	21"		Please Login
HC5062	1-1/8"	24"	29"		Please Login
HC5071	1-1/4"	16"	21"		Please Login
HC5081	1-3/8"	16"	21"		Please Login
HC5091	1-1/2"	16"	21"		Please Login
HC5099	2"	16"	21"		Please Login

*Two cutter

SDS-plus® Bulldog™ Rotary Hammer Bits

- 15% faster in concrete (compared to S4L)
- Optimized brazing and hardening process for long life
- Manufactured to ANSI specification B212.15
- Optimized flute design to reduce bit stress and make the bit SDS-plus® Bulldog™ Rotary Hammer Bit Sets run cooler
- Centric tip for optimal hole geometry
- **Some items are special order only; non-stock item**



Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC2000	5/32"	2"	4"		Please Login
HC2001	5/32"	4"	6"		Please Login
HC2009	5/32"	6"	8"		Please Login
HC2010	3/16"	2"	4"		Please Login
HC2011	3/16"	4"	6"		Please Login
HC2012	3/16"	6"	8"		Please Login
HC2014	3/16"	10"	12"		Please Login
HC2031	7/32"	4"	6"		Please Login
HC2040	1/4"	2"	4"		Please Login
HC2041	1/4"	4"	6"		Please Login
HC2042	1/4"	6"	8"		Please Login
HC2044	1/4"	10"	12"		Please Login
HC2051	5/16"	4"	6"		Please Login
HC2054	5/16"	10"	12"		Please Login
HC2061	3/8"	4"	6"		Please Login
HC2064	3/8"	10"	12"		Please Login
HC2067	3/8"	16"	18"		Please Login
HC2081	1/2"	4"	6"		Please Login
HC2084	1/2"	10"	12"		Please Login
HC2087	1/2"	16"	18"		Please Login
HC2088	1/2"	22"	24"		Please Login
HC2094	9/16"	10"	12"		Please Login
HC2102	5/8"	6"	8"		Please Login
HC2104	5/8"	10"	12"		Please Login
HC2107	5/8"	16"	18"		Please Login
HC2124	3/4"	10"	12"		Please Login
HC2127	3/4"	16"	18"		Please Login



SDS-plus® Bulldog™ Rotary Hammer Bit Sets



Item No.	Includes	Retail	Wholesale
HCK005	(1) 3/16" x 4" x 6", (1) 1/4" Type x 2" x 4", (1) 1/4" x 4" x 6", Tube (1) 3/8" x 4" x 6", (1) 1/2" x 4" x 6"		Please Login
HCST006	(1) 5/32" x 4" x 6", (1) 3/16" x 4" x 6", (1) 1/4" x 2" Brute x 4", (1) 3/8" x 4" x 6", (1) Tough™ flat chisel, (1) point chisel		Please Login



SDS-plus® Bulldog™ Xtreme Hammer Steel



Bosch offers a full assortment of SDS-plus® hammer steel points and chisels.

- HS1465 removes material up to 40% quicker than conventional tile chisels. Ideal for smaller grout joints and specially shaped for prying and removing tiles in one piece
- HS1470 viper flat chisel and HS1472 pointed chisel provide 30% longer life and 15% more material removal

SDS-plus® Bulldog™ Hammer Steel

Item No.	Description	Retail	Wholesale
HS1415	10" point		Please Login
HS1420	3/4" × 10" chisel		Please Login
HS1475	10" gouging chisel		Please Login
HS1485	1-1/2" × 5-3/4" stubby scaling chisel		Please Login
HS1490	5-3/4" stubby point		Please Login
HS1495	3/4" × 5-3/4" stubby flat chisel		Please Login

Item No.	Description	Retail	Wholesale
HS1425	1-1/2" × 10" wide chisel (self-sharpening)		Please Login
HS1427	2-1/2" × 10" wide chisel (self-sharpening)		Please Login
HS1465	1-1/2" × 10" tile chisel		Please Login
HS1470	3/4" × 10" viper flat chisel (long life)		Please Login
HS1472	10" point (long life)		Please Login

Spline Rotary Hammer Core Bits with Wave Design (1 Pc.)



Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC8070	5"	7"	12"		Please Login
HC8026	2-5/8"	17"	22"		Please Login
HC8017	2-1/4"	12"	22"		Please Login
HC8021	2-5/8"	7"	12"		Please Login
HC8006	1-3/4"	17"	22"		Please Login
HC8015	2"	17"	22"		Please Login
HC8040	3-9/16"	7"	12"		Please Login
HC8010	2"	7"	12"		Please Login
HC8055	4"	17"	22"		Please Login
HC8075	5"	17"	22"		Please Login
HC8036	3-1/4"	12"	22"		Please Login
HC8085	6"	17"	22"		Please Login
HC8045	3-9/16"	17"	22"		Please Login
HC8050	4"	7"	12"		Please Login
HCRR001	Rubber ring & pin				Please Login
HC88	Pilot Bit		5-5/16"		Please Login



Spline SpeedX™ Rotary Hammer Bits

Bosch spline rotary hammer bits are carbide tipped, fit Bosch and other spline hammers. Manufactured to ANSI specification B212.15.

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC4501*	3/8"	8"	13"		Please Login
HC4511*	1/2"	8"	13"		Please Login
HC4512*	1/2"	16"	21"		Please Login
HC4513*	1/2"	24"	29"		Please Login
HC4021	5/8"	8"	13"		Please Login
HC4022	5/8"	16"	21"		Please Login
HC4031	3/4"	8"	13"		Please Login
HC4032	3/4"	16"	21"		Please Login
HC4040	7/8"	8"	13"		Please Login

*Two cutter

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC4041	7/8"	16"	21"		Please Login
HC4050	1"	8"	13"		Please Login
HC4051	1"	16"	21"		Please Login
HC4053	1"	31"	36"		Please Login
HC4060	1-1/8"	8"	13"		Please Login
HC4061	1-1/8"	16"	21"		Please Login
HC4071	1-1/4"	16"	21"		Please Login
HC4081	1-3/8"	16"	21"		Please Login
HC4091	1-1/2"	16"	21"		Please Login
CAS008	Core Bit 8" Extension				Please Login





Scaling Chisel



Flat Chisel



Ground Rod Driver



Bull Point



Round Hex / Spline Hammer Steel



Bosch offers a full assortment of round hex/spline hammer steel points and chisels.

Item No.	Description	Retail	Wholesale
HS1810	3" x 12" Scaling chisel		Please Login
HS1811	1" x 12" Flat chisel		Please Login
HS1812	1" x 18" Flat chisel		Please Login
HS1813	12" Bull point		Please Login
HS1814	18" Bull point		Please Login
HS1817	2" x 12" Scaling chisel		Please Login
HS1824	Ground rod driver (5/8", 3/4")		Please Login

SDS-plus® Rebar Cutters



Item No.	Dia.	Length	Retail	Wholesale
RC2064	3/8"	12"		Please Login
RC2084	1/2"	12"		Please Login
RC2094	9/16"	12"		Please Login
RC2124	3/4"	12"		Please Login
RC2144	7/8"	12"		Please Login
RC2164	1"	12"		Please Login
RC2168	1-1/8"	12"		Please Login
RC2172	1-1/4"	12"		Please Login
RC2176	1-1/2"	12"		Please Login



SDS-plus® Bulldog™ Hex Drive Rotary Hammer Bits

For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.

- Manufactured to ANSI specification B212.15

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC2302	5/32"	4"	7"		Please Login
HC2312	3/16"	4"	7"		Please Login

SDS-plus® Bulldog™ Hex Drive Accessory and Kit

For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.

- 1/4" hex shoulder for drive sleeve used to set masonry screws

Item No.	Includes	Retail	Wholesale
HC2309	7 pc anchor drive installation kit: 5/32" x 6-1/2" and 3/16" x 6-1/2" hex bits, #2 and #3 Phillips® power bits, 5-3/4" sleeve, 1/4" and 5/16" sockets		Please Login

NOTE: Drill bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM



SPEEDCORE™ Thin-Wall Core Bits


Core Bit Assembly:
Screw core bit onto shank



One-piece SDS-plus® Extension



Thin-Wall Core Bit



T3924-Pilot Bit



T3922 / T3923SC
(No pilot bit)



T3925SC / T3926SC / T3927SC
(Includes pilot bit)

SDS-plus® SPEEDCORE™ Thin-Wall Core Bits

Bosch SDS-plus® thin-wall core bits are designed for drilling with smaller hammers; core body range is 1" up to 4-3/8" with a usable cutting depth of 3".

Item No.	Dia.	Retail	Wholesale
T3910SC	1"		Please Login
T3911SC	1-3/16"		Please Login
T3912SC	1-3/8"		Please Login
T3913SC	1-9/16"		Please Login
T3914SC	1-7/8"		Please Login
T3915SC	2-9/16"		Please Login

Item No.	Dia.	Retail	Wholesale
T3916SC	2-11/16"		Please Login
T3917SC	3-1/8"		Please Login
T3918SC	3-3/16"		Please Login
T3919SC	3-1/2"		Please Login
T3920SC	3-7/8"		Please Login
T3921SC	4-3/8"		Please Login

Item No.	Description	Retail	Wholesale
T3922	3" extension SDS-plus®-doesn't include pilot bit (T3924)		Please Login
T3923SC	4" extension SDS-plus®-doesn't include pilot bit (T3924)		Please Login
T3924	SpeedCore™ pilot bit		Please Login
T3925SC	7" extension SDS-plus®-does include pilot bit (T3924)		Please Login
T3926SC	13" extension SDS-plus®-does include pilot bit (T3924)		Please Login
T3927SC	17" extension SDS-plus®-does include pilot bit (T3924)		Please Login

BREAKER HAMMERS

Bosch Brute Breaker Hammer - Basic Kit

- Active Vibration Control™: Vibration reduction in the hammer mechanism and the grip area provides maximum user comfort
- Ergonomic Handles - New ergonomic shock absorbing handles provide additional user comfort in all day applications
- Total portability — Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer — Does not need a compressor

Specifications

Amperage	15.0
Tool Shank	1-1/8"
Impact Energy (ft. lbs.):	35
Rating	120V
No Load BPM	1000
Length	30.75"
Weight (lbs.)	65



- INCLUDES FREE**
- Basic Cart-T1657
 - 1 Points-HS2161
 - 1 Chisels-HS2164



Item No.	Description	Retail	Wholesale
BH2760VCB	Hammer		Please Login
T1657	Hammer hauler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login
HS2161	1-1/8" shank point		Please Login
HS2164	1-1/8" shank chisel		Please Login



Tent Stake Driver #HS2126

The tent stake driver and tamper shank must be used together to work.



Tamper Shank #HS2173



Bosch Brute Turbo Breaker Hammer

- Best in class impact energy - 47.0 ft. lbs.
- Best in class anti-vibration system in the hammer mechanism
- Anti-slip rubber cover-Helps prevent tool from accidental fall over
- Ergonomic shock absorbing handles
- Hammer Tube Design-Hammer Tube Flutes help dissipate heat,
- Reinforced Hammer Tube Collar / Springs-Maximizes tool holder lifetime by reducing the hammer's impact from blank beats
- Total portability — Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer — Does not need a compressor

Specifications

Amperage	15.0
Tool Shank	1-1/8"
Impact Energy (ft. lbs.):	43
Rating	120V
No Load BPM	1000
Length	30.5"
Weight (lbs.)	65



- INCLUDES FREE**
- Basic Cart-T1757
 - 2 Points-HS2161
 - 2 Chisels-HS2164



Item No.	Description	Retail	Wholesale
BH2770VCD	Hammer		Please Login
T1757	Hammer hauler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login
1617014113	Brush set		Please Login
HS2161	1-1/8" shank point		Please Login
HS2164	1-1/8" shank chisel		Please Login




Tent Stake Driver #HS2126

The tent stake driver and tamper shank must be used together to work.



Tamper Shank #HS2173



1-1/8" Jackhammer Steel

- Some items are special order only; non-stock item

Item No.	Description	Retail	Wholesale
P10318	18" Moil point		Please Login
C10318	18" Narrow chisel		Please Login
CC11318	3" x 18" Wide chisel		Please Login
AC103-10	4-1/2" x 20" Asphalt cutter		Please Login
CS103-10	5-1/2" x 20" Clay spade		Please Login

Bosch Breaker Hammer

- Unmatched power to weight ratio; 34-feet-per-pound of impact force; fastest removal rate in its class by far
- Active vibration control handle--a unique flexible 2-handed design that reduces vibration
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Total comfort and control--articulating auxiliary handle to maintain the best working posture possible
- Rugged durability--metal tube and case design handles tough jobsite use and abuse

Specifications

Amperage	15.0
Certifications	cULus
Impact Energy (ft. lbs.)	34
Length	30"
No Load BPM	1,300
Rating	120V
Weight (lbs.)	38



- KIT INCLUDES**
- Pointed Chisel
 - Articulating Auxiliary Handle
 - Carrying Case with Wheels
 - Grease tube
 - Cleaning rag

Item No.	Retail	Wholesale
11335K		Please Login

Floor Removal Cart


- Robust cart design – supports the weight of the jackhammer, reducing strain and fatigue
- Ergonomic angle adjustment options – allows the hammer to be positioned at five different angles, maximizing efficiency
- Combined with the 11335K hammer (1-1/8" shank breaker; not included) – this cart transforms floor demolition jobs by reducing fatigue and increasing productivity
- Star knob mounting system – allows for the hammer to be easily installed and removed to save time on the job
- Large, sturdy wheels – provide for maximum mobility around large, commercial job sites
- Versatile application options – allow for fast and efficient removal of vinyl, floor tiles, and cork from concrete, wooden surfaces and more



**Works With
35lb to 40lb
Breaker Hammer
11355K**

Item No.	Retail	Wholesale
GHT130		Please Login

Floor Scrapers



Heavy-duty Scraper



Sure Lock Scraper



FSP Scraper System

Item No.	Description	Retail	Wholesale
FSHD-103B-100S	Scraper 1-1/8" Shank		Please Login
FSHD-90S-100S	Scraper Hilti 80S/90S/1000 Shank		Please Login
FSHDB-2MM	Repl. Blade		Please Login
FSHDRKIT-L	Repl. Hardware		Please Login

Item No.	Description	Retail	Wholesale
FSA-MAX-100	Scraper SDS Max Shank		Please Login
FSA-ROTARY-100	Scraper Spline/Rotary Shank		Please Login
FSAB-2MM	Repl. Blade		Please Login
FSARKIT-L	Repl. Hardware		Please Login

Item No.	Description	Retail	Wholesale
FSP-2MM-4	4" Scraper SDS Plus Shank		Please Login
FSP-2MM-8	8" Scraper SDS Plus Shank		Please Login
FSPB-2MM-4	4" Repl. Blade		Please Login
FSPB-2MM-8	8" Repl. Blade		Please Login
FSPRKIT-L	Repl. Hardware		Please Login

BREAKER HAMMERS

Pneumatic

Pneumatic Breaker Hammers

Pneumatic breaker hammers are the demolition tool of choice when power and durability are necessary for a variety of construction and plant maintenance applications such as breaking heavy concrete, reinforced concrete, frozen ground, asphalt, boulders and pavement.

- Alloy steel forgings - excellent durability
- Four-bolt backhead - for rugged use
- Integral oiler - continuous lubrication
- Heavy-duty front head springs
- Reversible piston - reduces maintenance cost



CP 1260 (60 lb. Class)


Weight (lbs.)	65
Length (in.)	26-1/2
Air consumption l/s	29
Air inlet inch	3/4 Swivel
Blows per minute	1300
Retainer type	Latch

CP1260S and CP1290S are equipped with silencers

CP 1290 (90 lb. Class)

Weight (lbs.)	83
Length (in.)	28-3/4
Air consumption l/s	38
Air inlet inch	3/4 Swivel
Blows per minute	1200
Retainer type	Latch

Item No.	Model	Description	Retail	Wholesale
8900003029	CP1260	60 lb., 1-1/8" chuck		Please Login
8900003028	CP1260	60 lb., 1-1/4" chuck		Please Login
8900003031	CP1260S	60 lb., 1-1/8" chuck, w/silencer		Please Login
8900003030	CP1260S	60 lb., 1-1/4" chuck, w/silencer		Please Login
8900003038	CP1290	90 lb., 1-1/8" chuck		Please Login
8900003037	CP1290	90 lb., 1-1/4" chuck		Please Login
8900003040	CP1290S	90 lb., 1-1/8" chuck, w/silencer		Please Login
8900003039	CP1290S	90 lb., 1-1/4" chuck, w/silencer		Please Login



1-1/8" Jackhammer Steel


• Some items are special order only; non-stock item

Item No.	Description	Retail	Wholesale
P10318	18" Mail point		Please Login
C10318	18" Narrow chisel		Please Login
CC11318	3" x 18" Wide chisel		Please Login
AC103-10	4-1/2" x 20" Asphalt cutter		Please Login
CS103-10	5-1/2" x 20" Clay spade		Please Login

Jackhammer Steel (Shank 7/8"x4-1/4")

• Some items are special order only; non-stock item

Item No.	Description	Length	Retail	Wholesale
30833241	Ground rod driver	7-3/4"		Please Login
30833235	Clay spade	14"		Please Login
30833236	Wedge chisel	15"		Please Login
30833238	Shank for pad	7-1/4"		Please Login
30833252	Tamping pad, round	7"		Please Login
30833239	Tamping pad, square	6"		Please Login
30833240	Tamper sq., compl.	7-1/2"		Please Login
92452817	Driver pad, round	4"		Please Login
92460201	Shank for stake driver			Please Login
92460211	Stake driver 2-1/2" head			Please Login
92382814	Carrying harness			Please Login
7140833	Drill steel	31"		Please Login
7140434	Drill steel	16"		Please Login
5753108	Pilot drill rod	31"		Please Login
30833229	Mail point	19"		Please Login
30833231	Wide chisel	9-1/2"		Please Login
30833230	Wide chisel	13-1/2"		Please Login
30833232	Wide chisel	15"		Please Login
30834071	Wide chisel	18"		Please Login
92452812	Asphalt cutter	14"		Please Login
30833233	Digging chisel	15"		Please Login
30833234	Digging spade	12"		Please Login





Tool Only
GEC01Z



Kit
GEC01PL4

80V max XGT® Brushless 14" Power Cutter with AFT®

- Cut depth: 5"
- Blade diameter: 14"
- RPM: 5,300
- Blade arbor: 20mm/1" adaptor
- Delivers the power of a 75.6cc Gas Saw
- Compatible with Makita® 40V max XGT® Lithium-Ion Batteries
- Adjustable blade guard
- Cuts up to 15 ft. in concrete and makes 115 cuts in #5 rebar on a single charge
- Active Feedback-sensing Technology (AFT®) turns off the motor if wheel is suddenly forced to stop
- Electric brake allows the tool to be repositioned faster
- Integrated water delivery system continuously feeds water
- Built-in L.E.D. light with an independent on/off switch illuminates the cutting area
- XGT battery power allows for immediate start-up
- Large spindle lock button for easier wheel changes while wearing gloves



Kit Includes

- (1) 14" Power Cutter (GEC01Z)
- (1) Charger (DC40RB)
- (4) Battery (BL4080F)
- (1) Water Hose Coupling (123120-4)
- (1) 14" Cut-Off Wheel (E-12809)
- (1) Adapter Ring (20mm to 1") (191W53-9)
- (1) Universal Wrench 13-19 (782037-6)

Item No.	Description	Retail	Wholesale
GEC01Z	Tool Only		Please Login
GEC01PL4	Tool + Kit		Please Login



Tool Only
2786-20



Kit
2786-22HD



M18 FUEL ONE-KEY 18-Volt Lithium-Ion Brushless Cordless 9" Cut Off Saw

- Runs on our MILWAUKEE M18 REDLITHIUM batteries (sold separately)
- Power to cut reinforced concrete
- Up To 50% lighter than gas
- Cut depth: 3.4"
- Blade diameter: 9"
- RPM: 6,600
- Blade arbor: 7/8"
- Onboard water connection: quick connect
- Load indicator light
- Weight (Bare Tool): 10.6lbs
- RAPIDSTOP blade brake
- ONE-KEY tool tracking and management
- Fully adjustable guard



KIT INCLUDES



Item No.	Description	Retail	Wholesale
2786-20	Tool Only		Please Login
2786-22HD	Tool + Kit		Please Login

POWDER ACTUATED TOOLS

Cobra+ 0.27 Caliber Semi-Automatic Tool with Silencer

- Power adjust drives pins flush
- Silencer reduces noise by 30%
- Rubber cushion on grip
- Fires 10 shot strip loads, 1 strip of loads drives 10 pins (up to 3")



Includes
Tool
Case
Goggles
Wire Cleaners



Item No.	Retail	Wholesale
R16942		Please Login

Mastershot .22 Caliber Tool

- Silencing feature
- Fastens up to 3" standard drive pins with washer
- For light and medium duty applications
- Cushioned speed-eject grip
- Weight: 4.4 pounds, length: 13-1/4"



Item No.	Retail	Wholesale
R40088		Please Login



HD22 - .22 Caliber Single Shot Tool

- Barrel design allows for easy horizontal and overhead fastening
- Fastens up to 2-1/2" standard Ramset drive pins
- Weight: 2.1 pounds, length: 14"



Item No.	Retail	Wholesale
R00022		Please Login



TS22 - .22 Caliber Trigger Shot Tool

- Easy grip handle
- Fastens up to 3" standard Ramset drive pins
- Weight: 3.8 pounds
- Length: 17.8"



Item No.	Retail	Wholesale
R40066		Please Login

Ramset Drive Pins



Item No.	Description	Retail	Wholesale
R00780	.300x2 Dr Pin, 1514, 100pk		Please Login
R00786	.300x2-1/2 Dr Pin, 1516, 100 pk		Please Login
R09167	Ramguard .300x2-1/2 Dr Pin, 100 pk		Please Login
R00794	.300x3 Dr Pin, 1524, 100 pk		Please Login

Ramset Track Pins



Item No.	Description	Retail	Wholesale
R00747	.300x3/4 dr pin 1506, 100 pk		Please Login

Ramset Drive Pins w/Washers



Item No.	Description	Retail	Wholesale
R00797	.300x1 Pin w/washer, 100 pk		Please Login
R00803	.300x1-1/2 Pin w/washer, 100 pk		Please Login
R00809	.300x2-1/2 Pin w/washer, 1516SD, 100 pk		Please Login
R09173	Ramguard .300x2-1/2 Pin w/washer, 100 pk		Please Login

Ramset .22 cal Powder Loads



Item No.	Description	Retail	Wholesale
R00594	.22 Cal Brn Powder Load, 22cw, 100 pk		Please Login
R00601	.22 Cal Grn Load, 32cw, 100 pk		Please Login
R50077	.22 Cal Yel Powder Load, 42cw, 25 pk		Please Login
R00607	.22 Cal Yel Powder Load, 42cw, 100 pk		Please Login

Grinding Wheels (1/4" Thick)



- For metal polishing & general flat grinding
- Aluminum oxide abrasive grains are evenly distributed to give a smooth surface

Item No.	Diameter	Arbor	Grit	Pack Qty.	Model	Retail	Wholesale
741423-B-25	4-1/2"	7/8"	24	25	GA4534, 9527NB, 9527PB 9554NB, 9557NB/PB, 9564CV		Please Login
741414-B-10	7"	5/8"-11	24	10	GA7001L, GA7011C, GA7020, GA7021, GA7040S		Please Login



Super Thin Cut-Off Wheel (3/64" Thick)

- Cuts up to 50% faster
- Lasts up to 20% longer
- Pack of 25



Item No.	Diameter	Arbor	Grit	Pack Qty.	Model	Retail	Wholesale
724115-A-25	4-1/2"	7/8"	A46	25	GA4534, 9527NB, 9527PB		Please Login



Cut-off Wheels



- Reinforced Type 1
- Sold individually



Item No.	Size	Application	Max RPM	Pkg. Qty.	Retail	Wholesale
Portable Saws						
424-10814	14" x 1/8" x 20mm High-Speed	Concrete	5400	10		Please Login
424-15714	14" x 1/8" x 20mm High-Speed	Metal	5400	10		Please Login
424-11214	14" x 1/8" x 1" High-Speed	Concrete	5400	10		Please Login
424-16114	14" x 1/8" x 1" High-Speed	Metal	5400	10		Please Login
Road Construction Saws						
424-20414	14" x 3/16" x 1"	Concrete	4365	10		Please Login
424-21214	14" x 3/16" x 1"	Green Concrete/Asphalt	4365	10		Please Login



Diamond Turbo Cup Wheel - Premium

- Professional grade



Item No.	Size	Application	Max RPM	Retail	Wholesale
425-04087	7" x 5/8"-11 - 12 Segments	GP Concrete Finishing	8600		Please Login

X-Lock Cutting/Grinding Wheels



- Snap-on mounting that's up to five times faster
- Wheels are backward compatible with standard 7/8" arbor mounts
- Multiple layers of stranded fiberglass and Aluminum Oxide grit for speed and durability
- Optimized wheels for less vibration and improved working speed

Item No.	Application	Dia.	Grit	Retail	Wholesale
TCWX1S450	Metal / stainless steel cutting	4-1/2" x .045"	60		Please Login
TCWX1S500	Metal / stainless steel cutting	5" x .045"	60		Please Login
GWX27LM450	Metal grinding	4-1/2" x 1/4"	30		Please Login
GWX27LM500	Metal grinding	5" x 1/4"	30		Please Login

Works on any
Bosch 7/8"
arbor angle
grinder

EZ Edger Discs

- Fits all 7" Edge Sanders & 3 Head Orbital 6-3/4" Sanders, Clark® EZ-Sand
- Sold individually



Item No.	Size	Pkg. Qty.	Retail	Wholesale
003-67894	6-7/8" x NH 100	50		Please Login
003-67880	6-7/8" x NH 80	50		Please Login
003-67860	6-7/8" x NH 60	50		Please Login
003-67836	6-7/8" x NH 36	50		Please Login
003-67820	6-7/8" x NH 20	50		Please Login
003-27820	6" Conversion Disc	10		Please Login

Floor Sanding Edger Discs

- Fits Clark® Super 7
- Sold individually



Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
006-70894	B0710	7" x 7/8" 100	50		Please Login
006-70880	B0780	7" x 7/8" 80	50		Please Login
006-70860	B0760	7" x 7/8" 60	50		Please Login
006-70840	B0740	7" x 7/8" 40	50		Please Login
006-70836	B0736	7" x 7/8" 36	50		Please Login
006-70824		7" x 7/8" 24	50		Please Login
006-70820	B0720C	7" x 7/8" 20	50		Please Login
006-70816		7" x 7/8" 16	25		Please Login

Orbital Floor Sanding Sheets


- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually



Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
PSA Abrasive Sheets - "Sticky-Back" Backing					
206-34100	B1810	12" x 18" 100	20		Please Login
206-34080	B1880	12" x 18" 80	20		Please Login
206-34060	B1860	12" x 18" 60	20		Please Login
206-34036	B1836	12" x 18" 36	20		Please Login
206-34020	B1820C	12" x 18" 20	20		Please Login
20 per carton					
Quicksand Abrasive Sheets - "Non-Stick" Backing					
202-34100		12" x 18" 100	20		Please Login
202-34080		12" x 18" 80	20		Please Login
202-34060		12" x 18" 60	20		Please Login
202-34036		12" x 18" 36	20		Please Login
202-34020		12" x 18" 20	20		Please Login

Orbital Floor Maintenance Thick Pads

- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually



Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
416-54187	J182W	12" x 18" x 1" White	5		Please Login
416-54186	J182T	12" x 18" x 1" Tan	5		Please Login
416-54185	J182G	12" x 18" x 1" Green	5		Please Login
416-54184	J182B	12" x 18" x 1" Black	5		Please Login
416-54180	J182R	12" x 18" x 1" Red	5		Please Login

Floor Sanding Sheets

- Fits Clarke® DU-8 or EZ-8 with Notches and Rentlink® and HT8
- 8" X 19-1/2" VA8
- Sold individually



Virg. Abr. Item No.	Abmast Part#	Description	Pkg. Qty.	Retail	Wholesale
002-08100	B5210	100 Grit	50		Please Login
002-08080	B5280	80 Grit	50		Please Login
002-08060	B5260	60 Grit	50		Please Login
002-08050		50 Grit	50		Please Login
002-08040		40 Grit	50		Please Login
002-08036	B5236	36 Grit	50		Please Login
002-08024	B5224C	24 Grit	50		Please Login
002-08020	B5220C	20 Grit	50		Please Login
002-08016	B5216C	16 Grit	50		Please Login
002-08012		12 Grit	50		Please Login

Expanding Drum Belts - Cloth

- Fits Clarke® EZ-8 Expandable Drum
- 8" x 19" VAEZ8
- Sold individually



Virg. Abr. Item No.	Abmast Part#	Description	Pkg. Qty.	Retail	Wholesale
018-81996	C8912	120 Grit	10		Please Login
018-81994	C8910	100 Grit	10		Please Login
018-81980	C8980	80 Grit	10		Please Login
018-81960	C8960	60 Grit	10		Please Login
018-81940	C8940	40 Grit	10		Please Login
018-81936	C8936	36 Grit	10		Please Login
018-81924	C8924	24 Grit	10		Please Login



**VIRGINIA
ABRASIVES**

Premium Segmented Grinding Diamond Head for Concrete

- Professional grade

Item No.	Size	Application	Max RPM	Retail	Wholesale
425-04252	10" x 5/8", 10 Segments	Hard Concrete	6100		Please Login
425-04253	10" x 5/8", 20 Segments	Hard Concrete	6100		Please Login
425-04254	10" x 5/8", 10 Segments	Soft Concrete	6100		Please Login
425-04255	10" x 5/8", 20 Segments	Soft Concrete	6100		Please Login



Masonry Diamond Blade - Dry Cutting

- Designed for general purpose rental fleets



Item No.	Size	Max RPM	Retail	Wholesale
425-03031	14" x .110" x 1" DP	5500		Please Login



**VIRGINIA
ABRASIVES**

High Speed Diamond Blade



Item No.	Size	Application	Max RPM	Retail	Wholesale
Ultra Value					
425-04177	14"x.125"x1"/20mm DP	Concrete	5500		Please Login
Supreme					
425-06321	14"x.125"x1"/20mm DP	Con./Asph.	5500		Please Login



7" Contractor Diamond Blade

- Turbo rim for fast, smooth cuts
- Ideal for cutting concrete, bricks, sandstone, stucco and roof tiles
- 8,700 maximum RPM
- DM 7/8" to 5/8" arbor

MK
MK Diamond Products, Inc.

Item No.	Retail	Wholesale
167022		Please Login

**VIRGINIA
ABRASIVES**

Floor Maintenance Thick Pads



Item No.	Size	Pkg. Qty.	Retail	Wholesale
416-50170	17" x 1" Red Buffer	5		Please Login
416-50174	17" x 1" Black Stripper	5		Please Login
416-50175	17" x 1" Green Scrubber	5		Please Login
416-50176	17" x 1" Tan Scrubber	5		Please Login
416-50177	17" x 1" White Polish	5		Please Login
416-50178	17" x 1" White Gold	5		Please Login

**VIRGINIA
ABRASIVES**

Tungsten Carbide Abrasive Disc



Item No.	Size	Pkg. Qty.	Retail	Wholesale
421-80016	16" x 2"	1		Please Login
421-80017	17" x 2"	1		Please Login

Floor Grinding Blocks

- Wooden wedges included
- Sold individually



Item No.	Size	Application	Grit	Pkg. Qty.	Retail	Wholesale
426-38002	2" x 2" x 4"	Concrete	80	6		Please Login
426-32402	2" x 2" x 4"	Concrete	24	6		Please Login
426-31202	2" x 2" x 4"	Concrete	10	6		Please Login
426-30802	2" x 2" x 4"	Concrete	8	6		Please Login

**VIRGINIA
ABRASIVES**

Standard Diamond Grinding Blocks

- Holder included
- Segments are premounted



Item No.	Size	Application	Retail	Wholesale
425-05234	2"x2"x4" grinding heads	General Purpose		Please Login
425-05235	2"x2"x4" grinding heads	Soft Concrete		Please Login
999-00007		Wooden Wedges		Please Login



Adjustable Suspension

- Comfortable pin lock adjustment suspension
- 4-Point nylon suspension
- Sleek & attractive design high density polyethylene shell
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Item No.	Color	Retail	Wholesale
SWX00344	White		Please Login
SWX00345	Yellow		Please Login



For Men or Women

Quick Adjusting Ratchet Hard Hat

- Exclusive ratchet adjustment suspensions
- Comfortable 4-point nylon suspension
- High-density polyethylene (HDPE) shell designed for strength
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Item No.	Retail	Wholesale
SWX00348		Please Login

Full Brim

- Full brim provides protection from UV rays on ears and back of neck
- Shorter in the front, allowing the wearer to look upward
- Ratchet suspension
- Meets ANSI Z89.1-2003
- Meets OSHA Type I, Class G & E



V-Gard®
Protective
Hats



Item No.	Color	Retail	Wholesale
SWX00358	White		Please Login
SWX00359	Yellow		Please Login

Sentry III Ratchet Hard Hats

- Squared-off nape strap
- 6 point nylon web suspension system
- Hearing, welding and face shield accessories can be snapped into universal slots
- Meets ANSI Z89.1 and CSA Z94.1
- Meets OSHA Type I, Class C,G, & E
- SEI certified



Item No.	Color	Retail	Wholesale
14024	White		Please Login
14011	Yellow		Please Login

DON'T FORGET
EYE PROTECTION!

Kazbek Polarized

- Flexible and durable frame
- Soft TPR nose pads and temple arms for comfort
- Polarized lenses increase clarity by reducing glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards



Item No.	Frame	Lens	Retail	Wholesale
TSKAP218	Black	Polarized Blue Mirror		Please Login
TSK236	Black	Polarized Smoke		Please Login
TSK-XL215	XL Black	Polarized Copper		Please Login

Woodsman™ Forestry System

- Perfect solution for chain saw, sandblasting or woodworking
- Gladiator® six point ratchet hard hat
- Earmuffs with cushions
- Molded steel mesh face screen



Item No.	Description	Retail	Wholesale
6000W	Entire System		Please Login
1000-5	Replacement suspension		Please Login
2293-1	Foam ear cups		Please Login
4000P	Face shield - clear		Please Login
4000W	Face screen - mesh		Please Login



Nuisance Dust Masks

- Soft, flexible nosepiece
- Compact design easily worn with glasses and goggles
- One size fits all
- Pack of 5

Item No.	Retail	Wholesale
2986		Please Login



N95 Particulate Respirators

- Inner foam provides a custom seal
- Dual head strap for optimum fit
- NIOSH Approved
- Box of 20

Item No.	Retail	Wholesale
8610P		Please Login



N95 Valved Particulate Respirators

- Exhalation valve for extra comfort
- Inner foam provides a custom seal
- Dual head strap for optimum fit
- NIOSH Approved
- Box of 10

Item No.	Retail	Wholesale
8611P		Please Login

Hearing Protectors



*NRR=24

Tagged for Hanging



- Ultra-light & comfortable
- Contoured headband with "No-Snag" design
- Extra-wide, soft cushions

Item No.	Retail	Wholesale
2408		Please Login



*NRR=27

Tagged for Hanging

- Dielectric, three-position earmuff
- Soft-Seal™ ear cushions provide exceptional comfort
- Special foam head pad

Item No.	Retail	Wholesale
S2700		Please Login



*NRR=29

*NRR-Noise Reduction Rating

- Rated #1 by the USAF
- Soft-Seal™ ear cushions provide exceptional comfort
- Ultra-soft head pad

Item No.	Retail	Wholesale
2950		Please Login

Toxic Dust Respirator

- Flexible facepiece
- Long-life cartridges are approved NIOSH P100 Class
- Included P100 low-profile cartridges
- Headband swivels on hinges
- Two-piece neck strap
- Latex free



Item No.	Retail	Wholesale
SWX00319		Please Login



Electronic Earmuff



- Amplifies low level sounds but compresses noises that exceed safe levels
- Dual microphones
- Independent volume controls
- NRR 20 dB

Item No.	Retail	Wholesale
TV0700CS		Please Login



9300



SP31C

Ear Plugs

- Reusable molded plug

Item No.	Description	Ctn Qty	Retail	Wholesale
9300	Foam w/o cord, NRR 32	200		Please Login
SP31C	Foam w/cord, NRR 32	100		Please Login

Sold by carton

TRAFFIC SAFETY



Traffic Cones with Reflective Collar

- Extra-wide body
- Rugged base keeps cone upright
- 4" & 6" collars



Item No.	Description	Retail	Wholesale
19930	28" - Lime green		Please Login
16519	28" - Orange		Please Login

Traffic Cones

- Rugged base keeps cone upright
- Dayglow orange or lime PVC



Item No.	Description	Retail	Wholesale
TC18	18" - 2.5 lbs. - orange		Please Login
TC28	28" - 7 lbs. - orange		Please Login
3004283	18" - 2.5 lbs. - lime		Please Login
3004286	28" - 7 lbs. - lime		Please Login

Other styles can be special ordered

DisposaCone®

- Equip vehicles for roadside emergencies, maintenance, or leave on the job-site
- Stands 18" high
- Folds flat for easy storage
- Sticks to almost anything - concrete, asphalt, glass, metal
- Stands up to 4 days of heavy wind & rain
- 3 cones per package

Item No.	Retail	Wholesale
1836R		Please Login

Big Sale!




Orange Safety Fence

- Heavy-duty
- Strong, but lightweight
- Flat safety edge on top and bottom
- Rectangular hole size is 2" x 3-3/4"



Item No.	Description	Retail	Wholesale
FE50N	4' x 50', 8 lbs.		Please Login
FE100N	4' x 100', 16 lbs.		Please Login



Contractors Grade Silt Fence

- Economical 36" tall silt fabric
- 1-1/2" x 1-1/2" (Nominal) hardwood stakes
- Stakes spaced every 10' (10' centers)
- 11 stakes per 100' fabric

Item No.	Retail	Wholesale
14987		Please Login



Sand Bags (Woven Polypropylene)

- Comes complete with heavy poly-twine ties
- Bright orange (100 hr. UV protection) for increased visibility
- 14" x 26" weigh 50 lbs. when filled
- Sold by carton of 1,000
- Quick Fill Stand folds flat for easy storage



Item No.	Description	Retail	Wholesale
14981	Sand bags-orange		Please Login
14981-W	Sand bags-white		Please Login

Red/Silver 2" x 10' High Visibility Reflective Safety Tape

- For automotive, recreational vehicles, trailers, farm machinery, marine or sign marking
- Minimum of 700 candle power brightness
- Alternating 6" red and 6" silver segments
- Withstands brushing, dirt, grime, and high-pressure steam sprayers

Item No.	Retail	Wholesale
RE2110		Please Login



Type I (One reflective panel)

Type II (Two reflective panels)



Plastic Type I and Type II Barricades

- NCHRP-350 Certified with and without lights
- Meets MUTCD standards
- Weighs only 15 lbs
- Low profile -- Folded dimensions are 2.5"H x 24"W x 45.5"L
- 24" x 12" top panels and 24" x 8" bottom panels
- Built-in bracket accommodates barricade light
- Optional plastic Sand Ballast Bar for additional weight
- 2 per carton

Item No.	Description	Retail	Wholesale
Type I			
3001783	24" x 8" x 8"		Please Login
3007829	24" x 12" x 8"		Please Login
Type II			
3007832	24" x 8" x 8"		Please Login
3007834	24" x 12" x 8"		Please Login

Stop/Slow Paddles

- Meets all MUTCD requirements
- Letter Size: 8" for 24", 6" for 18" paddle
- Engineer grade sheeting
- 24" meets DOT Standards



Item No.	Description	Retail	Wholesale
03-822P	24" w/ 81" plastic handle		Please Login
03-852	18" w/ 9" polygrip handle		Please Login

OSHA Rebar Caps (Impalement Protection)

- Made of space age high density polymer
- These high quality caps are bright orange and fit rebar #4 - #8

Item No.	Retail	Wholesale
14640-4		Please Login



Overall Height
49.8"

Top Diameter: 4"
Base Diameter:
7.56"

High-intensity
sheeting units have
(2) reflective collars

Shown with recycled
rubber base (3007532)
not included

Grip & Go Channelizer Cone

- Meets MUTCD and NCHRP-350 requirements
- Large grip on the handle allows workers to easily pick up
- Large channelizer cone handle accommodates one or two Type A or C lights
- Recycled rubber bases provide stability and support
- 42" tiered cone design allows for easy stackability
- Low density polyethylene with UV inhibitors
- Available with or without sheeting (stripes)



Item No.	Description	Retail	Wholesale
3014081	Channelizer-no sheeting		Please Login
3014082	Channelizer w/ hi-intensity sheeting		Please Login
3007532	16 lb. base		Please Login
3009066	10 lb. base		Please Login



LED Flashing Barricade Light

- MUTCD & ITE compliant
- 7" polycarbonate lens with advanced optics
- Available in standard yellow case only
- Uses four D-Cell Ray-O-Vac batteries



Includes
Wrench and Wire Key

Item No.	Description	Retail	Wholesale
03-10-WAYDC	Light		Please Login
3019498	Wire key		Please Login

ANSI Class 2 Vest

Whenever greater visibility is desired!



- ANSI/ISEA 107-2004 Class 2 compliant
- 100% polyester with zipper closure
- 2" wide reflectives on front and back
- 4 outside front pockets
- Size: L-4XL

Item No.	Size	Description	Retail	Wholesale
SV110	L-4XL	Lime w/gray stripes		Please Login



Surveyor Breakaway Class 2 Safety Vest

- Closure: zipper
- 5-point breakaway
- Tape: 2" silver reflective
- 7 pockets
- Mic tab on both shoulders
- 100% polyester solid knit front and mesh back
- Ideal for extreme work environments around moving machinery



Item No.	Description	Retail	Wholesale
SV46G-L	Lime		Please Login
SV46G-XL	Lime		Please Login
SV46G-XXL	Lime		Please Login
SV46O-L	Orange		Please Login
SV46O-XL	Orange		Please Login
SV46O-XXL	Orange		Please Login



Lime Safety Vest

- Lightweight, comfortable polyester mesh
- 1-1/2" orange/silver vertical stripes
- Elastic side straps
- Velcro® front closure
- One size fits most

Item No.	Retail	Wholesale
1265		Please Login



Tagged for Hanging

Yellow Chore Gloves

- Regular weight
- Straight thumb
- Knit wrist
- 2-layer fleece quilted palm and back
- Clute pattern

Item No.	Size	Retail	Wholesale
3460G	L		Please Login
4203QXL-BG	XL		Please Login



Tagged for Hanging

Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Size L
- 9 oz.
- 12 per package

Item No.	Size	Retail	Wholesale
3401T	L		Please Login

**#1
CHOICE
For Rental**



**Hot
Seller!**

Drywall Lifter

- Load rating - 150 lbs.
- Loading height - 34"
- Requires no tools
- Adjustable cradle accommodates boards up to 4' x 16'
- Reaches height of 11'
- Weighs 115 lbs.
- 6' extension - Part# 186-00



Item No.	Description	Retail	Wholesale
138-2	Lifter		Please Login
186-00	6' extension		Please Login
117	Storage stand		Please Login

#117 - Storage Stand



Chain Drive Drywall Panellift

- Chain lift with overload protections
- Reaches 14' 5"
- Standard loading height: 37"
- Handles up to 200 lbs
- Six inch casters makes rolling over clutter easier



Item No.	Height	Retail	Wholesale
439	14' 5"		Please Login
117	Storage stand		Please Login



Tele-Tower

- Safer than ladders and far more versatile than common scaffolding
- Assembles in about 10 minutes
- Rolls through a standard 32" doorway
- Working height of 18'
- Platform height range 2' to 11'
- 6' L x 19" W deck
- Easy assembly – no tools required
- Heavy-duty 5" casters
- Max load rating 550 lbs.

Item No.	Retail	Wholesale
1101		Please Login

DRILLRITE

Overhead Drill Press

- Chain mechanism for simplicity, long life and low maintenance
- Includes secondary flat base for use on work platforms
- Flex base available for uneven floors (ie; parking garages)
- Reduces operator fatigue
- Integrated dust extraction system
- Drill and vacuum sold separately
- Reaches: 140"
- Travel: 59"
- Cradle Height: 81"



Item No.	Retail	Wholesale
350		Please Login

CONTRACTOR LIFTS

Stacker Lift



Model EL-405

- 4'5" in height
- 400 lb. lifting capacity
- 53" lifting height
- Two speed winch handle position
- Quick action wheel brake
- Large lifting surfaces
- **Special order only; non-stock item; non-cancelable**

Item No.	Retail	Wholesale
EL-405		Please Login



SUMNER



Ideal, adjustable work platform for repair shops!



Great for loading customer vehicles!

Contractor Lift

With the highest reach in the 2200 Series, this double masted lift offers the capability of lifting light fixtures or AC units in low ceiling buildings. Its forks fit between most acoustical ceiling tiles.

SERIES 2200
LIFT HOISTER LIFTS

Model 2210

SUMNER



Ships Assembled



- 11' height
- 300 lb. capacity
- High speed reversing winch with automatic braking action
- 1" nylon strap - no more cable kinks
- 106 lbs.

Item No.	Retail	Wholesale
784310		Please Login



Compact Storage
remove forks and reposition legs for space saving storage



Reversing handle for convenient, out-of-the-way storage

Roust-A-Bout

Enables one man to lift and place loads in tight locations that would be impossible with other lifts. The Roust-A-Bout eliminates the need for many other tools such as come alongs, scaffolds, monorails, and swing booms.



**Model R-150
R-180
R-250**

Ships Assembled



- Lifts 1,500 lbs.
- 15' height
- Moves vertically and horizontally
- Separate load and mast winches
- Infinite load adjustment
- Mast and base separate quickly for EASY transport
- 780301 - 311 lbs.
- 780302 - 337 lbs. • **Special order only; non-stock item; non-cancelable**
- 780303 - 381 lbs. • **Special order only; non-stock item; non-cancelable**

Item No.	Max Height	Retail	Wholesale
780301	15'		Please Login
780302	18'		Please Login
780303	25'		Please Login



SUMNER

SERIES 2000
MATERIAL LIFTS

Model 2015

Shown with optional outrigger kit and 10" wheel kit



Ships Assembled



Built for heavy material such as steel beams and/or continuous work

Material Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- 15'2" heights
- 800 lb. capacity
- Rolls through standard doorways & tail gates
- Loading Bar - great for overhead cranes
- Plunger pins for quick readjustment and compact storage
- No tools needed - no loose parts
- Large 7/32" load cable
- 315 lbs.

Item No.	Max Height/Desc.	Retail	Wholesale
783701	15' 2"		Please Login
783736	10" Wheel Kit		Please Login
783691	Carriage Fork Ext.		Please Login

SUMNER

SERIES 2100
CONTRACTOR LIFTS

**Model 2118
2124**

Comes standard with outrigger kit and 10" wheel kit



Ships Assembled



18' is MOST POPULAR

Contractor Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- 18'6" or 23'11" heights
- 650 lb. capacity
- Rolls through standard doorways & tail gates
- Loading Bar - great for overhead cranes
- Plunger pins for quick readjustment and compact storage
- No tools needed - no loose parts
- Large 7/32" load cable
- 783651 - 360 lbs.
- 783652 - 399 lbs.

Item No.	Max Height/Desc.	Retail	Wholesale
783651	18' 6"		Please Login
783652	23' 11"		Please Login
783691	Carriage Fork Ext.		Please Login

Model 2412

Pipe Cradle Optional



Ships Assembled



Contractor Lift

This super compact lift has handy roller wheels which enable ease of rolling into vehicles for transportation. Features 8" non-marking wheels.

- 12' height
- 400 lb. capacity
- Easily portable for one person
- fits most SUVs and vans
- Forks remove and legs reposition for compact storage
- No tools needed or loose parts
- 195 lbs.
- **Special order only; non-stock item; non-cancelable**

Item No.	Description	Retail	Wholesale
784750	Lift		Please Login
783705	Pipe Cradle		Please Login

Choosing The Right Machine For The Job

Choosing the Right Electric Eel[®] Machine for the Job

1 Model C
3" - 10" dia.
lines up to 200'

2 Model R
3" - 6" dia.
lines up to 100'

3 Model RF
3" - 6" dia.
lines up to 100'

4 Model E
1-1/4" - 3" dia.
lines up to 75'

5 Model E-AF
1-1/4" - 3" dia.
lines up to 75'

6 Model Z5-AF
1-1/4" - 3" dia.
lines up to 100'

7 Model Z5
1-1/4" - 3" dia.
lines up to 100'

8 Model CT
3/4" - 2-1/2" dia.
lines up to 50'

9 EJ-1500
Jetter
1-1/2" - 4" dia. lines

10 Model K
1-1/4" - 3" dia.
lines up to 100'

11 E-CAM
Inspects
3" - 8" dia. lines

12 Hande
1" - 2-1/2" dia.
lines up to 35'

13 Model S
1-1/4" - 2-1/2" dia.
lines up to 35'

14 Closet Auger
3" cable

Electric Eel Mfg. Co., Inc. • 501 W. Lottel Lane • Springfield, OH 45501-9985 • 800-933-1212 • Fax: 937-323-3767 • www.electriceel.com
 For Illustration Purposes Only. Always Refer to the Operator's Manual and Safety Instructions Before Operating Any Drain and Sewer Cleaning Equipment. Avoid Trips Whenever Possible. Subject to Change Without Notice.



HE1425



Hande Drain Cleaner

- HE-1/4E25
- Opens clogged sinks, lavatories, bathtubs, and shower stall drains
- 1/4" or 5/16" music wire cable for maximum flexibility and durability
- Convenient thumb screw locks cable securely

Item No.	Description	Retail	Wholesale
HE1425	Hande Drain Cleaner w/1/4" x 25' cable		Please Login
14E25	1/4" x 25' replacement cable - Hande		Please Login
516E25	5/16" x 25' replacement cable - Hande		Please Login

Electric Eel Accessories

			MODEL										Retail	Wholesale
Part#	Description	HE1425	S	CT	K	E	Z5	R	RF	C				
14E25	1/4" x 25' replacement cable - Hande	X	X	X								Please Login		
516E25	5/16" x 25' replacement cable - Hande	X	X	X								Please Login		
38C25	3/8" x 25' expanded end replacement cable		X	X								Please Login		
516C25	5/16" x 25' expanded end replacement cable		X	X								Please Login		
CS-10	Carry case S-10		X									Please Login		
EG1A	2 wheel cart w/folding handle					X						Please Login		
12C50	1/2" x 50' IC replacement cable					X						Please Login		
12C75	1/2" x 75' IC replacement cable					X	X					Please Login		
DNTS	3 piece tool set				X	X						Please Login		
DNTS5	5 piece tool set						X					Please Login		
58C100	5/8" x 100' Tri-Max replacement cable							X	X			Please Login		
34C100	3/4" x 100' Tri-Max replacement cable							X	X			Please Login		
RTS	4 piece tool set							X	X			Please Login		
A1DC	Spear head							X	X	X		Please Login		
HDD3S	Root saw							X	X			Please Login		
U3H	Grease tool							X	X			Please Login		
HDD7	Retriever tool							X	X	X		Please Login		
SW18	Spanner wrench for disconnecting tool SC-18							X	X	X		Please Login		
FL12	12" Flex leader 1-FLSC1SC2							X	X			Please Login		
8TRS	8' TRS reg. dual cables									X		Please Login		
10TRS	10' TRS reg. dual cables									X		Please Login		
SC13	Feeding tool									X		Please Login		
CTSR	5 piece tool set									X		Please Login		
A14DC	Root saw									X		Please Login		
HDD2A	Retriever tool									X		Please Login		
U4H	Grease tool									X		Please Login		
SP30	Tool adapter		X	X	X	X	X	X	X	X		Please Login		

Included in Tool Set #RTS

View Our Complete Line of Electric Eel Accessories on Page 151



Counter-Top Drain Cleaner - Model CT

- CTK-5/16EIC35-AF
- 1/5 HP, 90 Volt DC motor
- Heavy-duty housing protects motor and internal wiring
- Cable guide hose eliminates cable whipping
- Stainless steel cable drum will not rust
- Built-in GFCI on 20' line cord
- Air operated foot switch and cord assembly for ease of operation
- 5/16" x 35' cable

Item No.	Description	Retail	Wholesale
CT51635	Electric cleaner		Please Login



Tool Set Included

Manual Powered Drain Cleaner - Model K

- KK-1/2IC50
- Cleans 1-1/4" - 3" diameter lines up to 100'
- Lightweight, less expensive alternative to electric powered models
- Ideal for rooftop work in downspouts
- Runs up to 100' of 1/2" galvanized aircraft wire inner core cable
- Self-aligning bearings
- Thumbscrew locks cable at front of cage
- Heavy-duty steel frame is reinforced on both sides with steel braces

Item No.	Description	Retail	Wholesale
KK1250	Manual cleaner w/1/2" x 50' IC cable & tool set		Please Login



Tool Set Included

MOST POPULAR

Electric Drain Cleaner - Model E

- EK-R-1/2IC50
- Cleans 1-1/4" - 3" dia. lines up to 50'
- Manual feed
- A common and widely rented machine popular with homeowners
- Rugged 1/3 H.P. Baldor motor
- Inner drum to eliminate cable buckling in cage
- Built-in drum shaft slip clutch
- GFCI with 20' power cord

Item No.	Description	Retail	Wholesale
EKR1250	Electric cleaner w/1/2" x 50' IC cable & tool set		Please Login



Tool Set Included

Electric Drain Cleaner - Model Z5

- Z5K-1/2IC75
- Cleans 1 1/4" - 3" dia. lines up to 100'
- Unit built on heavy duty steel frame with folding handle for easy storage and transport
- Totally open cable cage for easy inspection and cleaning of cable
- Wheel break stabilizes unit while in operation
- Easy-to-use air operated foot switch allows the use of both hands when working with cable
- Unique inner drum design eliminates cable tangling in cage
- Rugged 1/3 H.P. Baldor motor



Item No.	Description	Retail	Wholesale
Z5K1275	Electric cleaner w/1/2" x 75' IC cable & tool set		Please Login

SECOND CHOICE



Model R



Electric Drain Cleaner - Model R

- RK-5/8IC100
- RK-3/4IC100
- Cleans 3" – 6" dia. lines up to 100'
- Runs the industries toughest TRI-MAX cable in 5/8" x 3/4" diameter
- Ideal in situations with limited working space
- Heavy duty 1/3 H.P. Baldor capacitor start motor
- Rugged 1-1/4" steel frame
- Snap lock tool connectors hold tools firmly in place
- Large 10" wheels for easy maneuvering
- Built-in GFCI w/20' power cord
- **RK58 - Special order only; non-stock item; non-cancelable**



Item No.	Description	Retail	Wholesale
RK58	Cleaner w/5/8" x 100' IC cable & tool set		Please Login
RK34	Cleaner w/3/4" x 100' IC cable & tool set		Please Login



2-way Auto Cable Feed

Model RF

Electric Drain Cleaner w/Auto Feed Cable - Model RF

- RFK-3/4IC100
- Same features as Model R
- Added Safety - cable guide spring keeps hands off rotating cable
- Auto Feed - customer does not have to manually pull cable out and push back in cage - 2 way auto feeder does all the work
- Totally Open Cage - for quick inspection of cable and easy cleaning
- **Special order only; non-stock item; non-cancelable**



Item No.	Description	Retail	Wholesale
RFK100	Cleaner w/auto cable feed		Please Login

View Our Complete Line of Electric Eel Accessories on Page 151



Now with patent pending redesigned snap-lock cable coupling allows cables to connect easier and quicker than ever.
Part# 8TRS & 10TRS



Electric Drain Cleaner - Model C

- CK-R-1/2-8TRS
- Cleans 3" – 10" dia. lines up to 200'
- Ideal for tougher blockages such as tree roots and for longer runs in main sewer lines
- Spins the 8' or 10' cables at twice the RPM of that of a continuous cable machine for maximum cleaning power
- Safety – No handling of rotating cables
- Lower Maintenance – Sectional cables can be quickly inspected
- Ease of Transport – The Model C drive unit weighs only 72 lbs.
- The handle folds down for easy transport and storage

Item No.	Description	Retail	Wholesale
CK128	Cleaner w/(13) 8' TRS reg. dual cables (5) cleaning tools; feeding tool, spanner wrench		Please Login
CDU12	Model C drive unit only, 1/2HP		Please Login
10TRS	10' Cable sections		Please Login



Drill Powered Cleaner - Model S

- SK-R-3/8EIC25
- Cleans 1-1/4" – 2-1/2" dia. lines up to 35'
- Ideal for smaller, inside lines such as sinks, tubs, and showers
- Stainless steel cable drum won't rust, break or crack
- Cast aluminum hand guard
- Double insulated drill for shock protection
- Cables are constructed of certified music wire

Item No.	Description	Retail	Wholesale
SKR3825	Drill cleaner w/3/8" x 25' EIC cable		Please Login
SDU	Drill cleaner unit only		Please Login
S-11A	Toilet guide tube		Please Login





- Includes**
- UHF Antenna
 - Battery
 - Belt Clip
 - Charger

2 Watt, 64 Channels Two-way Radio

- Analog only transmissions
- 64 channels
- UHF (451-470 MHz) frequency bands
- 2 programmable buttons
- 2 watts max power output
- 7-color LED notification light
- 15 hours of battery life
- IP54/55 - weatherproof
- Upgradeable to DMR or NXDN digital operations
- 3 year Kenwood warranty

Item No.	Retail	Wholesale
NX-P1302AUK		Please Login



- Includes**
- UHF Antenna
 - Battery
 - Belt Clip
 - Charger

5 Watt, 64 Channels Two-way Radio

- Analog only transmissions
- 64 channels
- UHF (451-470 MHz) frequency bands
- 2 programmable buttons
- 5 watts max power output
- 7-color LED notification light
- 11.5 hours of battery life
- IP54/55 - weatherproof
- Upgradeable to DMR or NXDN digital operations
- 3 year Kenwood warranty

Item No.	Retail	Wholesale
NX-P1300AUK		Please Login



- Includes**
- UHF Antenna
 - Battery
 - Belt Clip
 - Charger
 - AC Charging Adapter

5 Watt, 64 Channels Digital & Analog Two-way Radio

- 64 channels
- UHF (451-470 MHz) frequency bands
- 5 watts max power output
- NXDN® Digital Mode
- Cloning Capable
- Pre-stored UHF frequencies and Quiet Talk codes (QT and DQT)
- 7-color LED notification light
- 11.5 hours of battery life
- IP54/55 - weatherproof
- 3 year Kenwood warranty

Item No.	Retail	Wholesale
NX-P1300NUK		Please Login



KMB-28AK



KHS-31C



KHS-10D-BH



KNB-45L



KBH-10



KSC-35SK



KRA-4SM

Accessories

Item No.	Description	Retail	Wholesale
KMB-28AK	6 unit multi-charger		Please Login
KHS-31C	C-ring headset with clip on mic/ptt button		Please Login
KHS-10D-BH	Noise-Reduction Headset (can be used with hardhats)		Please Login
KNB-45L	Replacement 2000mah li-ion battery		Please Login
KBH-10	Replacement belt clip		Please Login
KSC-35SK	Replacement charging dock		Please Login
KRA-42M	2' UHF Stubby Antenna		Please Login

RevolutionXE Aluminum Multi-Position Ladders

- Rated to hold up to 300 lbs. (Type 1A duty rating)
- Convenient Rock Lock push button adjustment
- Limited Lifetime Warranty
- OSHA & ANSI A14.2 standards
- Use as different configurations, including A-frame, extension



Ratcheting Levelers

- Work safely on uneven terrain
- Hands-free adjustments

Item No.	Leveler	Height	Weight	Retail	Wholesale
12017	No	15'	32 lbs.		Please Login
13117-801	Yes	15'	38 lbs.		Please Login
12022	No	19'	38 lbs.		Please Login
12022-801	Yes	19'	44 lbs.		Please Login
12026	No	26'	49.5 lbs.		Please Login
12026-801	Yes	26'	53 lbs.		Please Login

Little Giant
Ladder Systems

Adjustable Safety Cage Fiberglass Ladders

- Rated to hold up to 375 lbs. (Type 1AA duty rating)
- Adjustable enclosed platform to be a versatile, safe alternative to tying off
- Protects operators in a fully enclosed working platform
- Works on uneven surfaces, stairs, and upper floors
- Includes a one year warranty
- Tip & glide wheels



Item No.	Height	Weight	Retail	Wholesale
18503-240	3'-5'	98 lbs.		Please Login
18509-240	5'-9'	126 lbs.		Please Login

Call For Other Options

Defender Ladder Type 1A

- Built in tipping, gliding wheels
- Wide-flared extension ladder
- Capable of dozens of configurations, including A-frame, extension, & 90°
- Exceeds all OSHA & ANSI standards
- Rated to 300 lbs



Item No.	Model	Height	Weight	Retail	Wholesale
15187-882	17	7'-15'	31.5 lbs.		Please Login
15182-882	22	19'	46.5 lbs.		Please Login

Safety Step Stepladder Type 1A

- Rugged, corrosion-resistant aluminum alloy construction
- Ultra-slim 5" folded depth
- Wide, slip-resistant step treads
- Fold-up safety bar for extra security
- Lightweight and portable
- Integrated work tray
- 300 lbs. capacity



Item No.	Steps	Height	Weight	Load Cap.	Retail	Wholesale
10210BA	2	31.5"	15 lbs.	300 lbs.		Please Login
10310BA	3	44"	20 lbs.	300 lbs.		Please Login
10410BA	4	56"	25 lbs.	300 lbs.		Please Login

All Little Giant Ladders Ship Factory Direct

Skyscraper Telescoping A-Frame Ladders

- Heavy-wall aircraft-grade aluminum construction
- Rated to hold up to 300 lbs. Type 1A
- Adjustable for use on stairs, curbs, docks and more
- Complies with OSHA ANSI A14.2 standards
- Includes a full 5-year Warranty



Item No.	Model	Height	Weight	Retail	Wholesale
10109	M15	8'-15'	60 lbs.		Please Login
10110	M17	9'-17'	79 lbs.		Please Login
10121	M21	11'-21'	103 lbs.		Please Login

Little Giant
Ladder Systems

Firemans Overhaul Ladder Type 1AA

- Designed by firefighters for firefighters
- Ratchet™ Levelers
- Roof and rafter hooks
- Heat sensing technology
- Meets the requirements of NFPA1901-2009, standards for Automotive Fire Apparatus, section 5.7.1.3 for pumpers, section 8.7.5 for ladder trucks, & section 9.7.1.3 for quints
- Rated to 375 lbs



Item No.	Model	Height	Weight	Retail	Wholesale
15197-303	17	7'-15'	52.3 lbs		Please Login

-A-

- Abrasives 139-141
- ABS Cement 89
- Adapters, Electric 96
- Adhesive Caulk 89
- Adhesive, Construction 89
- Adhesive Strips Refill 105
- Adjustable Wrenches 83
- Aerator 103
- Air Filters 10-11, 90
- Air Hose 69
- Air Hose Couplers 68-69
- Air Mover 8-9
- Air Purifiers 11
- Air Scrubber 11
- All Purpose Cleaner 88
- All Terrain Vise 82
- Angle Grinder 124-126
- Asphalt Lute 99
- Asphalt Plugs 24
- Atlas Digger 99
- ATV Vise 82
- Augers 104
- Automotive 92-93
- Aviation Snips 83
- Axes 101
- Axial Blower 8-9

-B-

- Back Supports 53
- Balloon Light Kits 60
- Barley Fork 99
- Barricades 145
- Barricade Light 145
- BASH Hammers 25, 101
- Batteries 63
- Battery Charger 63
- Beam Clamp 65
- Beanies 61
- Bench Vise 82
- Beverage Dispensers 19
- Binders 47
- Blades 83, 87, 110-112, 116, 127, 139, 141
- Block Covers 25
- Blowers & Fans 4-9
- Body Harness 52-53
- Bolt Clamps 68
- Booster Cables 92
- Boots 35
- Bosch 54, 111, 120-121, 124-125, 128-135, 139
- Bottle Jack 64
- Box Strap 52
- Breakaway Safety Vest 146
- Breaker Hammers 111, 128
- Brute, Breaker Hammer 134

- Buckle Boots 35
- Buddy Heaters 59
- Bull Floats 116
- Bungee Cords 48

-C-

- Cable Ties 50, 96
- Cafe Lights 21, 61
- Cam & Groove Couplings 71
- Camo Items 51, 59
- Can Covers 25
- Canopies 27
- CARB Cans 66
- Cargo Bar 47
- Carpenter Pencil 57
- Carpet Blowers 6, 109
- Carpet Cleaning Chem. 109
- Carpet Extractors 109
- Carpet Knee Kicker 113
- Carpet Tools 113
- Caulk 89
- Caution Tape 53
- Cement, ABS 89
- Centrifugal Pump 75
- Chains 47
- Chain Binder 47
- Chain Hoist 65
- Chair Bags 24
- Chair Dolly 27
- Chairs 26-27
- Chalk/Chalk Lines 57
- Channelizer Cones 145
- Chargers, Battery 63
- Chisels 130-134, 136
- Cigarette Butt Receptacle 80
- Clamps 66, 83
- Clay Spades 130, 136
- Cleaners & Degreasers 27, 77, 88, 109
- Clear Tape 106
- Combination Hammer 129
- Compost Spreader 102
- Concession Items 12-17
- Concrete Floats 116
- Concrete Finishing 116
- Concrete Mixers 117
- Confined Space Ventilator 8-9
- Contractor Lifts 148-149
- Coolers 18
- Cord Adapters 96
- Cord End Replacements 96
- Core Bits 130, 132-133
- Cotton Candy Machine/Supplies 17
- Couplings 68-71
- Coveralls 35, 80
- Crayons 57

- Credit Application 162
- Cut-off Saw 137
- Cut-off Wheels 139

-D-

- Danger Flags 53
- Danger Tape 53
- Degreasers & Cleaners 27, 77, 88, 109
- Dehumidifiers 10
- Demolition Hammer 128
- Diamond Blades 87, 139, 141
- Diesel Caddy 161
- Digger Tamper Bar 100
- Discharge Hose 70
- Disposable Coveralls 35, 80
- DisposaCone 144
- Dollies 82
- Drain Cleaners 150-153
- Drill Bits 83, 123
- Drill Press, Overhead 129, 147
- Drink Machine 19
- Drive Sets 84
- Drum Fans 4
- Drum Sander 114
- Drywall/Wallpaper Tools 122, 147
- Drywall Lifter 147
- Duct 8-9, 28-30
- Duct Diffusers 28-30
- Duct Ring 28-30
- Duct Tape 106
- Dust Masks 143
- Dustbuddie 118
- Dustless Vacuum Systems 118

-E-

- Ear Plugs 43, 143
- Edger, Floor 115
- Elastic Tie Downs 48
- Electric Drain Cleaners 150-153
- Electric Eel 150-153
- Electrical Plugs 96-97
- Electrical Safety 95
- Electrical Tape 106
- Engine Parts 90
- Epoxy 89
- Extension Cords 24, 45, 94-95
- Extension Ladders 155
- Extractors, Carpet 109
- Evaporative Cooler 7
- Event Supplies 12-31
- Eye Flush Bottles 105
- Eyewash Replacement Bottle 105
- Eyewash Station 105

-N-

- Nacho Warmer16
- Nail Gun128
- No-Spill66
- Non-Slip Tape53

-O-

- Oil Treatment66
- Orbital Sander114
- Oscillating Tool112
- Outdoor Equipment102-103
- Overhead Drill Press129, 147
- Ozone Generator11

-P-

- Padlock49
- Paint58
- Paint Striper58, 103
- Painters Tape106
- Pallet Truck64
- Panel Lifter147
- Paragon12-17
- Parts Tray78
- Party Supplies12-31
- Patio Heater31
- Pedal Karts20
- Pedestal Fans5
- Pencils57
- Pigtails36
- Pins & Loads138
- Pipe Wrenches83
- Pivot Fan4
- Pliers86-87
- Plugs96-97
- Points & Chisels130-134, 136
- POL Pigtails36
- Popcorn Popper/Supplies12-13
- Post Hole Digger99
- Powder Actuated Tools138
- Powder Fasteners138
- Power Cutter137
- Power Distribution Center/Cords45, 97
- Power Tools ..108, 110-112, 124-129, 134-137
- Power Trowel Blades116
- Powercord Adapter96
- Preferred Cust. ProgramIFC
- Pressure Washers/Accessories77
- Pressure Washer Cleaners77
- Pressure Washer Wand Belt77
- Propane Tanks37
- Propane Tank Accessories36-37
- Pry Bar87
- Pul-Krete116
- Pumps, Water73-76

-R-

- Radios154
- Rainsuits35
- RainX93
- Rake, Thatching99
- Ratchet Hardhats43, 142
- Ratchet Straps46-47
- Rebar Bender/Cutter82, 133
- Rebar Caps145
- Receptacles96
- Reciprocating Saws127
- Recovery Strap/Tow Strap47
- Reflective Tape53
- Reflective Vests146
- Regulators36, 81
- Rental Extension Cord95
- Rep CoverageIBC
- Respirators143
- Rice Shovel98
- Roof Sealant89
- Rope49
- Rope Ratchet49
- Rotary Hammers129
- Roust-A-Bout148
- Rubber Tarp Straps48, 107

-S-

- Safety Cans67
- Safety Fence144
- Safety Glasses38-43, 59
- Safety Goggles41
- Safety Harness53
- Safety Vests146
- Sales RepsIBC
- San Angelo Bar100
- Sandbags144
- Sanders114-115, 126
- Sandpaper/Pads114-115, 140, 160
- Sanitation Supplies80
- Saws108, 112, 127, 137
- Scoop Shovel98
- Screw Jack64
- Scrub Towels79
- Sealant89
- Sealing Tape37, 106
- Shelters27
- Shingle Removers100
- Shop Tools78-79
- Shop Towels79
- Shovels98
- Silt Fence144
- Simple Green Cleaner88
- Siphon Pumps66
- Sledge Hammers25, 101
- Slidelocks49
- Sling, Web65
- Slush Boots35
- Small Engine Parts (HONDA)90
- Smokers Cease Fire80

- Sno Cone Cart14
- Sno Cone Machine/ Supplies14-15
- Snow Rake99
- Snow Squeegee99
- Socket Sets84
- Soil Probe98
- Spanner Wrench70
- Spline Chisels133
- Spline Shank Drills132
- Splitting Mauls101
- Sport Knives51, 59
- Spot Marker58
- Sprayers100
- Spreader102
- Stain Remover88
- Step Ladders155
- Stencil Kit58
- Step Stool155
- Stilts122
- Stop/Slow Paddles145
- Stain Remover88
- Strainers71
- Straps & Chains46-47
- Stretch Wrap/Dispenser107
- Striping Paint58
- Striping Tools58
- Submersible Pumps73-76
- Suction Hose70
- Sugar Floss17
- Summer148-149
- Surveyors Tri-pod55
- Surveyors Vest146

-T-

- T-Block36
- Table Covers22-23
- Tables26-27
- Tamper98
- Tamper Bar100
- Tank Connectors36-37
- Tape53, 106
- Tape Measures56, 85
- Tarps107
- Tarp Straps48, 107
- Tarp/Visqueen Tape106
- Tele-Tower147
- Telescoping Ladders155
- Tent & Party Supplies12-31
- Tent Accessories24-25
- Tensioning Tool71
- Tent Cleaners27
- Tent Fans6
- Tent Heaters28-31
- Tent Stake Caps24
- Tent Stake Hole Plugs24
- Tent Strap Ratchets24
- Terms & Conditions72
- Thatching Rake99
- Thread Sealing Tape106

Tie Downs	46-48
Tile Breaker	110-111
Tile Cutter	108, 113
Tile Saw	108
Tillers	102
Tire Repair Kit	93
Toilet Auger	151
Tool Sharpener	51
Tool Sets	84
Torches	81
Torch Hose	81
Torch Regulator	81
Tow Straps	47
Towels, Wipes	79
Tower Lights	60
Traffic Cones	144
Traffic Safety	144-146
Trailer Hitch	92
Trash Pumps	73-75
Tree Pruner	100
Trench Shovel	98
Tripod	55
Trowel Blades	116
Trowel Blade Conversion Ch.....	116
Twine.....	49
Twist Ties	21, 50
Two-Way Radio	154

-U-

Universal Couplings	68
Upside Down Paint	58
Utility Knife	82

-V-

Vacuums	118-121
Ventilator	8-9
Vests, Safety	146
Vises	82

-W-

Wallpaper Steamer Accessories	122
Warmer, Nacho, Popcorn, Peanut	16
Water Hose	68
Water Pumps	73-76
WD-40 Lubricant	79
Weather Protection	91
Web Slings	65
Wet Floor Sign	80
Wet/Dry Vac	118-121
Wet Tile Saw	108
Wheel Chock.....	92
Wheelbarrow.....	102
Whip Check Cable	68
Wipes	79
Wobblelights	61
Women's Gear	43
Woodsman Hat	100

Work Platform	147
Worklights	60-61, 160
Wrenches	83

-Manufacturer Index-

3M.....	106
Abbott	68-71
Accusharp	51, 59
Aerovee.....	58, 88, 103
Amercian Sanders	114-115
AMH	65
Bayco	60
BE Pressure	77
Black Stallion	32-34
Bosch	54, 111, 120-121, 124-125, 128-135, 139
Briggs & Stratton.....	77
Bunn	19
Cargoloc	46-48, 92
Carlisle	80
Century	24, 45, 92, 94-95
ChannelLock.....	83, 86
Chicago Pneumatic.....	136
Cortina	144-145
Crain.....	112-113
Crossfire	40-41
DAP.....	89
Dewalt	44, 84, 127-128
Dri-Eaz.....	6, 9-11, 109
Dustless Technologies	118
Earlex	122
Edge	38-39, 59
Electric Eel.....	150-153
E-Z Up.....	27
Fast Orange	79, 88
Fill 'n Chill	160
Fix-A-Flat	93
FloTec	76
Formarm Forklift	52
Frosty Factory.....	19
Generac	44
General.....	8, 104, 110-111
Gold Medal	17
Grip	46, 48, 69, 78, 82, 87
GripRite.....	107
Gumout	93
Gundlach	112-113
Heat Wagon	30
HeatStar	29, 31
Igloo	18
Imer.....	108, 117
IPG	106
Irwin	83, 86-87, 127
J&D Manufacturing	6-7, 9
Jackson Safety	42
Jasco.....	21, 61
Jet.....	64, 82
Justrite	67, 80
Kenwood.....	154
Keson.....	56-57, 85


Kimberly-Clark	42, 79
Koshin	73
Kwik-Covers.....	22-23, 25
L.B. White	7, 28
Little Giant.....	155
Loctite	89
Makita	126-127, 137, 139
Marshalltown	116
Maxim	102-103
Milwaukee	83, 137
Mr. Heater	59
Nite Ize.....	49-50
No-Spill	66
Norseman	123
OdorStop.....	11
P.R.E.	26, 31
Pac-Kit	105
Paragon	12-17
Paragon Pro	129, 147
Patio Comfort	31
Peerless	47
Pennzoil	93
Pioneer Eclipse	114-115
Plug-R.....	24
Prime Karts	20
Radians	39, 41, 59, 143, 146
RainX	93
Ramset	138
Ray-O-Vac	62-63
Safety Works	142-143
SAS Safety Corp.	35, 80, 105, 143
Schaefer	4-7
Scotch	106
SeeDevil	60
Sensible Products	63
Seymour/Midwest	98-100, 102
Shipp.....	27, 77, 109
Simple Green	88
Southwire.....	45, 94, 96-97
Spectra	54-55
Stanley Bostich	51, 85
Stens.....	90
Summer	148-149
Sureflame	9, 81
TPI	4
True.....	51
Tsurumi	74-75
Virginia Abrasives	108, 114-115, 139-141
Warner	122
WD-40	79
Wilton	25, 101, 82
Windsor.....	109
Winmore	5
Wobblelight	61
Zep	88

BARGAIN BUYS


LAST CHANCE

LAST CHANCE!!

Get them while you can . . . the following items listed on our Bargain Buys pages have either been discontinued or been deemed special order items. Hurry, quantities are limited and prices are good for in-stock merchandise only.



Part#	Description	Wholesale
Fans		
WMDF24E	24" Pivot Direct Drive Drum Fan	Please Login
CPB36B	36" Belt Drive Drum Fan	Please Login



Part#	Description	Wholesale
Blades / Bits / Pins / Loads/Sandpaper		
P10418	1-1/4" x 18" Moil Point	Please Login
R00764	.300 x 1" Drive Pins/25 pack	Please Login
54502	100 Grit Sandpaper - 25 pk.	Please Login
54702	150 Grit Sandpaper - 25 pk.	Please Login



Part#	Description	Wholesale
Fill 'n Chill Accessories		
FNC8929	Black insert	Please Login
FNC9700	Drain end caps	Please Login
FNC7371	White mini accordian skirting	Please Login
FNC7372	Black mini accordian skirting	Please Login
10IN0309	Little Chiller white insert	Please Login
10IN8309	Little Chiller black insert	Please Login
10SP0404	Little Chiller - white spandex	Please Login



Part#	Description	Wholesale
Lighting		
PT523050GN	Portable LED Worklight	Please Login
SL1003	Halogen Light-500 Watts	Please Login
ORHLT5006	Halogen Light Tower-500 Watts	Please Login
PT523230	Portable LED Dual Head Worklight	Please Login
PZ-1042	Halogen Worklight	Please Login
SL1006	Halogen Convertible Light Tower-1000 Watts	Please Login

BARGAIN BUYS




Part#	Description	Wholesale
Floor Care		
425-04254	10" premium segmented grinding head	Please Login
425-05235	2 x 2 x 4 Diamond grinding block, medium	Please Login
003-27820	6" conversion disc for edger	Please Login
J161G	16" Thin green pad-medium scrubbing	Please Login



Part#	Description	Wholesale
Safety Glasses		
CK224	CK2 Series, gray frame, amber yellow lens	Please Login
DL217	Dallas Series, orange frame, silver mirror lens	Please Login
K3H15A	Klondike magnifier, amber lens, 1.5 diopter	Please Login
K3H15G	Klondike magnifier, grey lens, 1.5 diopter	Please Login
MX412AF	MX Smart Fit series, grey anti-fog Lenses	Please Login
ST112	ST1 Series, black frame, gray lens	Please Login
TM110	Tremor Series, clear lens, onyx frame	Please Login



Part#	Description	Wholesale
Fuel Caddies		
403IP	Red, 28 Gal, Includes Industrial Pump	Please Login
A93-2401	Yellow, 28 Gal, Gravity Fed	Please Login



Part#	Description	Wholesale
Misc.		
6216	Hose to Pump Extension Kit	Please Login
TRA205T	Staples - 5/16", 1,000 box	Please Login
PGPRO1830	30' Tape Measure	Please Login
741414-B-10	Grinding Wheel - 1/4" thick, 24 grit	Please Login
21430	14 lb., 30" Handle Sledgehammer	Please Login
MACD3	8 Quart Stainless Steel Chafer	Please Login
3690000	Wet Floor Sign	Please Login



Part#	Description	Wholesale
Cleaners/Sealants		
018500-24	4 oz. Black ABS Cement	Please Login
800001364	Gumout Fuel System Cleaner, 6 oz.	Please Login



PHP Credit Application

Fax Toll Free: 1-800-255-7985

PHP must have a copy of your Sales Tax Exemption Certificate on file – (the certificate should be returned with the credit application).

Company Name: _____ Phone: _____

Billing Address: _____ Fax _____

Shipping Address: _____ Purchasing Agent _____

Accounts Payable _____

Email Address: _____ Can we contact you with PHP Specials? _____

Ownership Type: Corporation Partnership Sole Proprietor Other How long at location? _____ yrs

- TYPE OF COMPANY: (What business are you in?) Please circle all that apply.
- | | | |
|----------------------|------------------------|-------------------------|
| 1. Contractor Supply | 7. Hardware | 14. LP Dealer |
| 2. Rental Store | 8. Small Engine Repair | 15. Electric Wholesaler |
| 3. Ag/Farm Supply | 9. Electric Motor | 16. Tent & Party |
| 4. Lumber Yard | 10. HVAC | 21. Golf Courses |
| 5. Concrete-Redi Mix | 11. STAFDA | 23. New ARA Member |
| 6. Lawn & Garden | 12. Other _____ | 99. Contractor |

If corporation: Legal Name _____
State of Incorporation _____ Date of Incorporation: _____

BANK REFERENCES:

Name _____ Phone No. _____
 Street Address _____ City, State, Zip _____
 Savings Account No. _____ Checking Account No. _____
 State Sales Tax Exempt # _____

SUPPLIER REFERENCES: (To help expedite, please include supplier FAX number and your account number with them.)

- (1) Name _____ Phone: A/C _____ - _____
 Address _____ Email: _____
 City, State, Zip _____ Acct.#/Contact _____
- (2) Name _____ Phone: A/C _____ - _____
 Address _____ Email: _____
 City, State, Zip _____ Acct.#/Contact _____

Please sign below, so that we have permission to gather credit information about your company.

In support of this application, PHP is hereby authorized to obtain credit and/or financial information from my/our bank(s), other financial institutions or commercial firms with whom I/we have done business. It is understood that any such credit and/or financial information will be held in strict confidence and used only in consideration of this application.

Upon approval of this application, it is agreed that all purchases will be paid in full and in accordance with the terms of sale as stated on PHP invoice(s). Should I/we not pay PHP according to terms, it is understood that credit privileges may be withdrawn. Should PHP find it necessary to obtain assistance in collecting any past due balance, I/we agree to pay interest at the rate of 1.5% per month (or such other rate allowable by State law), reasonable attorney fees, collection fees, and/or court costs allowable by law. A copy of this statement and application has been received.

Company Name _____ Authorized Signature _____

Telephone _____ Title _____

Personal Guaranty of Indebtedness: If you have been in business less than 2 years, please sign this. The undersigned Guarantor(s), in order to induce PHP to extend credit to applicant herein, and in consideration thereof, does hereby unconditionally, personally, and individually guarantee all sums which may be owed by applicant to PHP arising out of sale of products by PHP to said applicant, whether said indebtedness is due now or hereinafter occurred. This Guaranty is continuing, and shall continue to apply to all indebtedness which applicant may hereinafter incur, renew, or extend whole or in part, with PHP, all without notice to the undersigned Guarantor (s). The Guarantor(s) agrees to pay all costs and expenses, including reasonable attorney fees, which PHP incurs in the collection of any indebtedness from the Guarantor(s) covered by this agreement, or in the collection of any liability of the guarantor(s) hereunder. Notice of acceptance of this Guaranty is hereby waived; notice of any and all indebtedness guaranteed hereunder is expressly waived. The Guaranty is delivered and shall be deemed to have been made in and shall be governed and construed pursuant to the laws of the State of Indiana.

State of _____ County of _____ Signed this _____ day of _____, 20_____.

Subscribed and sworn to before me this _____ day of _____, 20_____

Guarantor _____

Notary Public _____

CONTACT OUR REPS



IF ANY MANUFACTURER REPS WOULD LIKE TO REPRESENT PHP'S PRODUCT LINE IN THE STATES MARKED WITH OUR LOGO, PLEASE SEND YOUR LINE CARD TO THE EMAIL LISTED ABOVE.



**CT, MA, ME, NH
Upstate NY, RI, VT**
B & S Sales
Bridget Baresel
781-760-4590
bridget@bssalesrep.com



IN, KY, MI, OH
McClees Equipment Sales
Jerry McClees
317.840.8355
jlmcclees@tds.net



AL, GA, NC, SC, TN
M&M Sales
Kevin Marchin
803-431-7326
kevin@mmsales.biz



**NJ, NYC, Long Island NY,
E. PA,**
Area Codes 570, 272, 717, 223, 610,
484, 215, 267, 445
Seven40Nine Sales



AK, ID, MT, OR, WA
Johnson Co., Inc.
Keith Johnson
206.622.9043
info@johnsonrep.com



**IA, KS, MN, MO, ND,
NE, SD**
McClelland Sales Co.
Bob McClelland
314.308.1542
toolman.mcclelland@yahoo.com



**AR, CO, LA, MS, NM,
OK, TX**
JS Performance Marketing
JMax Quenon
jmax@jspmreps.com



DE, MD, W. PA, E. VA, WV
Area Codes 814, 724, 878, 412
Thomas Sales Company
Ron Thomas
410.804.1200
thomassalescompany@gmail.com



**AZ, CA, DC, FL, HI, IL,
NM, NV, UP of MI, UT,
WI, WY**
PHP
800.362.6951
info@phpdistribution.com

If any manufacturer reps would like to represent PHP's product line in the states marked with our logo, please send your line card to the email listed above.



342 North 400 East
Valparaiso, IN 46383

Phone Toll Free: 800.362.6951

Fax Toll Free: 800.255.7985

phpdistribution.com

